

# Food and Drug Administration Total Diet Study

Summary of Residues Found  
Ordered by Food  
Market Baskets 91-3—01-4

June 2003

This document displays summary values for each pesticide or other organic residue found in FDA's Total Diet Study, Market Baskets 91-3—01-4 (36 baskets). Note that only positive values were used; *i.e.*, levels of 0.0 were not included in the calculations, except in cases where the laboratory indicated the presence of a trace level but did not enter a value.

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>001</b>	<b>whole milk, fluid</b>	benzene	3	0.0037	0.0010	0.0080
		chloroform	12	0.0106	0.0020	0.0220
		DDE, p,p'	23	0.0013	0.0001	0.0110
		dieldrin	16	0.0001	0.0001	0.0003
		endosulfan sulfate	4	0.0002	0.0001	0.0004
		heptachlor epoxide	1	0.0001	0.0001	0.0001
		methoxychlor, p,p'-	1	0.0002	0.0002	0.0002
		permethrin, cis	1	0.0002	0.0002	0.0002
		permethrin, trans	1	0.0002	0.0002	0.0002
		styrene	1	0.0020	0.0020	0.0020
		tetrachloroethylene	1	0.0030	0.0030	0.0030
toluene	3	0.0063	0.0010	0.0160		
<b>002</b>	<b>lowfat (2% fat) milk, fluid</b>	DDE, p,p'	19	0.0008	0.0001	0.0050
		dieldrin	8	0.0001	0.0001	0.0002
		endosulfan sulfate	2	0.0002	0.0001	0.0003
		methoxychlor, p,p'-	1	0.0002	0.0002	0.0002
<b>003</b>	<b>chocolate milk, fluid</b>	DDE, p,p'	7	0.0011	0.0004	0.0040
<b>004</b>	<b>skim milk, fluid</b>	DDE, p,p'	4	0.0002	0.0001	0.0002
<b>006</b>	<b>plain yogurt, lowfat</b>	DDE, p,p'	7	0.0004	0.0002	0.0006
		endosulfan II	1	0.0004	0.0004	0.0004
<b>007</b>	<b>chocolate milk shake, fast-food</b>	chlorpyrifos	1	0.0020	0.0020	0.0020
		DDE, p,p'	13	0.0006	0.0001	0.0020
		dieldrin	4	0.0002	0.0001	0.0002
<b>008</b>	<b>evaporated milk, canned</b>	BHC, alpha	1	0.0004	0.0004	0.0004
		chlordane, cis	1	0.0009	0.0009	0.0009
		DDE, p,p'	29	0.0011	0.0002	0.0040
		dieldrin	10	0.0005	0.0001	0.0020
		endrin	1	0.0010	0.0010	0.0010
		heptachlor epoxide	1	0.0006	0.0006	0.0006
		lindane	1	0.0008	0.0008	0.0008
		toluene	2	0.0115	0.0100	0.0130
<b>010</b>	<b>American, processed cheese</b>	1,1,1-trichloroethane	2	0.0140	0.0030	0.0250
		1,2,4-trimethylbenzene	2	0.0050	0.0040	0.0060
		benzene	2	0.0020	0.0010	0.0030
		bromodichloromethane	1	0.0030	0.0030	0.0030

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		chlorobenzene	1	0.0030	0.0030	0.0030
		chloroform	20	0.0235	0.0110	0.0540
		DDE, p,p'	36	0.0067	0.0008	0.0480
		dichlorobenzene, p-	2	0.0025	0.0020	0.0030
		dieldrin	27	0.0007	0.0002	0.0020
		diphenyl 2-ethylhexyl phosphate	1	0.0800	0.0800	0.0800
		endosulfan sulfate	6	0.0008	0.0004	0.0010
		ethyl benzene	2	0.0035	0.0030	0.0040
		heptachlor epoxide	6	0.0005	0.0002	0.0009
		hexachlorobenzene	6	0.0004	0.0002	0.0007
		lindane	1	0.0002	0.0002	0.0002
		styrene	7	0.0040	0.0020	0.0110
		tetrachloroethylene	1	0.0020	0.0020	0.0020
		toluene	21	0.0463	0.0130	0.2550
		trichloroethylene	2	0.0025	0.0020	0.0030
		xylene, m- and/or p-	19	0.0364	0.0040	0.1120
		xylene, o-	3	0.0030	0.0020	0.0040
<b>011</b>	<b>cottage cheese, 4% milkfat</b>					
		DDE, p,p'	15	0.0013	0.0001	0.0050
		dieldrin	4	0.0003	0.0001	0.0005
<b>012</b>	<b>cheddar cheese</b>					
		1,1,1-trichloroethane	4	0.0120	0.0030	0.0280
		1,2,4-trimethylbenzene	1	0.0110	0.0110	0.0110
		1,2-dichloroethene, trans-	6	0.0198	0.0100	0.0420
		azinphos-methyl	1	0.0050	0.0050	0.0050
		benzene	4	0.0193	0.0010	0.0470
		chlordane, trans	1	0.0008	0.0008	0.0008
		chlorobenzene	1	0.0030	0.0030	0.0030
		chloroform	20	0.0407	0.0030	0.1070
		DDE, p,p'	29	0.0041	0.0003	0.0300
		dichlorobenzene, p-	1	0.0020	0.0020	0.0020
		dieldrin	27	0.0011	0.0002	0.0050
		diphenyl 2-ethylhexyl phosphate	1	0.0900	0.0900	0.0900
		endosulfan sulfate	3	0.0011	0.0005	0.0020
		ethyl benzene	2	0.0070	0.0020	0.0120
		heptachlor epoxide	11	0.0007	0.0001	0.0020
		hexachlorobenzene	5	0.0005	0.0003	0.0006
		methoxychlor, p,p'-	1	0.0007	0.0007	0.0007
		octachlor epoxide	2	0.0004	0.0003	0.0004
		permethrin, cis	1	0.0009	0.0009	0.0009
		permethrin, trans	1	0.0010	0.0010	0.0010
		styrene	5	0.0570	0.0030	0.1960
		tetrachloroethylene	2	0.0050	0.0020	0.0080
		toluene	23	0.2813	0.0040	1.7300
		trichloroethylene	3	0.0027	0.0020	0.0040
		xylene, m- and/or p-	16	0.0174	0.0020	0.0430

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>013</b>	<b>ground beef, pan-cooked</b>	1,1,1-trichloroethane	3	0.0033	0.0030	0.0040
		1,2,4-trimethylbenzene	2	0.0075	0.0040	0.0110
		benzene	18	0.0327	0.0060	0.1900
		BHC, alpha	1	0.0004	0.0004	0.0004
		chloroform	6	0.0053	0.0020	0.0170
		chlorotoluene, o-	1	0.0110	0.0110	0.0110
		chlorpyrifos	1	0.0005	0.0005	0.0005
		DDE, p,p'	32	0.0019	0.0003	0.0070
		DDT, p,p'	2	0.0003	0.0003	0.0003
		dichlorobenzene, p-	6	0.0248	0.0020	0.1270
		dieldrin	23	0.0005	0.0001	0.0010
		diphenyl 2-ethylhexyl phosphate	4	0.0520	0.0100	0.0940
		ethyl benzene	3	0.0023	0.0020	0.0030
		heptachlor epoxide	12	0.0003	0.0001	0.0009
		hexachlorobenzene	10	0.0002	0.0001	0.0004
		lindane	1	0.0005	0.0005	0.0005
		octachlor epoxide	2	0.0002	0.0001	0.0003
		styrene	10	0.0085	0.0020	0.0140
		tetrachloroethylene	4	0.0043	0.0020	0.0060
		toluene	23	0.0229	0.0100	0.0890
trichloroethylene	3	0.0040	0.0030	0.0060		
xylene, m- and/or p-	9	0.0046	0.0020	0.0110		
xylene, o-	4	0.0030	0.0020	0.0040		
<b>014</b>	<b>beef chuck roast, baked</b>	1,1,1-trichloroethane	4	0.0065	0.0030	0.0140
		benzene	20	0.0381	0.0010	0.0990
		chloroform	5	0.0074	0.0020	0.0130
		chlorpropham	5	0.0166	0.0009	0.0600
		DDE, p,p'	22	0.0012	0.0001	0.0040
		dichlorobenzene, p-	3	0.0247	0.0180	0.0380
		dieldrin	6	0.0005	0.0001	0.0010
		ethyl benzene	2	0.0080	0.0020	0.0140
		heptachlor epoxide	3	0.0002	0.0001	0.0005
		hexachlorobenzene	1	0.0003	0.0003	0.0003
		polychlorinated biphenyls	1	0.0100	0.0100	0.0100
		styrene	10	0.0132	0.0020	0.0500
		toluene	22	0.0300	0.0060	0.0770
		trichloroethylene	3	0.0053	0.0020	0.0110
		xylene, m- and/or p-	5	0.0198	0.0020	0.0610
		xylene, o-	3	0.0103	0.0020	0.0260
<b>016</b>	<b>beef steak, loin, pan-cooked</b>	chloroform	1	0.0130	0.0130	0.0130
		DDE, p,p'	19	0.0013	0.0002	0.0040
		DDT, p,p'	1	0.0002	0.0002	0.0002
		diazinon	1	0.0009	0.0009	0.0009
		dieldrin	10	0.0007	0.0002	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		heptachlor epoxide	4	0.0002	0.0001	0.0003
		octachlor epoxide	2	0.0006	0.0001	0.0010
		polychlorinated biphenyls	1	0.0220	0.0220	0.0220
		toluene	2	0.0170	0.0100	0.0240
<b>017</b>	<b>ham, baked</b>					
		DDE, p,p'	2	0.0005	0.0002	0.0007
		DDT, p,p'	1	0.0002	0.0002	0.0002
		pentachlorophenol	1	0.0290	0.0290	0.0290
		permethrin, cis	2	0.0006	0.0002	0.0010
		permethrin, trans	2	0.0006	0.0002	0.0010
		toluene	2	0.0120	0.0120	0.0120
<b>018</b>	<b>pork chop, pan-cooked</b>					
		chlordane, cis	1	0.0008	0.0008	0.0008
		chlordane, trans	1	0.0008	0.0008	0.0008
		chlorpyrifos	1	0.0020	0.0020	0.0020
		DDE, p,p'	9	0.0020	0.0001	0.0120
		DDT, o,p'	1	0.0020	0.0020	0.0020
		DDT, p,p'	4	0.0037	0.0007	0.0070
		diazinon	1	0.0008	0.0008	0.0008
		dieldrin	2	0.0002	0.0001	0.0003
		heptachlor epoxide	1	0.0001	0.0001	0.0001
		hexachlorobenzene	2	0.0003	0.0002	0.0003
		lindane	1	0.0010	0.0010	0.0010
		nonachlor, trans	1	0.0010	0.0010	0.0010
		polychlorinated biphenyls	1	0.0210	0.0210	0.0210
		TDE, p,p'	1	0.0060	0.0060	0.0060
		toluene	2	0.0185	0.0110	0.0260
<b>019</b>	<b>pork sausage, pan-cooked</b>					
		2-chloroethyl linoleate	23	0.0848	0.0008	0.4130
		2-chloroethyl myristate	3	0.0180	0.0010	0.0460
		2-chloroethyl palmitate	19	0.0284	0.0003	0.1360
		2-chloroethyl stearate	1	0.0200	0.0200	0.0200
		BHC, alpha	5	0.0005	0.0002	0.0010
		DDE, p,p'	26	0.0032	0.0002	0.0300
		DDT, p,p'	12	0.0037	0.0002	0.0190
		dieldrin	3	0.0005	0.0003	0.0008
		ethion	5	0.0024	0.0020	0.0030
		heptachlor epoxide	1	0.0006	0.0006	0.0006
		hexachlorobenzene	1	0.0020	0.0020	0.0020
		lindane	2	0.0003	0.0002	0.0003
		octachlor epoxide	2	0.0006	0.0005	0.0006
		phosalone	1	0.0030	0.0030	0.0030
		styrene	1	0.0180	0.0180	0.0180
		TDE, p,p'	5	0.0016	0.0003	0.0040
		toluene	2	0.0405	0.0300	0.0510
		xylene, m- and/or p-	1	0.0130	0.0130	0.0130

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>020</b>	<b>pork bacon, pan-cooked</b>					
		1,1,1-trichloroethane	5	0.0078	0.0030	0.0240
		1,2,4-trimethylbenzene	10	0.0212	0.0070	0.0800
		benzene	10	0.0069	0.0010	0.0170
		chloroform	5	0.0054	0.0020	0.0120
		DDE, p,p'	20	0.0010	0.0003	0.0020
		DDT, p,p'	8	0.0016	0.0006	0.0030
		dichlorobenzene, p-	2	0.0060	0.0040	0.0080
		dieldrin	3	0.0005	0.0003	0.0007
		ethyl benzene	5	0.0052	0.0020	0.0160
		hexachlorobenzene	2	0.0005	0.0003	0.0006
		nonachlor, trans	1	0.0006	0.0006	0.0006
		styrene	13	0.0205	0.0040	0.0850
		TDE, p,p'	1	0.0004	0.0004	0.0004
		tetrachloroethylene	4	0.0075	0.0020	0.0220
		toluene	24	0.0490	0.0120	0.2300
		trichloroethylene	1	0.0040	0.0040	0.0040
		xylene, m- and/or p-	11	0.0111	0.0030	0.0350
		xylene, o-	4	0.0023	0.0020	0.0030
<b>021</b>	<b>pork roast, baked</b>					
		benzene	2	0.0390	0.0300	0.0480
		butylbenzene, n-	1	0.1690	0.1690	0.1690
		chloroform	1	0.0300	0.0300	0.0300
		DDE, p,p'	4	0.0012	0.0001	0.0040
		dicloran	5	0.0018	0.0004	0.0040
		heptachlor epoxide	1	0.0003	0.0003	0.0003
		lindane	1	0.0020	0.0020	0.0020
		permethrin, cis	1	0.0005	0.0005	0.0005
		permethrin, trans	1	0.0005	0.0005	0.0005
		polychlorinated biphenyls	1	0.0180	0.0180	0.0180
		toluene	2	0.0370	0.0340	0.0400
<b>022</b>	<b>lamb chop, pan-cooked</b>					
		chloroform	1	0.0170	0.0170	0.0170
		chlorpyrifos	2	0.0031	0.0002	0.0060
		DDE, p,p'	34	0.0055	0.0003	0.0300
		DDT, p,p'	1	0.0005	0.0005	0.0005
		diazinon	3	0.0043	0.0020	0.0090
		dieldrin	4	0.0010	0.0001	0.0020
		endosulfan sulfate	2	0.0002	0.0001	0.0003
		heptachlor epoxide	1	0.0004	0.0004	0.0004
		hexachlorobenzene	18	0.0007	0.0001	0.0020
		octachlor epoxide	4	0.0003	0.0001	0.0004
		polychlorinated biphenyls	1	0.0180	0.0180	0.0180
		propetamphos	1	0.0210	0.0210	0.0210
		styrene	1	0.0100	0.0100	0.0100
		TDE, p,p'	1	0.0004	0.0004	0.0004
		toluene	2	0.0115	0.0110	0.0120

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>024</b>	<b>chicken, fried (breast, leg, and thigh) homemade</b>	chloroform	1	0.0280	0.0280	0.0280
		DDE, p,p'	7	0.0006	0.0003	0.0010
		dieldrin	2	0.0002	0.0001	0.0002
		lindane	2	0.0005	0.0002	0.0007
		polychlorinated biphenyls	1	0.0090	0.0090	0.0090
		toluene	1	0.0120	0.0120	0.0120
		xylene, m- and/or p-	1	0.0100	0.0100	0.0100
<b>026</b>	<b>turkey breast, roasted</b>	benzene	1	0.0340	0.0340	0.0340
		chloroform	1	0.0200	0.0200	0.0200
		DDE, p,p'	6	0.0005	0.0001	0.0008
		dicloran	4	0.0013	0.0004	0.0020
		dieldrin	1	0.0010	0.0010	0.0010
		diphenyl 2-ethylhexyl phosphate	1	0.0600	0.0600	0.0600
		styrene	1	0.0130	0.0130	0.0130
		toluene	2	0.0205	0.0200	0.0210
<b>027</b>	<b>liver, beef, fried</b>	1,2,4-trimethylbenzene	1	0.0250	0.0250	0.0250
		chloroform	1	0.0150	0.0150	0.0150
		DDE, p,p'	5	0.0006	0.0003	0.0007
		dieldrin	14	0.0004	0.0001	0.0020
		endosulfan sulfate	2	0.0005	0.0003	0.0006
		ethyl benzene	1	0.0210	0.0210	0.0210
		heptachlor epoxide	2	0.0002	0.0001	0.0002
		toluene	2	0.0125	0.0100	0.0150
		xylene, m- and/or p-	1	0.0650	0.0650	0.0650
		xylene, o-	1	0.0320	0.0320	0.0320
<b>028</b>	<b>frankfurters, beef, boiled</b>	1,1,1-trichloroethane	1	0.0030	0.0030	0.0030
		1,2,4-trimethylbenzene	1	0.0090	0.0090	0.0090
		1,2-dichloroethene, trans-	2	0.0065	0.0020	0.0110
		2-chloroethyl linoleate	12	0.2028	0.0160	0.9320
		2-chloroethyl myristate	6	0.0063	0.0030	0.0150
		2-chloroethyl palmitate	12	0.0287	0.0020	0.1110
		benzene	8	0.0046	0.0020	0.0110
		bromodichloromethane	4	0.0043	0.0040	0.0050
		butylbenzene, n-	5	0.1138	0.0030	0.5470
		carbon tetrachloride	2	0.0075	0.0040	0.0110
		chlorobenzene	1	0.0030	0.0030	0.0030
		chloroform	10	0.0101	0.0030	0.0230
		DDE, p,p'	32	0.0027	0.0004	0.0170
		DDT, p,p'	1	0.0002	0.0002	0.0002
		dichlorobenzene, o-	1	0.0020	0.0020	0.0020
		dieldrin	16	0.0008	0.0002	0.0020
		ethyl benzene	6	0.0037	0.0020	0.0060
		heptachlor epoxide	5	0.0005	0.0001	0.0010

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		hexachlorobenzene	7	0.0002	0.0001	0.0005
		lindane	3	0.0009	0.0007	0.0010
		propylbenzene, n-	2	0.0105	0.0100	0.0110
		styrene	11	0.0141	0.0030	0.0770
		tetrachloroethylene	7	0.0143	0.0020	0.0600
		toluene	24	0.0316	0.0120	0.0820
		trichloroethylene	9	0.0184	0.0020	0.1050
		xylene, m- and/or p-	12	0.0177	0.0020	0.0320
		xylene, o-	8	0.0044	0.0020	0.0080
<b>029</b>	<b>bologna, sliced</b>					
		1,1,1-trichloroethane	2	0.0140	0.0100	0.0180
		1,2,4-trimethylbenzene	3	0.0057	0.0040	0.0070
		2-chloroethyl linoleate	5	0.0362	0.0150	0.0600
		2-chloroethyl myristate	1	0.0450	0.0450	0.0450
		2-chloroethyl palmitate	2	0.0090	0.0060	0.0120
		benzene	11	0.0172	0.0020	0.0500
		bromodichloromethane	2	0.0095	0.0030	0.0160
		butylbenzene, n-	3	0.1397	0.0040	0.4100
		carbon tetrachloride	1	0.0110	0.0110	0.0110
		chlorobenzene	1	0.0020	0.0020	0.0020
		chloroform	10	0.0126	0.0030	0.0270
		DDE, p,p'	21	0.0010	0.0002	0.0030
		DDT, p,p'	1	0.0005	0.0005	0.0005
		dieldrin	5	0.0004	0.0002	0.0010
		ethyl benzene	7	0.0054	0.0020	0.0200
		heptachlor epoxide	1	0.0002	0.0002	0.0002
		lindane	1	0.0007	0.0007	0.0007
		styrene	12	0.0123	0.0020	0.0780
		tetrachloroethylene	11	0.0105	0.0020	0.0270
		toluene	23	0.0269	0.0100	0.0770
		trichloroethylene	6	0.0102	0.0020	0.0200
		xylene, m- and/or p-	10	0.0120	0.0020	0.0610
		xylene, o-	7	0.0059	0.0020	0.0190
<b>030</b>	<b>salami, sliced</b>					
		1,1,1-trichloroethane	2	0.0085	0.0050	0.0120
		2-chloroethyl linoleate	6	0.0417	0.0020	0.0900
		2-chloroethyl myristate	5	0.0150	0.0020	0.0350
		2-chloroethyl palmitate	6	0.0127	0.0040	0.0290
		benzene	10	0.0114	0.0030	0.0240
		BHC, alpha	1	0.0003	0.0003	0.0003
		bromodichloromethane	1	0.0040	0.0040	0.0040
		carbon tetrachloride	1	0.0050	0.0050	0.0050
		chlorobenzene	1	0.0030	0.0030	0.0030
		chloroform	7	0.0086	0.0030	0.0160
		DDE, p,p'	24	0.0008	0.0002	0.0020
		DDT, p,p'	2	0.0002	0.0001	0.0002
		dieldrin	6	0.0004	0.0002	0.0008
		ethyl benzene	5	0.0032	0.0020	0.0080



## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		propylbenzene, n-	3	0.0100	0.0090	0.0110
		styrene	12	0.0133	0.0030	0.0430
		tetrachloroethylene	6	0.0160	0.0020	0.0660
		toluene	24	0.0309	0.0100	0.0820
		trichloroethylene	1	0.0140	0.0140	0.0140
		xylene, m- and/or p-	12	0.0146	0.0040	0.0340
		xylene, o-	7	0.0056	0.0020	0.0110
<b>032</b>	<b>tuna, canned in oil</b>					
		1,1,1-trichloroethane	2	0.0040	0.0030	0.0050
		1,2,4-trimethylbenzene	1	0.0040	0.0040	0.0040
		benzene	12	0.0087	0.0040	0.0130
		BHC, alpha	1	0.0010	0.0010	0.0010
		carbon tetrachloride	1	0.0040	0.0040	0.0040
		chloroform	6	0.0067	0.0020	0.0210
		DDE, p,p'	10	0.0009	0.0003	0.0030
		dichlorobenzene, p-	1	0.0040	0.0040	0.0040
		dieldrin	2	0.0005	0.0004	0.0005
		ethyl benzene	2	0.0020	0.0020	0.0020
		hexachlorobenzene	1	0.0005	0.0005	0.0005
		polychlorinated biphenyls	1	0.0450	0.0450	0.0450
		propylbenzene, n-	1	0.0180	0.0180	0.0180
		styrene	2	0.0030	0.0020	0.0040
		tetrachloroethylene	1	0.0020	0.0020	0.0020
		toluene	20	0.0992	0.0050	0.7900
		trichloroethylene	4	0.0078	0.0020	0.0110
		xylene, m- and/or p-	8	0.0053	0.0020	0.0170
		xylene, o-	4	0.0020	0.0020	0.0020
<b>034</b>	<b>fish sticks, frozen, heated</b>					
		1,1,1-trichloroethane	3	0.0063	0.0030	0.0120
		1,2,4-trimethylbenzene	15	0.0259	0.0040	0.0550
		benzene	7	0.0056	0.0010	0.0210
		butylbenzene, n-	3	0.0163	0.0060	0.0340
		carbon tetrachloride	1	0.0050	0.0050	0.0050
		chloroform	17	0.0285	0.0040	0.0630
		chlorpyrifos	2	0.0010	0.0009	0.0010
		chlorpyrifos-methyl	36	0.0023	0.0003	0.0060
		cumene (isopropyl benzene)	3	0.0053	0.0040	0.0070
		DDE, p,p'	2	0.0002	0.0002	0.0002
		DDT, p,p'	1	0.0003	0.0003	0.0003
		dichlorobenzene, p-	11	0.0096	0.0030	0.0290
		ethyl benzene	11	0.0079	0.0020	0.0190
		malathion	34	0.0034	0.0008	0.0110
		methoxychlor, p,p'	1	0.0010	0.0010	0.0010
		pirimiphos-methyl	1	0.0010	0.0010	0.0010
		propylbenzene, n-	4	0.0045	0.0030	0.0060
		styrene	9	0.0077	0.0030	0.0140
		tetrachloroethylene	9	0.0099	0.0020	0.0240
		toluene	20	0.0252	0.0030	0.0700

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		trichloroethylene	3	0.0107	0.0020	0.0160
		xylene, m- and/or p-	16	0.0247	0.0040	0.0810
		xylene, o-	10	0.0078	0.0020	0.0170
<b>035</b>	<b>eggs, scrambled</b>					
		1,1,1-trichloroethane	1	0.0040	0.0040	0.0040
		1,2,4-trimethylbenzene	1	0.0130	0.0130	0.0130
		benzene	7	0.0110	0.0010	0.0400
		butylbenzene, n-	1	0.0130	0.0130	0.0130
		chloroform	6	0.0063	0.0020	0.0130
		chlorpropham	1	0.0110	0.0110	0.0110
		cumene (isopropyl benzene)	2	0.0045	0.0040	0.0050
		DDE, p,p'	11	0.0007	0.0002	0.0020
		dichlorobenzene, p-	2	0.0165	0.0070	0.0260
		dieldrin	4	0.0001	0.0001	0.0002
		ethyl benzene	3	0.0033	0.0020	0.0050
		propylbenzene, n-	1	0.0070	0.0070	0.0070
		styrene	10	0.0078	0.0020	0.0160
		tetrachloroethylene	2	0.0035	0.0030	0.0040
		toluene	15	0.0259	0.0030	0.1000
		xylene, m- and/or p-	5	0.0034	0.0020	0.0040
<b>036</b>	<b>eggs, fried</b>					
		bromodichloromethane	1	0.0130	0.0130	0.0130
		chloroform	1	0.0210	0.0210	0.0210
		DDE, p,p'	8	0.0008	0.0002	0.0020
		dieldrin	5	0.0003	0.0001	0.0007
		permethrin, cis	1	0.0010	0.0010	0.0010
		permethrin, trans	1	0.0006	0.0006	0.0006
		polychlorinated biphenyls	1	0.0190	0.0190	0.0190
<b>037</b>	<b>eggs, boiled</b>					
		chloroform	1	0.0230	0.0230	0.0230
		DDE, p,p'	12	0.0007	0.0001	0.0030
		dieldrin	7	0.0002	0.0001	0.0005
		toluene	1	0.0100	0.0100	0.0100
<b>038</b>	<b>pinto beans, dry, boiled</b>					
		iprodione metabolite isomer	1	0.0030	0.0030	0.0030
<b>039</b>	<b>pork and beans, canned</b>					
		2-chloroethyl linoleate	10	0.0249	0.0050	0.1000
		2-chloroethyl myristate	1	0.0007	0.0007	0.0007
		2-chloroethyl palmitate	5	0.0036	0.0010	0.0100
		bromodichloromethane	1	0.0110	0.0110	0.0110
		chloroform	1	0.0160	0.0160	0.0160
		chlorpyrifos	1	0.0002	0.0002	0.0002
		toluene	1	0.0900	0.0900	0.0900
		xylene, m- and/or p-	1	0.0130	0.0130	0.0130

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>042</b>	<b>lima beans, immature, frozen, boiled</b>	acephate	27	0.0284	0.0020	0.2000
		chloroform	1	0.0180	0.0180	0.0180
		DCPA	2	0.0006	0.0003	0.0008
		DDE, p,p'	4	0.0004	0.0001	0.0008
		dicofol, p,p'-	5	0.0046	0.0020	0.0100
		dieldrin	1	0.0003	0.0003	0.0003
		dimethoate	12	0.0046	0.0010	0.0120
		endosulfan sulfate	1	0.0020	0.0020	0.0020
		iprodione	1	0.0005	0.0005	0.0005
		iprodione metabolite isomer	1	0.0090	0.0090	0.0090
		lindane	4	0.0004	0.0001	0.0010
		methamidophos	23	0.0140	0.0009	0.0900
		omethoate	5	0.0015	0.0005	0.0030
<b>046</b>	<b>green peas, fresh/frozen, boiled</b>	chloroform	1	0.0110	0.0110	0.0110
		DDE, p,p'	1	0.0010	0.0010	0.0010
		diazinon	2	0.0020	0.0010	0.0030
		dieldrin	1	0.0009	0.0009	0.0009
		dimethoate	13	0.0028	0.0009	0.0070
		methoxychlor, p,p'-	1	0.0270	0.0270	0.0270
		omethoate	1	0.0010	0.0010	0.0010
		parathion	1	0.0010	0.0010	0.0010
		pentachloroaniline	1	0.0002	0.0002	0.0002
<b>047</b>	<b>peanut butter, smooth</b>	1,1,1-trichloroethane	9	0.0220	0.0030	0.0510
		1,2,4-trimethylbenzene	10	0.0871	0.0050	0.2000
		benzene	10	0.0074	0.0020	0.0250
		BHC, beta	8	0.0005	0.0003	0.0010
		bromodichloromethane	1	0.0100	0.0100	0.0100
		butylbenzene, n-	1	0.0030	0.0030	0.0030
		carbon tetrachloride	1	0.0310	0.0310	0.0310
		chloroform	7	0.0174	0.0020	0.0810
		chlorpyrifos	33	0.0033	0.0006	0.0070
		cumene (isopropyl benzene)	1	0.0020	0.0020	0.0020
		DDE, p,p'	27	0.0023	0.0006	0.0040
		dichlorobenzene, p-	1	0.0070	0.0070	0.0070
		dicloran	1	0.0010	0.0010	0.0010
		dieldrin	30	0.0011	0.0003	0.0030
		endosulfan II	2	0.0003	0.0002	0.0004
		endosulfan sulfate	18	0.0008	0.0005	0.0020
		ethyl benzene	12	0.0057	0.0020	0.0120
		fenitrothion	1	0.0070	0.0070	0.0070
		hexachlorobenzene	1	0.0002	0.0002	0.0002
		malathion	11	0.0080	0.0020	0.0240
		methoxychlor, p,p'-	3	0.0023	0.0010	0.0030
pentachloroaniline	35	0.0030	0.0004	0.0230		
pentachlorobenzene	33	0.0012	0.0003	0.0070		

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		pentachlorophenyl methyl ether	23	0.0012	0.0001	0.0080
		pentachlorophenyl methyl sulfide	12	0.0013	0.0003	0.0040
		pirimiphos-methyl	2	0.0060	0.0010	0.0110
		propylbenzene, n-	4	0.0068	0.0030	0.0140
		quintozene	15	0.0012	0.0002	0.0060
		styrene	22	0.0217	0.0110	0.0380
		tetrachloroethylene	3	0.0047	0.0020	0.0070
		toluene	23	0.0459	0.0240	0.0970
		toxaphene	30	0.0283	0.0030	0.0700
		trichloroethylene	4	0.0235	0.0030	0.0700
		xylene, m- and/or p-	13	0.0111	0.0030	0.0280
		xylene, o-	9	0.0044	0.0020	0.0110
<b>048</b>	<b>peanuts, dry roasted</b>					
		1,1,1-trichloroethane	1	0.0120	0.0120	0.0120
		2-chloroethyl linoleate	6	0.2342	0.0100	1.0100
		2-chloroethyl palmitate	4	0.0205	0.0030	0.0490
		2-chloroethyl stearate	1	0.0070	0.0070	0.0070
		BHC, beta	6	0.0005	0.0002	0.0010
		carbon tetrachloride	1	0.0170	0.0170	0.0170
		chloroform	1	0.0110	0.0110	0.0110
		chlorpropham	1	0.0040	0.0040	0.0040
		chlorpyrifos	30	0.0035	0.0005	0.0110
		DDE, p,p'	25	0.0021	0.0009	0.0070
		dieldrin	25	0.0011	0.0002	0.0050
		endosulfan II	1	0.0003	0.0003	0.0003
		endosulfan sulfate	19	0.0012	0.0004	0.0020
		fonofos	1	0.0650	0.0650	0.0650
		hexachlorobenzene	1	0.0002	0.0002	0.0002
		lindane	1	0.0020	0.0020	0.0020
		malathion	6	0.0030	0.0020	0.0040
		pentachloroaniline	32	0.0022	0.0003	0.0110
		pentachlorobenzene	33	0.0011	0.0003	0.0060
		pentachlorophenyl methyl ether	24	0.0009	0.0001	0.0050
		pentachlorophenyl methyl sulfide	10	0.0014	0.0005	0.0040
		permethrin, cis	1	0.0060	0.0060	0.0060
		permethrin, trans	1	0.0090	0.0090	0.0090
		pirimiphos-methyl	2	0.0095	0.0020	0.0170
		quintozene	9	0.0016	0.0003	0.0060
		styrene	1	0.0110	0.0110	0.0110
		toluene	2	0.0350	0.0290	0.0410
		toxaphene	33	0.0348	0.0030	0.1600
		xylene, m- and/or p-	1	0.0170	0.0170	0.0170
<b>050</b>	<b>white rice, cooked</b>					
		2,4,5-T	1	0.0040	0.0040	0.0040
		diphenyl 2-ethylhexyl phosphate	1	0.0220	0.0220	0.0220
		iprodione	1	0.0020	0.0020	0.0020
		iprodione metabolite isomer	2	0.0020	0.0020	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		malathion	2	0.0020	0.0020	0.0020
		methoxychlor, p,p'-	2	0.0007	0.0005	0.0008
		quinclorac	12	0.0046	0.0020	0.0080
		tributyl phosphate	1	0.0050	0.0050	0.0050
<b>051</b>	<b>oatmeal, quick (1-3 min), cooked</b>					
		1,2,4-trimethylbenzene	1	0.0110	0.0110	0.0110
		chlorpyrifos	4	0.0063	0.0020	0.0140
		chlorpyrifos-methyl	7	0.0015	0.0004	0.0040
		endosulfan II	1	0.0020	0.0020	0.0020
		endosulfan sulfate	1	0.0030	0.0030	0.0030
		malathion	9	0.0023	0.0010	0.0040
		tributyl phosphate	1	0.0060	0.0060	0.0060
		tris(2-butoxyethyl)phosphate	1	0.1160	0.1160	0.1160
		tris(beta-chloroethyl) phosphate	1	0.0010	0.0010	0.0010
		xylene, m- and/or p-	1	0.0300	0.0300	0.0300
<b>052</b>	<b>wheat cereal, farina, quick (1-3min), cooked</b>					
		chloroform	1	0.0120	0.0120	0.0120
		chlorpyrifos-methyl	6	0.0023	0.0004	0.0060
		dicloran	1	0.0050	0.0050	0.0050
		malathion	2	0.0020	0.0010	0.0030
		tributyl phosphate	6	0.0172	0.0080	0.0320
<b>053</b>	<b>corngrits, regular, cooked</b>					
		benzene	1	0.0180	0.0180	0.0180
		dicloran	1	0.0010	0.0010	0.0010
		malathion	6	0.0022	0.0010	0.0030
		pirimiphos-methyl	2	0.0024	0.0007	0.0040
		polychlorinated biphenyls	1	0.0160	0.0160	0.0160
<b>054</b>	<b>corn, fresh/frozen, boiled</b>					
		chloroform	1	0.0290	0.0290	0.0290
		diazinon	2	0.0007	0.0003	0.0010
<b>056</b>	<b>cream style corn, canned</b>					
		acephate	1	0.0010	0.0010	0.0010
		benzene	1	0.0080	0.0080	0.0080
		chloroform	4	0.0085	0.0020	0.0240
		dimethoate	1	0.0020	0.0020	0.0020
		tetrachloroethylene	1	0.0040	0.0040	0.0040
		toluene	6	0.0178	0.0010	0.0550
<b>057</b>	<b>popcorn, popped in oil</b>					
		1,1,1,2-tetrachloroethane	1	0.0160	0.0160	0.0160
		1,1,1-trichloroethane	6	0.0128	0.0040	0.0270
		1,2,4-trimethylbenzene	6	0.0085	0.0050	0.0140
		benzene	9	0.0142	0.0010	0.0580
		bromodichloromethane	1	0.0050	0.0050	0.0050
		butylbenzene, n-	2	0.0060	0.0060	0.0060

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		butylbenzene, sec-	1	0.0100	0.0100	0.0100
		chlordane	2	0.0540	0.0210	0.0870
		chlordane, cis	4	0.0013	0.0010	0.0020
		chlordane, trans	4	0.0023	0.0020	0.0030
		chloroform	2	0.0085	0.0020	0.0150
		chlorpyrifos	3	0.0069	0.0006	0.0180
		DDE, p,p'	1	0.0020	0.0020	0.0020
		diazinon	2	0.0080	0.0010	0.0150
		dichlorobenzene, p-	3	0.1280	0.0250	0.2920
		dieldrin	4	0.0012	0.0002	0.0020
		endosulfan sulfate	1	0.0010	0.0010	0.0010
		ethyl benzene	3	0.0030	0.0020	0.0040
		lindane	2	0.0015	0.0009	0.0020
		malathion	13	0.0164	0.0010	0.1170
		methoxychlor, p,p'	14	0.0302	0.0004	0.3000
		permethrin, cis	1	0.0070	0.0070	0.0070
		permethrin, trans	1	0.0070	0.0070	0.0070
		pirimiphos-methyl	24	0.1056	0.0010	0.2430
		polychlorinated biphenyls	4	0.0170	0.0090	0.0300
		propylbenzene, n-	1	0.0030	0.0030	0.0030
		styrene	7	0.0044	0.0020	0.0110
		tetrachloroethylene	1	0.0040	0.0040	0.0040
		toluene	22	0.0344	0.0110	0.0740
		toxaphene	3	0.0133	0.0050	0.0260
		trichloroethylene	5	0.0058	0.0030	0.0100
		xylene, m- and/or p-	11	0.0135	0.0030	0.0330
		xylene, o-	5	0.0032	0.0020	0.0070
<b>058</b>	<b>white bread</b>					
		1,1,1-trichloroethane	1	0.0030	0.0030	0.0030
		1,2,4-trimethylbenzene	8	0.0090	0.0040	0.0170
		2,4-D	12	0.0041	0.0010	0.0090
		benzene	8	0.0088	0.0010	0.0250
		BHC, alpha	1	0.0001	0.0001	0.0001
		chloroform	1	0.0020	0.0020	0.0020
		chlorpropham	5	0.0074	0.0020	0.0200
		chlorpyrifos	6	0.0009	0.0002	0.0020
		chlorpyrifos-methyl	35	0.0088	0.0010	0.0400
		cumene (isopropyl benzene)	1	0.0030	0.0030	0.0030
		diazinon	2	0.0025	0.0010	0.0040
		dicamba	9	0.0040	0.0020	0.0090
		dichlorobenzene, p-	5	0.0108	0.0020	0.0210
		diphenyl 2-ethylhexyl phosphate	18	0.1989	0.0190	0.6800
		ethyl benzene	2	0.0210	0.0140	0.0280
		ethylenethiourea	2	0.0040	0.0030	0.0050
		iprodione	1	0.0070	0.0070	0.0070
		malathion	35	0.0156	0.0020	0.0700
		pirimiphos-methyl	3	0.0020	0.0010	0.0030
		propylbenzene, n-	1	0.0030	0.0030	0.0030

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		styrene	7	0.0256	0.0020	0.1440
		toluene	11	0.0095	0.0020	0.0410
		trichloroethylene	2	0.0045	0.0020	0.0070
		xylene, m- and/or p-	6	0.0170	0.0020	0.0760
		xylene, o-	1	0.0140	0.0140	0.0140
<b>059</b>	<b>white roll</b>					
		1,1,2-trichloroethane	1	0.0110	0.0110	0.0110
		1,2,4-trimethylbenzene	1	0.0120	0.0120	0.0120
		BHC, alpha	1	0.0001	0.0001	0.0001
		chlorpropham	4	0.0075	0.0060	0.0120
		chlorpyrifos	8	0.0011	0.0003	0.0030
		chlorpyrifos-methyl	36	0.0086	0.0010	0.0240
		DDT, p,p'	2	0.0004	0.0003	0.0005
		diazinon	2	0.0020	0.0020	0.0020
		diphenyl 2-ethylhexyl phosphate	10	0.1118	0.0300	0.4900
		fenitrothion	1	0.0005	0.0005	0.0005
		malathion	36	0.0155	0.0010	0.0720
		methoxychlor, p,p'	1	0.0010	0.0010	0.0010
		parathion	1	0.0020	0.0020	0.0020
		pirimiphos-methyl	5	0.0042	0.0020	0.0080
		toluene	1	0.0250	0.0250	0.0250
		triphenyl phosphate	1	0.0300	0.0300	0.0300
		tris(beta-chloroethyl) phosphate	1	0.0030	0.0030	0.0030
<b>060</b>	<b>cornbread, homemade</b>					
		1,1,1,2-tetrachloroethane	1	0.0250	0.0250	0.0250
		1,1,1-trichloroethane	1	0.0280	0.0280	0.0280
		benzene	1	0.0220	0.0220	0.0220
		bromodichloromethane	1	0.0130	0.0130	0.0130
		chlorpyrifos	2	0.0004	0.0002	0.0005
		chlorpyrifos-methyl	25	0.0020	0.0003	0.0060
		DDE, p,p'	5	0.0007	0.0003	0.0010
		DDT, p,p'	1	0.0002	0.0002	0.0002
		diazinon	3	0.0007	0.0006	0.0010
		dieldrin	1	0.0010	0.0010	0.0010
		heptachlor	1	0.0020	0.0020	0.0020
		malathion	32	0.0042	0.0007	0.0180
		pirimiphos-methyl	5	0.0272	0.0010	0.1230
		polychlorinated biphenyls	1	0.0110	0.0110	0.0110
		toluene	1	0.0610	0.0610	0.0610
		xylene, m- and/or p-	1	0.0100	0.0100	0.0100
<b>061</b>	<b>biscuit, from refrigerated dough, baked</b>					
		1,1,1,2-tetrachloroethane	1	0.0120	0.0120	0.0120
		chloroform	1	0.0140	0.0140	0.0140
		chlorpyrifos	3	0.0009	0.0007	0.0010
		chlorpyrifos-methyl	33	0.0039	0.0006	0.0110
		diazinon	3	0.0016	0.0008	0.0020
		malathion	25	0.0027	0.0006	0.0080

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		methoxychlor, p,p'-	2	0.0005	0.0004	0.0006
		pirimiphos-methyl	3	0.0037	0.0010	0.0070
		polychlorinated biphenyls	1	0.0160	0.0160	0.0160
		toluene	1	0.0170	0.0170	0.0170
<b>062</b>	<b>whole wheat bread</b>					
		1,1,1-trichloroethane	1	0.0140	0.0140	0.0140
		1,2,4-trimethylbenzene	1	0.0230	0.0230	0.0230
		chlorpyrifos	12	0.0013	0.0004	0.0020
		chlorpyrifos-methyl	36	0.0312	0.0080	0.1400
		diazinon	1	0.0030	0.0030	0.0030
		diphenyl 2-ethylhexyl phosphate	16	0.1270	0.0300	0.4100
		lindane	1	0.0050	0.0050	0.0050
		malathion	36	0.0247	0.0040	0.0700
		parathion	1	0.0020	0.0020	0.0020
		pirimiphos-methyl	15	0.0060	0.0010	0.0190
		toluene	1	0.0140	0.0140	0.0140
		xylene, m- and/or p-	1	0.0220	0.0220	0.0220
<b>063</b>	<b>tortilla, flour</b>					
		chlorpyrifos	6	0.0006	0.0003	0.0010
		chlorpyrifos-methyl	36	0.0080	0.0002	0.0900
		diphenyl 2-ethylhexyl phosphate	13	0.1257	0.0400	0.2570
		malathion	35	0.0128	0.0020	0.0540
		methoxychlor, p,p'-	6	0.0011	0.0003	0.0020
		pirimiphos-methyl	1	0.0009	0.0009	0.0009
		toluene	2	0.0120	0.0100	0.0140
		xylene, m- and/or p-	1	0.0200	0.0200	0.0200
<b>064</b>	<b>rye bread</b>					
		2-chloroethyl linoleate	1	0.1000	0.1000	0.1000
		2-chloroethyl palmitate	1	0.0040	0.0040	0.0040
		benzene	1	0.0210	0.0210	0.0210
		BHC, alpha	2	0.0005	0.0004	0.0005
		bromophos-ethyl	1	0.0020	0.0020	0.0020
		chlorpyrifos	9	0.0021	0.0010	0.0090
		chlorpyrifos-methyl	35	0.0111	0.0010	0.0730
		DDT, p,p'	1	0.0001	0.0001	0.0001
		diazinon	1	0.0030	0.0030	0.0030
		diphenyl 2-ethylhexyl phosphate	6	0.1245	0.0230	0.2800
		hexachlorobenzene	1	0.0003	0.0003	0.0003
		lindane	3	0.0005	0.0001	0.0009
		malathion	35	0.0125	0.0020	0.0320
		methoxychlor, p,p'-	1	0.0008	0.0008	0.0008
		parathion	1	0.0010	0.0010	0.0010
		permethrin, cis	2	0.0099	0.0008	0.0190
		permethrin, trans	2	0.0109	0.0007	0.0210
		pirimiphos-methyl	9	0.0030	0.0010	0.0080
		toluene	2	0.0175	0.0160	0.0190
		xylene, m- and/or p-	1	0.0160	0.0160	0.0160



## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>065</b>	<b>blueberry muffin, commercial</b>	1,1,1-trichloroethane	3	0.0043	0.0030	0.0060
		1,2,4-trimethylbenzene	9	0.0147	0.0050	0.0240
		azinphos-methyl	1	0.0290	0.0290	0.0290
		benzene	7	0.0056	0.0010	0.0140
		chloroform	6	0.0078	0.0030	0.0150
		chlorothalonil	1	0.0030	0.0030	0.0030
		chlorpyrifos	2	0.0055	0.0010	0.0100
		chlorpyrifos-methyl	34	0.0063	0.0002	0.0250
		cumene (isopropyl benzene)	5	0.0032	0.0020	0.0050
		DDE, p,p'	1	0.0004	0.0004	0.0004
		diazinon	1	0.0040	0.0040	0.0040
		dichlorobenzene, o-	1	0.0360	0.0360	0.0360
		dichlorobenzene, p-	3	0.0410	0.0100	0.1020
		ethyl benzene	10	0.0373	0.0020	0.2240
		malathion	34	0.0069	0.0010	0.0540
		methoxychlor, p,p'-	3	0.0210	0.0003	0.0620
		phosmet	2	0.0045	0.0030	0.0060
		pirimiphos-methyl	4	0.0029	0.0006	0.0070
		propylbenzene, n-	1	0.0050	0.0050	0.0050
		styrene	19	0.0593	0.0080	0.5100
		tetrachloroethylene	7	0.0083	0.0030	0.0270
toluene	24	0.0729	0.0080	0.4560		
trichloroethylene	4	0.0043	0.0030	0.0070		
xylene, m- and/or p-	14	0.0405	0.0030	0.2910		
xylene, o-	11	0.0135	0.0020	0.0760		
<b>066</b>	<b>saltine crackers</b>	1,2,4-trimethylbenzene	1	0.0480	0.0480	0.0480
		chlorpyrifos	8	0.0009	0.0002	0.0020
		chlorpyrifos-methyl	35	0.0176	0.0005	0.1070
		diazinon	2	0.0030	0.0010	0.0050
		malathion	36	0.0176	0.0020	0.0660
		methoxychlor, p,p'-	13	0.0020	0.0003	0.0070
		pirimiphos-methyl	1	0.0010	0.0010	0.0010
		toluene	1	0.0190	0.0190	0.0190
		xylene, m- and/or p-	1	0.0240	0.0240	0.0240
<b>067</b>	<b>corn chips</b>	1,1,1-trichloroethane	6	0.0107	0.0030	0.0240
		1,2,4-trimethylbenzene	8	0.0104	0.0040	0.0160
		benzene	12	0.0117	0.0010	0.0430
		butylbenzene, n-	2	0.0030	0.0030	0.0030
		carbon tetrachloride	1	0.0260	0.0260	0.0260
		chlorobenzene	1	0.0030	0.0030	0.0030
		chloroform	7	0.0059	0.0030	0.0130
		chlorpropham	1	0.0007	0.0007	0.0007
		chlorpyrifos	1	0.0030	0.0030	0.0030
		dichlorobenzene, p-	2	0.0140	0.0100	0.0180
		ethyl benzene	3	0.0023	0.0020	0.0030

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		malathion	5	0.0160	0.0008	0.0690
		methoxychlor olefin	1	0.0010	0.0010	0.0010
		methoxychlor, o,p'-	1	0.0020	0.0020	0.0020
		methoxychlor, p,p'-	3	0.0017	0.0010	0.0020
		pirimiphos-methyl	9	0.0574	0.0020	0.1730
		styrene	8	0.0093	0.0020	0.0300
		tetrachloroethylene	2	0.0030	0.0030	0.0030
		toluene	22	0.0335	0.0120	0.0980
		trichloroethylene	6	0.0035	0.0020	0.0050
		xylene, m- and/or p-	11	0.0110	0.0030	0.0260
		xylene, o-	4	0.0020	0.0020	0.0020
<b>068</b>	<b>pancake from mix</b>					
		benzene	1	0.0110	0.0110	0.0110
		chlorpropham	2	0.0030	0.0010	0.0050
		chlorpyrifos	3	0.0008	0.0005	0.0010
		chlorpyrifos-methyl	33	0.0070	0.0005	0.0290
		DDE, p,p'	5	0.0015	0.0004	0.0040
		diazinon	1	0.0030	0.0030	0.0030
		malathion	34	0.0073	0.0010	0.0240
		methoxychlor, p,p'-	3	0.0010	0.0004	0.0020
		polychlorinated biphenyls	1	0.0240	0.0240	0.0240
		toluene	2	0.1185	0.0190	0.2180
		xylene, m- and/or p-	1	0.0140	0.0140	0.0140
<b>069</b>	<b>egg noodles, boiled</b>					
		chlorpyrifos	6	0.0020	0.0010	0.0050
		chlorpyrifos-methyl	31	0.0039	0.0010	0.0090
		diazinon	2	0.0045	0.0010	0.0080
		diphenyl 2-ethylhexyl phosphate	1	0.0200	0.0200	0.0200
		endosulfan sulfate	1	0.0020	0.0020	0.0020
		malathion	25	0.0035	0.0005	0.0090
		toluene	1	0.0130	0.0130	0.0130
		xylene, m- and/or p-	1	0.0150	0.0150	0.0150
<b>070</b>	<b>macaroni, boiled</b>					
		chlorpyrifos	2	0.0010	0.0010	0.0010
		chlorpyrifos-methyl	23	0.0030	0.0003	0.0180
		lindane	1	0.0006	0.0006	0.0006
		malathion	17	0.0018	0.0003	0.0060
		methoxychlor, p,p'-	1	0.0010	0.0010	0.0010
		pirimiphos-methyl	1	0.0030	0.0030	0.0030
<b>071</b>	<b>corn flakes</b>					
		benzene	1	0.0120	0.0120	0.0120
		methoxychlor, p,p'-	1	0.0020	0.0020	0.0020
		pirimiphos-methyl	1	0.0010	0.0010	0.0010
		tributyl phosphate	1	0.0400	0.0400	0.0400
		xylene, m- and/or p-	1	0.0110	0.0110	0.0110

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>072</b>	<b>fruit-flavored, sweetened cereal</b>					
		1,2,4-trimethylbenzene	1	0.0200	0.0200	0.0200
		benzene	10	0.0157	0.0010	0.0880
		chloroform	5	0.0052	0.0020	0.0120
		chlorotoluene, o-	1	0.0110	0.0110	0.0110
		chlorpyrifos	11	0.0017	0.0007	0.0030
		chlorpyrifos-methyl	8	0.0020	0.0009	0.0050
		cumene (isopropyl benzene)	1	0.0040	0.0040	0.0040
		diazinon	1	0.0010	0.0010	0.0010
		dicamba	9	0.0021	0.0008	0.0030
		dicofol, p,p'-	2	0.0045	0.0040	0.0050
		ethion	7	0.0018	0.0006	0.0040
		ethion oxygen analog	1	0.0010	0.0010	0.0010
		ethyl benzene	1	0.0040	0.0040	0.0040
		ethylene dichloride	12	0.0455	0.0090	0.1440
		malathion	16	0.0020	0.0002	0.0080
		mecarbam	3	0.0030	0.0020	0.0040
		methidathion	8	0.0036	0.0010	0.0070
		propylbenzene, n-	1	0.0040	0.0040	0.0040
		styrene	6	0.0117	0.0020	0.0500
		tetradifon	1	0.0020	0.0020	0.0020
		toluene	14	0.0229	0.0030	0.1400
		tributyl phosphate	1	0.0080	0.0080	0.0080
		trichloroethylene	2	0.0045	0.0030	0.0060
		xylene, m- and/or p-	8	0.0070	0.0020	0.0200
<b>073</b>	<b>shredded wheat cereal</b>					
		1,2,4-trimethylbenzene	2	0.0110	0.0100	0.0120
		2,4-D	1	0.0010	0.0010	0.0010
		chlorpyrifos	8	0.0012	0.0003	0.0040
		chlorpyrifos-methyl	25	0.0372	0.0010	0.1130
		clopyralid	1	0.0020	0.0020	0.0020
		diazinon	4	0.0028	0.0010	0.0040
		malathion	34	0.0267	0.0010	0.1120
		methoxychlor, p,p'-	6	0.0137	0.0004	0.0400
		toluene	2	0.0430	0.0130	0.0730
		tributyl phosphate	1	0.0080	0.0080	0.0080
		xylene, m- and/or p-	1	0.0170	0.0170	0.0170
<b>074</b>	<b>raisin bran cereal</b>					
		1,2,4-trimethylbenzene	1	0.0200	0.0200	0.0200
		2,4-D	7	0.0033	0.0010	0.0070
		captan	2	0.0040	0.0010	0.0070
		chlorpyrifos	9	0.0013	0.0003	0.0020
		chlorpyrifos-methyl	28	0.0147	0.0010	0.0600
		clopyralid	1	0.0008	0.0008	0.0008
		DDE, p,p'	3	0.0007	0.0004	0.0009
		dicamba	1	0.0020	0.0020	0.0020
		dicloran	1	0.0060	0.0060	0.0060
		dicofol, o,p'-	6	0.0172	0.0003	0.0420

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		dicofol, p,p'-dimethoate	13	0.0752	0.0010	0.2530
		endosulfan I	3	0.0013	0.0003	0.0030
		endosulfan II	8	0.0019	0.0004	0.0080
		endosulfan sulfate	4	0.0010	0.0002	0.0020
		iprodione	3	0.0063	0.0020	0.0100
		iprodione metabolite isomer	1	0.0020	0.0020	0.0020
		malathion	24	0.0091	0.0010	0.1240
		pirimiphos-methyl	2	0.0010	0.0010	0.0010
		propargite	23	0.0525	0.0120	0.2150
<b>075</b>	<b>crisped rice cereal</b>					
		malathion	1	0.0020	0.0020	0.0020
		quinclorac	9	0.0047	0.0010	0.0080
		toluene	1	0.0160	0.0160	0.0160
<b>076</b>	<b>granola cereal</b>					
		1,1,1-trichloroethane	1	0.0110	0.0110	0.0110
		chlorpyrifos	11	0.0011	0.0003	0.0020
		chlorpyrifos-methyl	27	0.0283	0.0006	0.1480
		DDE, p,p'	2	0.0003	0.0002	0.0004
		diazinon	4	0.0011	0.0005	0.0020
		dicofol, o,p'-	1	0.0010	0.0010	0.0010
		dicofol, p,p'-	7	0.0051	0.0020	0.0120
		iprodione	2	0.0060	0.0020	0.0100
		malathion	17	0.0063	0.0007	0.0340
		methoxychlor, p,p'-	2	0.0011	0.0002	0.0020
		procymidone	1	0.0006	0.0006	0.0006
		styrene	1	0.0210	0.0210	0.0210
		tecnazene	1	0.0008	0.0008	0.0008
		toluene	2	0.0290	0.0170	0.0410
		xylene, m- and/or p-	2	0.0170	0.0130	0.0210
<b>077</b>	<b>oat ring cereal</b>					
		1,2,4-trimethylbenzene	1	0.0240	0.0240	0.0240
		2,4-D	2	0.0015	0.0010	0.0020
		chlorpyrifos	4	0.0685	0.0010	0.1280
		chlorpyrifos-methyl	3	0.0103	0.0010	0.0180
		clopyralid	9	0.0070	0.0020	0.0100
		dicamba	24	0.0070	0.0010	0.0150
		malathion	3	0.0087	0.0030	0.0130
		toluene	1	0.0900	0.0900	0.0900
<b>078</b>	<b>apple, red, raw</b>					
		azinphos-methyl	32	0.0461	0.0040	0.1900
		benomyl	10	0.1062	0.0300	0.4300
		benzene	9	0.0098	0.0010	0.0320
		captan	11	0.0241	0.0020	0.0800
		carbaryl	15	0.0321	0.0050	0.1500
		chloroform	3	0.0033	0.0020	0.0060

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		chlorpyrifos	25	0.0111	0.0010	0.1030
		DDE, p,p'	2	0.0004	0.0003	0.0004
		diazinon	3	0.0012	0.0005	0.0020
		dichlorobenzene, p-	1	0.0090	0.0090	0.0090
		dicloran	2	0.0015	0.0009	0.0020
		dicofol, o,p'-	1	0.0010	0.0010	0.0010
		dicofol, p,p'-	5	0.0390	0.0080	0.0820
		dimethoate	8	0.0103	0.0020	0.0290
		endosulfan I	16	0.0022	0.0006	0.0080
		endosulfan II	20	0.0032	0.0004	0.0190
		endosulfan sulfate	19	0.0036	0.0003	0.0160
		ethion	2	0.0800	0.0650	0.0950
		ethion oxygen analog	2	0.0025	0.0020	0.0030
		ethyl benzene	1	0.0070	0.0070	0.0070
		fenarimol	1	0.0400	0.0400	0.0400
		iprodione	1	0.0020	0.0020	0.0020
		iprodione metabolite isomer	1	0.0020	0.0020	0.0020
		methomyl	2	0.0095	0.0080	0.0110
		methoxychlor olefin	1	0.0060	0.0060	0.0060
		methoxychlor, o,p'-	2	0.0030	0.0020	0.0040
		methoxychlor, p,p'-	22	0.0435	0.0007	0.2280
		omethoate	8	0.0094	0.0020	0.0200
		parathion	1	0.0010	0.0010	0.0010
		parathion-methyl	5	0.0030	0.0010	0.0060
		phosalone	3	0.0270	0.0030	0.0510
		phosmet	10	0.0285	0.0020	0.1200
		phosphamidon	11	0.0079	0.0030	0.0240
		propargite	11	0.2189	0.0470	0.6160
		thiabendazole	35	0.4998	0.0240	1.2880
		toluene	8	0.0075	0.0010	0.0210
		trichloroethylene	2	0.0035	0.0020	0.0050
		tris(chloropropyl) phosphate	4	0.0090	0.0020	0.0200
		xylene, m- and/or p-	17	0.0180	0.0050	0.0480
<b>079</b>	<b>orange, raw</b>					
		benzene	3	0.0090	0.0010	0.0150
		bromodichloromethane	1	0.0140	0.0140	0.0140
		captan	1	0.0020	0.0020	0.0020
		carbaryl	8	0.0131	0.0040	0.0440
		chloroform	5	0.0040	0.0030	0.0060
		chlorpyrifos	17	0.0022	0.0002	0.0140
		dicloran	1	0.0010	0.0010	0.0010
		dicofol, p,p'-	3	0.0053	0.0040	0.0070
		dimethoate	1	0.0020	0.0020	0.0020
		endosulfan I	1	0.0040	0.0040	0.0040
		endosulfan sulfate	4	0.0004	0.0004	0.0005
		ethion	3	0.0033	0.0010	0.0060
		iprodione	1	0.0230	0.0230	0.0230
		methidathion	9	0.0035	0.0008	0.0070
		omethoate	1	0.0020	0.0020	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		styrene	3	0.0023	0.0020	0.0030
		thiabendazole	32	0.1731	0.0100	0.5810
		toluene	12	0.0570	0.0010	0.1830
		trichloroethylene	3	0.0030	0.0020	0.0050
		xylene, m- and/or p-	7	0.0246	0.0060	0.0660
<b>080</b>	<b>banana, raw</b>					
		benzene	22	0.0641	0.0110	0.1360
		chloroform	2	0.0140	0.0080	0.0200
		ethyl benzene	1	0.0020	0.0020	0.0020
		pentachlorophenyl methyl ether	1	0.0009	0.0009	0.0009
		styrene	1	0.0050	0.0050	0.0050
		thiabendazole	29	0.0492	0.0180	0.0950
		toluene	9	0.0109	0.0020	0.0360
		trichloroethylene	3	0.0037	0.0020	0.0060
		xylene, m- and/or p-	3	0.0087	0.0020	0.0220
<b>081</b>	<b>watermelon, raw</b>					
		acephate	1	0.0010	0.0010	0.0010
		carbaryl	3	0.0353	0.0020	0.0850
		dicloran	1	0.0030	0.0030	0.0030
		dieldrin	1	0.0005	0.0005	0.0005
		dimethoate	1	0.0008	0.0008	0.0008
		endosulfan II	1	0.0004	0.0004	0.0004
		endosulfan sulfate	10	0.0007	0.0002	0.0020
		heptachlor epoxide	1	0.0001	0.0001	0.0001
		hexachlorobenzene	4	0.0006	0.0003	0.0010
		methamidophos	4	0.0255	0.0080	0.0480
		methomyl	3	0.0063	0.0010	0.0150
		omethoate	1	0.0020	0.0020	0.0020
		pentachloroaniline	2	0.0010	0.0009	0.0010
<b>083</b>	<b>peach, raw</b>					
		2,4-dichloro-6-nitrobenzenamine	4	0.0053	0.0020	0.0120
		azinphos-methyl	16	0.0349	0.0040	0.1270
		benomyl	14	0.2976	0.0590	0.5790
		benzene	1	0.0270	0.0270	0.0270
		captan	8	0.0299	0.0020	0.1760
		carbaryl	14	0.0439	0.0020	0.1630
		chlorpyrifos	16	0.0226	0.0005	0.2230
		DDE, p,p'	2	0.0028	0.0005	0.0050
		diazinon	10	0.0035	0.0009	0.0090
		dicloran	26	0.3699	0.0010	2.3300
		dicofol, o,p'-	1	0.0070	0.0070	0.0070
		dicofol, p,p'-	5	0.1028	0.0020	0.4100
		dieldrin	1	0.0002	0.0002	0.0002
		dimethoate	3	0.0023	0.0020	0.0030
		endosulfan I	7	0.0026	0.0002	0.0110
		endosulfan II	7	0.0075	0.0002	0.0440
		endosulfan sulfate	5	0.0052	0.0010	0.0100

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		fenvalerate	3	0.0083	0.0070	0.0100
		iprodione	32	0.8869	0.0410	5.6700
		iprodione metabolite isomer	30	0.0778	0.0030	0.3100
		methamidophos	1	0.0050	0.0050	0.0050
		parathion	1	0.0020	0.0020	0.0020
		parathion-methyl	20	0.0200	0.0020	0.0770
		permethrin, cis	6	0.0057	0.0002	0.0180
		permethrin, trans	6	0.0070	0.0002	0.0260
		phosalone	1	0.0050	0.0050	0.0050
		phosmet	18	0.0631	0.0120	0.1900
		propargite	6	0.2012	0.0820	0.5790
		toluene	1	0.0260	0.0260	0.0260
		xylene, m- and/or p-	1	0.0150	0.0150	0.0150
<b>084</b>	<b>applesauce, bottled</b>					
		acephate	2	0.0025	0.0020	0.0030
		azinphos-methyl	2	0.0065	0.0050	0.0080
		benomyl	2	0.0380	0.0320	0.0440
		captan	1	0.0010	0.0010	0.0010
		carbaryl	12	0.0098	0.0040	0.0520
		chloroform	1	0.0110	0.0110	0.0110
		chlorpyrifos	7	0.0012	0.0007	0.0020
		dimethoate	16	0.0041	0.0010	0.0100
		endosulfan I	1	0.0002	0.0002	0.0002
		endosulfan II	3	0.0001	0.0001	0.0002
		endosulfan sulfate	7	0.0008	0.0002	0.0020
		ethylenethiourea	2	0.0055	0.0030	0.0080
		methamidophos	1	0.0010	0.0010	0.0010
		omethoate	8	0.0025	0.0009	0.0050
		parathion	1	0.0006	0.0006	0.0006
		parathion-methyl	2	0.0030	0.0010	0.0050
		phosmet	1	0.0010	0.0010	0.0010
		phosphamidon	1	0.0120	0.0120	0.0120
		propargite	1	0.0100	0.0100	0.0100
		thiabendazole	10	0.0815	0.0180	0.2220
		tributyl phosphate	15	0.0167	0.0090	0.0260
		xylene, m- and/or p-	1	0.0120	0.0120	0.0120
<b>085</b>	<b>pear, raw</b>					
		azinphos-methyl	29	0.0500	0.0060	0.2270
		benomyl	3	0.0683	0.0400	0.1240
		benzene	1	0.0180	0.0180	0.0180
		captan	6	0.0100	0.0020	0.0200
		carbaryl	6	0.0393	0.0040	0.1900
		chloroform	1	0.0100	0.0100	0.0100
		chlorpropham	1	0.0010	0.0010	0.0010
		chlorpyrifos	2	0.0007	0.0004	0.0010
		diazinon	4	0.0010	0.0010	0.0010
		dicloran	6	0.0009	0.0002	0.0030
		dicofol, o,p'-	4	0.0130	0.0010	0.0280

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		dicofol, p,p'-	7	0.1946	0.0300	0.6180
		endosulfan I	6	0.0069	0.0002	0.0220
		endosulfan II	12	0.0075	0.0004	0.0390
		endosulfan sulfate	15	0.0047	0.0002	0.0220
		iprodione	4	0.0193	0.0010	0.0500
		iprodione metabolite isomer	1	0.0009	0.0009	0.0009
		omethoate	1	0.0020	0.0020	0.0020
		parathion-methyl	8	0.0071	0.0010	0.0310
		pentachlorophenyl methyl ether	1	0.0003	0.0003	0.0003
		permethrin, cis	1	0.0040	0.0040	0.0040
		permethrin, trans	1	0.0020	0.0020	0.0020
		phosmet	22	0.0453	0.0030	0.5730
		thiabendazole	31	0.3357	0.0400	1.0450
		toluene	1	0.0120	0.0120	0.0120
		tris(chloropropyl) phosphate	1	0.0040	0.0040	0.0040
		xylene, m- and/or p-	1	0.0290	0.0290	0.0290
<b>086</b>	<b>strawberries, raw</b>					
		anilazine	2	0.6075	0.2050	1.0100
		azinphos-methyl	2	0.0085	0.0080	0.0090
		benomyl	10	0.1644	0.0410	0.5630
		benzene	3	0.0050	0.0010	0.0110
		BHC, beta	2	0.0009	0.0009	0.0009
		bifenthrin	4	0.0388	0.0040	0.0840
		bromodichloromethane	1	0.0030	0.0030	0.0030
		captan	23	0.1441	0.0008	1.3300
		carbaryl	22	0.1160	0.0030	0.5300
		carbofuran	1	0.0080	0.0080	0.0080
		chlordane, cis	1	0.0003	0.0003	0.0003
		chlordane, trans	1	0.0002	0.0002	0.0002
		DDE, p,p'	6	0.0006	0.0003	0.0010
		diazinon	3	0.0033	0.0030	0.0040
		dicofol, p,p'-	4	0.0370	0.0009	0.1070
		dieldrin	7	0.0005	0.0002	0.0010
		dimethoate	1	0.4920	0.4920	0.4920
		diphenyl 2-ethylhexyl phosphate	1	0.0230	0.0230	0.0230
		endosulfan I	10	0.0048	0.0002	0.0260
		endosulfan II	12	0.0089	0.0003	0.0380
		endosulfan sulfate	14	0.0078	0.0005	0.0410
		fenhexamid	2	0.3450	0.3400	0.3500
		folpet	5	0.0586	0.0020	0.1670
		iprodione	26	0.1901	0.0003	1.2770
		iprodione metabolite isomer	6	0.0054	0.0004	0.0110
		malathion	18	0.0132	0.0020	0.0420
		methamidophos	1	0.0010	0.0010	0.0010
		methiocarb	1	0.0400	0.0400	0.0400
		methomyl	5	0.0432	0.0020	0.1630
		mevinphos, (e)-	4	0.0400	0.0010	0.0850
		mevinphos, (z)-	4	0.0145	0.0030	0.0300
		omethoate	1	0.0260	0.0260	0.0260



## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		parathion-methyl	1	0.0020	0.0020	0.0020
		propargite	1	0.3790	0.3790	0.3790
		styrene	15	0.2011	0.0070	1.3800
		tetrachloroethylene	1	0.0050	0.0050	0.0050
		toluene	1	0.0160	0.0160	0.0160
		toxaphene	1	0.0150	0.0150	0.0150
		vinclozolin	13	0.2168	0.0010	0.9700
		xylene, m- and/or p-	1	0.0160	0.0160	0.0160
<b>087</b>	<b>fruit cocktail, canned in heavy syrup</b>					
		carbaryl	14	0.0120	0.0020	0.0350
		chlorpyrifos	1	0.0010	0.0010	0.0010
		dicofol, o,p'-	1	0.0600	0.0600	0.0600
		dicofol, p,p'-	6	0.0188	0.0080	0.0500
		endosulfan II	2	0.0008	0.0005	0.0010
		endosulfan sulfate	1	0.0004	0.0004	0.0004
		iprodione	14	0.0060	0.0020	0.0160
		iprodione metabolite isomer	11	0.0051	0.0020	0.0110
		permethrin, cis	1	0.0010	0.0010	0.0010
		permethrin, trans	1	0.0010	0.0010	0.0010
		propargite	1	0.0100	0.0100	0.0100
		toluene	1	0.0380	0.0380	0.0380
		xylene, m- and/or p-	1	0.0200	0.0200	0.0200
<b>088</b>	<b>grapes, red/green, seedless, raw</b>					
		azinphos-methyl	3	0.0637	0.0070	0.1040
		benomyl	4	0.0813	0.0320	0.1460
		benzene	1	0.0100	0.0100	0.0100
		bifenthrin	1	0.0020	0.0020	0.0020
		captan	19	0.0495	0.0007	0.2700
		carbaryl	5	0.0524	0.0080	0.1150
		chlorpyrifos	11	0.0261	0.0007	0.1800
		cyprodinil	1	0.1200	0.1200	0.1200
		DDE, p,p'	8	0.0004	0.0001	0.0007
		diazinon	1	0.0060	0.0060	0.0060
		dicloran	5	0.0654	0.0003	0.3130
		dicofol, o,p'-	1	0.0440	0.0440	0.0440
		dicofol, p,p'-	6	0.0399	0.0005	0.1400
		dieldrin	1	0.0008	0.0008	0.0008
		dimethoate	13	0.0290	0.0010	0.1550
		endosulfan I	3	0.0011	0.0005	0.0020
		endosulfan II	6	0.0041	0.0002	0.0160
		endosulfan sulfate	5	0.0016	0.0005	0.0050
		fenarimol	2	0.0015	0.0009	0.0020
		fenhexamid	1	0.1100	0.1100	0.1100
		fenvalerate	1	0.0060	0.0060	0.0060
		folpet	6	0.0137	0.0060	0.0230
		iprodione	21	0.1500	0.0060	0.7690
		iprodione metabolite isomer	15	0.0365	0.0020	0.1400

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		methomyl	9	0.0977	0.0150	0.2600
		omethoate	14	0.0280	0.0010	0.1070
		phosmet	1	0.0260	0.0260	0.0260
		propargite	3	0.6843	0.0280	1.6640
		vinclozolin	5	0.0828	0.0010	0.1870
<b>089</b>	<b>cantaloupe, raw</b>					
		acephate	2	0.0045	0.0040	0.0050
		benomyl	1	0.0350	0.0350	0.0350
		benzene	1	0.0130	0.0130	0.0130
		carbaryl	3	0.0300	0.0030	0.0770
		chlorpyrifos	3	0.0037	0.0010	0.0080
		DCPA	2	0.0008	0.0005	0.0010
		DDE, p,p'	1	0.0006	0.0006	0.0006
		dicofol, p,p'	3	0.0070	0.0050	0.0090
		dieldrin	13	0.0009	0.0001	0.0030
		dimethoate	1	0.0300	0.0300	0.0300
		endosulfan I	13	0.0005	0.0001	0.0009
		endosulfan II	18	0.0006	0.0002	0.0010
		endosulfan sulfate	33	0.0126	0.0009	0.0390
		endrin	1	0.0020	0.0020	0.0020
		heptachlor epoxide	1	0.0005	0.0005	0.0005
		methamidophos	15	0.0473	0.0020	0.2190
		methomyl	3	0.0160	0.0030	0.0400
		omethoate	1	0.0300	0.0300	0.0300
		pentachloroaniline	2	0.0002	0.0002	0.0002
		permethrin, cis	2	0.0045	0.0040	0.0050
		thiabendazole	8	0.0511	0.0200	0.0900
		toxaphene	17	0.0172	0.0020	0.0750
<b>091</b>	<b>plums, raw</b>					
		2,4-dichloro-6-nitrobenzenamine	2	0.0025	0.0010	0.0040
		azinphos-methyl	1	0.0570	0.0570	0.0570
		benomyl	13	0.1172	0.0300	0.2910
		benzene	1	0.0130	0.0130	0.0130
		captan	4	0.0615	0.0020	0.1300
		carbaryl	5	0.0080	0.0020	0.0170
		chlorpropham	1	0.0010	0.0010	0.0010
		chlorpyrifos	19	0.0021	0.0003	0.0090
		diazinon	2	0.0030	0.0020	0.0040
		dicloran	24	0.1207	0.0005	1.0200
		dicofol, o,p'	4	0.0085	0.0030	0.0200
		dicofol, p,p'	6	0.0575	0.0020	0.1700
		endosulfan I	3	0.0006	0.0005	0.0007
		endosulfan sulfate	6	0.0007	0.0003	0.0010
		iprodione	32	0.2168	0.0010	0.7100
		iprodione metabolite isomer	30	0.0586	0.0009	0.3920
		omethoate	1	0.0050	0.0050	0.0050

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		parathion-methyl	7	0.0030	0.0010	0.0060
		pentachlorophenyl methyl ether	1	0.0002	0.0002	0.0002
		phosmet	3	0.0050	0.0030	0.0080
		propargite	5	0.0408	0.0080	0.0690
		thiabendazole	1	0.0690	0.0690	0.0690
<b>092</b>	<b>grapefruit, raw</b>					
		carbaryl	1	0.0050	0.0050	0.0050
		diazinon	1	0.0060	0.0060	0.0060
		dicofol, o,p'-	1	0.0008	0.0008	0.0008
		dicofol, p,p'-	4	0.0123	0.0020	0.0200
		ethion	9	0.0032	0.0007	0.0080
		methidathion	2	0.0010	0.0010	0.0010
		thiabendazole	35	0.1896	0.0200	0.7130
<b>093</b>	<b>pineapple, canned in juice</b>					
		bromodichloromethane	1	0.0140	0.0140	0.0140
		diphenyl 2-ethylhexyl phosphate	1	0.0100	0.0100	0.0100
		endosulfan I	1	0.0003	0.0003	0.0003
		iprodione	1	0.0080	0.0080	0.0080
		methoxychlor, p,p'-	1	0.0030	0.0030	0.0030
		toluene	1	0.0170	0.0170	0.0170
<b>094</b>	<b>sweet cherries, raw</b>					
		acephate	1	0.0200	0.0200	0.0200
		azinphos-methyl	22	0.0441	0.0070	0.1450
		benomyl	4	0.0615	0.0350	0.1300
		benzene	1	0.0160	0.0160	0.0160
		captan	5	0.0208	0.0010	0.0530
		carbaryl	22	0.0660	0.0070	0.3210
		chloroform	1	0.0110	0.0110	0.0110
		chlorpyrifos	5	0.0012	0.0006	0.0030
		DDE, p,p'	3	0.0004	0.0001	0.0008
		diazinon	2	0.0030	0.0010	0.0050
		dimethoate	3	0.0073	0.0010	0.0170
		diphenyl 2-ethylhexyl phosphate	1	0.0200	0.0200	0.0200
		endosulfan I	8	0.0008	0.0003	0.0020
		endosulfan II	14	0.0024	0.0003	0.0070
		endosulfan sulfate	16	0.0058	0.0004	0.0200
		esfenvalerate	1	0.0040	0.0040	0.0040
		fenarimol	12	0.0191	0.0030	0.0590
		fenvalerate	2	0.0580	0.0060	0.1100
		iprodione	27	0.4857	0.0030	2.1600
		iprodione metabolite isomer	21	0.0196	0.0010	0.0630
		malathion	12	0.0045	0.0010	0.0160
		methoxychlor, o,p'-	1	0.0060	0.0060	0.0060
		methoxychlor, p,p'-	4	0.0540	0.0010	0.1670
		omethoate	4	0.0180	0.0080	0.0340
		parathion-methyl	2	0.0025	0.0020	0.0030

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		permethrin, cis	7	0.0137	0.0020	0.0220
		permethrin, trans	7	0.0196	0.0020	0.0400
		phosmet	5	0.0100	0.0030	0.0200
		toluene	1	0.0150	0.0150	0.0150
		vinclozolin	1	0.0020	0.0020	0.0020
<b>095</b>	<b>raisins, dried</b>					
		1,2,4-trimethylbenzene	1	0.0040	0.0040	0.0040
		benzene	6	0.0265	0.0010	0.0970
		carbaryl	16	0.0369	0.0020	0.2000
		chloroform	7	0.0101	0.0040	0.0150
		chlorpyrifos	6	0.0010	0.0004	0.0020
		DDE, p,p'	29	0.0011	0.0005	0.0020
		DDT, p,p'	3	0.0006	0.0003	0.0007
		diazinon	1	0.0004	0.0004	0.0004
		dicofol, o,p'	8	0.0828	0.0010	0.3600
		dicofol, p,p'	22	0.0750	0.0010	0.4830
		dimethoate	1	0.0010	0.0010	0.0010
		endosulfan I	6	0.0027	0.0005	0.0090
		endosulfan II	14	0.0050	0.0004	0.0260
		endosulfan sulfate	9	0.0026	0.0003	0.0140
		fenarimol	6	0.0027	0.0009	0.0040
		iprodione	3	0.0053	0.0030	0.0100
		iprodione metabolite isomer	3	0.0107	0.0030	0.0200
		malathion	2	0.0030	0.0020	0.0040
		parathion-methyl	2	0.0030	0.0010	0.0050
		phosmet	2	0.0085	0.0070	0.0100
		polychlorinated biphenyls	1	0.0100	0.0100	0.0100
		propargite	35	0.3258	0.0100	1.2600
		styrene	2	0.0035	0.0020	0.0050
		tetrachloroethylene	1	0.0110	0.0110	0.0110
		toluene	8	0.0094	0.0010	0.0300
		trichloroethylene	2	0.0035	0.0030	0.0040
		xylene, m- and/or p-	6	0.0137	0.0040	0.0200
<b>096</b>	<b>prunes, dried</b>					
		azinphos-methyl	1	0.0070	0.0070	0.0070
		carbaryl	2	0.0150	0.0080	0.0220
		chlorpyrifos	3	0.0010	0.0010	0.0010
		DDE, p,p'	4	0.0002	0.0001	0.0003
		dicloran	3	0.0063	0.0008	0.0160
		dicofol, o,p'	6	0.0035	0.0010	0.0080
		dicofol, p,p'	15	0.0127	0.0008	0.0500
		endosulfan I	5	0.0004	0.0002	0.0009
		endosulfan II	11	0.0007	0.0003	0.0010
		endosulfan sulfate	17	0.0013	0.0004	0.0030

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		iprodione	20	0.0235	0.0020	0.0700
		iprodione metabolite isomer	12	0.0157	0.0010	0.0600
		malathion	1	0.0010	0.0010	0.0010
		permethrin, cis	4	0.0015	0.0004	0.0030
		permethrin, trans	4	0.0014	0.0005	0.0020
		propargite	14	0.1071	0.0210	0.5690
		toluene	1	0.0120	0.0120	0.0120
		tris(chloropropyl) phosphate	2	0.0030	0.0020	0.0040
<b>097</b>	<b>avocado, raw</b>					
		1,1,1-trichloroethane	1	0.0600	0.0600	0.0600
		benzene	17	0.0195	0.0030	0.0840
		chlorobenzene	1	0.0060	0.0060	0.0060
		chloroform	11	0.0119	0.0020	0.0300
		dichlorobenzene, p-	1	0.0100	0.0100	0.0100
		malathion	1	0.0010	0.0010	0.0010
		styrene	9	0.1337	0.0030	0.5500
		tetrachloroethylene	6	0.0108	0.0020	0.0250
		toluene	7	0.0053	0.0020	0.0160
		trichloroethylene	7	0.0720	0.0020	0.3000
		xylene, m- and/or p-	2	0.0035	0.0020	0.0050
<b>098</b>	<b>orange juice, from frozen concentrate</b>					
		benzene	5	0.0066	0.0020	0.0140
		carbaryl	3	0.0053	0.0030	0.0090
		chloroform	6	0.0042	0.0030	0.0060
		chlorpyrifos	2	0.0010	0.0010	0.0010
		DDE, p,p'	1	0.0004	0.0004	0.0004
		dicofol, p,p'	4	0.0017	0.0007	0.0030
		ethion	22	0.0015	0.0006	0.0030
		ethion oxygen analog	4	0.0008	0.0006	0.0010
		ethyl benzene	2	0.0080	0.0050	0.0110
		methidathion	8	0.0015	0.0007	0.0020
		styrene	3	0.0060	0.0040	0.0070
		toluene	11	0.0239	0.0050	0.0900
		tributyl phosphate	1	0.0280	0.0280	0.0280
		xylene, m- and/or p-	4	0.0083	0.0020	0.0160
		xylene, o-	1	0.0030	0.0030	0.0030
<b>099</b>	<b>apple juice, bottled</b>					
		acephate	1	0.0006	0.0006	0.0006
		benzene	1	0.0160	0.0160	0.0160
		bromodichloromethane	1	0.0330	0.0330	0.0330
		carbaryl	21	0.0142	0.0020	0.0500
		chloroform	1	0.0120	0.0120	0.0120
		dimethoate	18	0.0028	0.0005	0.0100
		ethylenethiourea	1	0.0120	0.0120	0.0120
		methamidophos	1	0.0010	0.0010	0.0010
		omethoate	4	0.0025	0.0010	0.0060
		phosmet	1	0.0020	0.0020	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		phosphamidon	1	0.0060	0.0060	0.0060
		thiabendazole	18	0.1073	0.0200	0.2710
		toluene	1	0.0360	0.0360	0.0360
		tris(chloropropyl) phosphate	1	0.0020	0.0020	0.0020
<b>100</b>	<b>grapefruit juice, from frozen concentrate</b>					
		1,1,2-trichloroethane	1	0.0110	0.0110	0.0110
		benzene	1	0.0190	0.0190	0.0190
		dicofol, p,p'-	1	0.0010	0.0010	0.0010
		ethion	25	0.0015	0.0005	0.0040
		ethion oxygen analog	6	0.0008	0.0005	0.0010
		iprodione	1	0.0120	0.0120	0.0120
		thiabendazole	5	0.0302	0.0160	0.0460
		toluene	1	0.0210	0.0210	0.0210
		tributyl phosphate	1	0.0430	0.0430	0.0430
<b>103</b>	<b>prune juice, bottled</b>					
		benzene	1	0.0110	0.0110	0.0110
		dicloran	3	0.0015	0.0005	0.0030
		dicofol, p,p'-	1	0.0004	0.0004	0.0004
		endosulfan I	1	0.0002	0.0002	0.0002
		endosulfan sulfate	1	0.0002	0.0002	0.0002
		iprodione	14	0.0044	0.0010	0.0100
		iprodione metabolite isomer	10	0.0034	0.0009	0.0110
		propargite	1	0.0090	0.0090	0.0090
		toluene	1	0.0180	0.0180	0.0180
		tributyl phosphate	2	0.0210	0.0090	0.0330
		xylene, m- and/or p-	1	0.0180	0.0180	0.0180
<b>105</b>	<b>lemonade, from frozen concentrate</b>					
		chloroform	1	0.0100	0.0100	0.0100
		chlorpyrifos	2	0.0015	0.0010	0.0020
		dieldrin	1	0.0002	0.0002	0.0002
		ethion	3	0.0006	0.0004	0.0009
		methidathion	2	0.0015	0.0010	0.0020
		toluene	1	0.0490	0.0490	0.0490
<b>107</b>	<b>spinach, fresh/frozen, boiled</b>					
		acephate	1	0.0060	0.0060	0.0060
		bifenthrin	1	0.1300	0.1300	0.1300
		chlordan, cis	5	0.0010	0.0002	0.0030
		chlordan, trans	4	0.0010	0.0004	0.0020
		chloroform	2	0.0185	0.0100	0.0270
		chlorpyrifos	15	0.0026	0.0008	0.0110
		DCEP	9	0.0068	0.0002	0.0370
		DDE, p,p'	36	0.0109	0.0009	0.0370
		DDT, o,p'	10	0.0012	0.0001	0.0040
		DDT, p,p'	26	0.0029	0.0003	0.0100
		diazinon	3	0.0013	0.0010	0.0020
		dicloran	4	0.0033	0.0003	0.0100

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		dieldrin	16	0.0020	0.0003	0.0100
		dimethoate	3	0.0020	0.0010	0.0040
		diphenyl 2-ethylhexyl phosphate	1	0.0500	0.0500	0.0500
		endosulfan I	7	0.0025	0.0008	0.0100
		endosulfan II	9	0.0032	0.0001	0.0200
		endosulfan sulfate	20	0.0177	0.0002	0.1870
		ethylenethiourea	8	0.0523	0.0040	0.2760
		fenvalerate	1	0.1600	0.1600	0.1600
		heptachlor epoxide	2	0.0012	0.0004	0.0020
		iprodione	1	0.0210	0.0210	0.0210
		iprodione metabolite isomer	2	0.0170	0.0030	0.0310
		lambda-cyhalothrin	1	0.0300	0.0300	0.0300
		lindane	1	0.0006	0.0006	0.0006
		nonachlor, trans	2	0.0014	0.0007	0.0020
		omethoate	6	0.0041	0.0007	0.0100
		pentachloroaniline	3	0.0011	0.0003	0.0020
		pentachlorophenyl methyl ether	1	0.0010	0.0010	0.0010
		permethrin, cis	32	0.6008	0.0020	2.3100
		permethrin, trans	32	0.6362	0.0005	2.7400
		TDE, p,p'	12	0.0022	0.0005	0.0040
		toxaphene	5	0.0302	0.0030	0.1300
<b>108</b>	<b>collards, fresh/frozen, boiled</b>					
		acephate	1	0.0040	0.0040	0.0040
		bromodichloromethane	1	0.0140	0.0140	0.0140
		captan	1	0.0070	0.0070	0.0070
		carbaryl	1	0.0190	0.0190	0.0190
		chlordane, cis	2	0.0004	0.0002	0.0005
		chlordane, trans	2	0.0003	0.0002	0.0004
		chloroform	1	0.0250	0.0250	0.0250
		chlorpyrifos	7	0.0063	0.0010	0.0190
		cypermethrin	12	0.3227	0.0010	1.2470
		DCPA	19	0.0209	0.0004	0.1520
		DDE, p,p'	34	0.0055	0.0003	0.0290
		DDT, o,p'	1	0.0007	0.0007	0.0007
		DDT, p,p'	6	0.0016	0.0006	0.0030
		demeton-S sulfone	1	0.0010	0.0010	0.0010
		diazinon	1	0.0010	0.0010	0.0010
		dicloran	3	0.0050	0.0020	0.0090
		dieldrin	18	0.0013	0.0002	0.0040
		dimethoate	4	0.0043	0.0020	0.0090
		diphenyl 2-ethylhexyl phosphate	1	0.0220	0.0220	0.0220
		endosulfan I	7	0.0028	0.0002	0.0110
		endosulfan II	6	0.0016	0.0001	0.0040
		endosulfan sulfate	16	0.0039	0.0004	0.0200
		esfenvalerate	5	0.0528	0.0210	0.0990
		ethylenethiourea	6	0.0777	0.0090	0.2070
		fenvalerate	16	0.1079	0.0100	0.3730
		iprodione	2	0.0050	0.0040	0.0060
		iprodione metabolite isomer	2	0.0260	0.0060	0.0460

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		lambda-cyhalothrin	1	0.1400	0.1400	0.1400
		malathion	1	0.0030	0.0030	0.0030
		methamidophos	1	0.0006	0.0006	0.0006
		mevinphos, (e)-	1	0.0030	0.0030	0.0030
		mevinphos, (z)-	3	0.0047	0.0020	0.0080
		nonachlor, trans	1	0.0004	0.0004	0.0004
		omethoate	4	0.0103	0.0040	0.0240
		pentachloroaniline	4	0.0005	0.0003	0.0008
		permethrin, cis	32	0.3617	0.0020	1.3300
		permethrin, trans	32	0.3392	0.0020	0.9700
		quintozene	1	0.0002	0.0002	0.0002
		TDE, o,p'	1	0.0030	0.0030	0.0030
		TDE, p,p'	3	0.0022	0.0006	0.0040
		toluene	1	0.0110	0.0110	0.0110
		toxaphene	8	0.0222	0.0005	0.1200
<b>109</b>	<b>iceberg lettuce, raw</b>					
		acephate	22	0.0102	0.0010	0.0490
		cypermethrin	2	0.0185	0.0130	0.0240
		DCPA	1	0.0009	0.0009	0.0009
		DDE, p,p'	3	0.0009	0.0003	0.0020
		demeton-S sulfone	1	0.0030	0.0030	0.0030
		dicloran	2	0.0005	0.0004	0.0005
		dieldrin	2	0.0005	0.0002	0.0007
		dimethoate	14	0.0033	0.0009	0.0100
		endosulfan I	14	0.0016	0.0002	0.0060
		endosulfan II	12	0.0014	0.0003	0.0030
		endosulfan sulfate	17	0.0047	0.0003	0.0130
		methamidophos	14	0.0024	0.0010	0.0060
		methomyl	3	0.0230	0.0100	0.0460
		mevinphos, (z)-	2	0.0018	0.0006	0.0030
		omethoate	10	0.0042	0.0007	0.0140
		permethrin, cis	6	0.0087	0.0004	0.0360
		permethrin, trans	6	0.0076	0.0004	0.0340
		vinclozolin	1	0.0040	0.0040	0.0040
<b>110</b>	<b>cabbage, fresh, boiled</b>					
		1,1,2-trichloroethane	1	0.0120	0.0120	0.0120
		3-hydroxycarbofuran	1	0.0040	0.0040	0.0040
		acephate	2	0.0160	0.0140	0.0180
		carbaryl	1	0.0050	0.0050	0.0050
		demeton-S sulfone	4	0.0073	0.0010	0.0210
		dicloran	1	0.0004	0.0004	0.0004
		disulfoton sulfone	1	0.0030	0.0030	0.0030
		endosulfan sulfate	12	0.0015	0.0004	0.0040
		methamidophos	2	0.0100	0.0050	0.0150
		methomyl	1	0.0040	0.0040	0.0040
		permethrin, cis	1	0.0007	0.0007	0.0007
		permethrin, trans	1	0.0005	0.0005	0.0005



## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>111</b>	<b>coleslaw with dressing, homemade</b>					
		2-chloroethyl linoleate	7	0.0111	0.0020	0.0240
		2-chloroethyl palmitate	2	0.0020	0.0009	0.0030
		benzene	24	0.0314	0.0110	0.1020
		BHC, alpha	16	0.0009	0.0001	0.0050
		carbon tetrachloride	1	0.0050	0.0050	0.0050
		chlorobenzene	1	0.0040	0.0040	0.0040
		chloroform	4	0.0098	0.0020	0.0250
		chlorpropham	1	0.0220	0.0220	0.0220
		chlorpyrifos	1	0.0004	0.0004	0.0004
		cumene (isopropyl benzene)	1	0.0150	0.0150	0.0150
		DDE, p,p'	1	0.0001	0.0001	0.0001
		DDT, o,p'	2	0.0011	0.0002	0.0020
		DDT, p,p'	12	0.0010	0.0001	0.0030
		diazinon	1	0.0010	0.0010	0.0010
		dichlorobenzene, p-	1	0.0310	0.0310	0.0310
		dicloran	2	0.0015	0.0010	0.0020
		dieldrin	7	0.0004	0.0001	0.0008
		endosulfan II	1	0.0002	0.0002	0.0002
		endosulfan sulfate	13	0.0017	0.0004	0.0060
		lindane	7	0.0005	0.0001	0.0010
		permethrin, cis	1	0.0060	0.0060	0.0060
		permethrin, trans	1	0.0070	0.0070	0.0070
		styrene	2	0.0040	0.0020	0.0060
		toluene	9	0.0081	0.0010	0.0190
		trichloroethylene	1	0.0030	0.0030	0.0030
		xylene, m- and/or p-	2	0.0020	0.0020	0.0020
<b>112</b>	<b>sauerkraut, canned</b>					
		benzene	1	0.0190	0.0190	0.0190
		chloroform	1	0.0160	0.0160	0.0160
		dicloran	2	0.0045	0.0010	0.0080
		dieldrin	4	0.0004	0.0002	0.0005
		endosulfan sulfate	4	0.0010	0.0003	0.0020
		heptachlor epoxide	1	0.0004	0.0004	0.0004
		permethrin, cis	2	0.0006	0.0005	0.0007
		permethrin, trans	2	0.0006	0.0004	0.0007
		triphenyl phosphate	1	0.0100	0.0100	0.0100
<b>113</b>	<b>broccoli, fresh/frozen, boiled</b>					
		chloroform	1	0.0140	0.0140	0.0140
		chlorpyrifos	6	0.0031	0.0006	0.0110
		cypermethrin	1	0.0130	0.0130	0.0130
		DCPA	9	0.0044	0.0003	0.0110
		DDE, p,p'	15	0.0006	0.0001	0.0020
		diazinon	3	0.0037	0.0010	0.0080
		dieldrin	3	0.0002	0.0001	0.0003
		dimethoate	2	0.0060	0.0020	0.0100
		endosulfan I	7	0.0013	0.0002	0.0040
		endosulfan II	7	0.0014	0.0001	0.0040

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan sulfate	7	0.0029	0.0001	0.0110
		iprodione	1	0.0260	0.0260	0.0260
		permethrin, cis	14	0.0057	0.0008	0.0300
		permethrin, trans	14	0.0043	0.0004	0.0200
		tris(beta-chloroethyl) phosphate	1	0.0060	0.0060	0.0060
<b>114</b>	<b>celery, raw</b>					
		2,4-dichloro-6-nitrobenzenamine	8	0.0039	0.0020	0.0080
		acephate	30	0.0804	0.0030	0.5290
		azinphos-methyl	2	0.0190	0.0180	0.0200
		captan	1	0.0320	0.0320	0.0320
		chlorothalonil	7	0.0091	0.0020	0.0180
		chlorpropham	2	0.0035	0.0020	0.0050
		DCPA	1	0.0007	0.0007	0.0007
		DDE, p,p'	26	0.0018	0.0003	0.0050
		DDT, o,p'	2	0.0005	0.0004	0.0005
		DDT, p,p'	13	0.0010	0.0003	0.0030
		diazinon	8	0.0339	0.0010	0.2260
		dicloran	29	0.0597	0.0004	0.2100
		dieldrin	1	0.0007	0.0007	0.0007
		diphenyl 2-ethylhexyl phosphate	1	0.0140	0.0140	0.0140
		disulfoton sulfone	1	0.0020	0.0020	0.0020
		endosulfan I	4	0.0021	0.0002	0.0040
		endosulfan II	4	0.0025	0.0010	0.0050
		endosulfan sulfate	4	0.0025	0.0010	0.0060
		iprodione	1	0.0030	0.0030	0.0030
		malathion	3	0.0033	0.0010	0.0070
		methamidophos	19	0.0068	0.0010	0.0220
		methomyl	2	0.0120	0.0100	0.0140
		omethoate	2	0.0030	0.0030	0.0030
		oxamyl	1	0.1060	0.1060	0.1060
		parathion-methyl	2	0.0160	0.0060	0.0260
		permethrin, cis	31	0.0104	0.0010	0.0310
		permethrin, trans	31	0.0085	0.0007	0.0230
		propylbenzene, n-	1	0.0150	0.0150	0.0150
		TDE, p,p'	2	0.0008	0.0005	0.0010
		toluene	1	0.0140	0.0140	0.0140
		xylene, m- and/or p-	1	0.0140	0.0140	0.0140
<b>115</b>	<b>asparagus, fresh/frozen, boiled</b>					
		1,1,2-trichloroethane	1	0.0160	0.0160	0.0160
		chlorpyrifos	6	0.0130	0.0010	0.0670
		DDE, p,p'	6	0.0006	0.0002	0.0010
		dicloran	1	0.0060	0.0060	0.0060
		diphenyl 2-ethylhexyl phosphate	1	0.0290	0.0290	0.0290
		neburon	1	0.0120	0.0120	0.0120
		permethrin, cis	2	0.0862	0.0003	0.1720
		permethrin, trans	2	0.1087	0.0003	0.2170
		toluene	1	0.0300	0.0300	0.0300
		triphenyl phosphate	1	0.0160	0.0160	0.0160

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>116</b>	<b>cauliflower, fresh/frozen, boiled</b>	chloroform	1	0.0150	0.0150	0.0150
		DCPA	1	0.0010	0.0010	0.0010
		diazinon	2	0.0100	0.0010	0.0190
		dimethoate	1	0.0020	0.0020	0.0020
		iprodione	1	0.0100	0.0100	0.0100
		iprodione metabolite isomer	1	0.2300	0.2300	0.2300
		methamidophos	1	0.0030	0.0030	0.0030
		permethrin, cis	2	0.0030	0.0020	0.0040
		permethrin, trans	2	0.0020	0.0020	0.0020
<b>117</b>	<b>tomato, red, raw</b>	1,1,2-trichloroethane	1	0.0130	0.0130	0.0130
		acephate	2	0.0160	0.0030	0.0290
		benzene	7	0.0154	0.0010	0.0670
		bromodichloromethane	1	0.0110	0.0110	0.0110
		chloroform	5	0.0092	0.0020	0.0300
		chlorothalonil	1	0.0130	0.0130	0.0130
		chlorpropham	1	0.0060	0.0060	0.0060
		chlorpyrifos	16	0.0053	0.0001	0.0200
		dicloran	6	0.0034	0.0002	0.0090
		dicofol, o,p'-	3	0.0322	0.0005	0.0900
		dicofol, p,p'-	4	0.0653	0.0010	0.2100
		endosulfan I	23	0.0027	0.0002	0.0090
		endosulfan II	27	0.0046	0.0002	0.0130
		endosulfan sulfate	26	0.0054	0.0003	0.0410
		esfenvalerate	5	0.0146	0.0050	0.0200
		ethyl benzene	1	0.0020	0.0020	0.0020
		fenvalerate	4	0.0418	0.0040	0.1340
		lambda-cyhalothrin	1	0.0008	0.0008	0.0008
		methamidophos	24	0.0370	0.0030	0.1010
		omethoate	6	0.0033	0.0020	0.0050
		permethrin, cis	19	0.0095	0.0006	0.0600
		permethrin, trans	19	0.0101	0.0005	0.0700
		styrene	3	0.0060	0.0020	0.0090
		toluene	5	0.0024	0.0010	0.0040
		trichloroethylene	1	0.0020	0.0020	0.0020
		triphenyl phosphate	1	0.1500	0.1500	0.1500
		xylene, m- and/or p-	2	0.0075	0.0050	0.0100
		<b>119</b>	<b>tomato sauce, plain, bottled</b>	2-chloroethyl linoleate	10	0.0355
2-chloroethyl palmitate	6			0.0063	0.0008	0.0280
2-chloroethyl stearate	3			0.0157	0.0070	0.0240
acephate	2			0.0090	0.0040	0.0140
benzene	1			0.0220	0.0220	0.0220
chlorpyrifos	2			0.0012	0.0003	0.0020
DDE, p,p'	6			0.0004	0.0001	0.0006
dieldrin	1			0.0003	0.0003	0.0003
endosulfan I	7			0.0008	0.0004	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan II	10	0.0009	0.0002	0.0030
		endosulfan sulfate	7	0.0006	0.0003	0.0009
		lambda-cyhalothrin	1	0.0030	0.0030	0.0030
		methamidophos	16	0.0079	0.0010	0.0720
		permethrin, cis	3	0.0009	0.0007	0.0010
		permethrin, trans	3	0.0008	0.0007	0.0010
		toluene	1	0.2180	0.2180	0.2180
		xylene, m- and/or p-	1	0.0260	0.0260	0.0260
<b>121</b>	<b>green beans, fresh/frozen, boiled</b>					
		1,2,3-trichloropropane	1	0.0180	0.0180	0.0180
		acephate	26	0.0772	0.0020	0.3570
		benomyl	5	0.0792	0.0490	0.1670
		bifenthrin	1	0.0100	0.0100	0.0100
		carbaryl	8	0.0099	0.0020	0.0410
		chloroform	1	0.0110	0.0110	0.0110
		DCPA	2	0.0170	0.0020	0.0320
		DDE, p,p'	4	0.0013	0.0005	0.0030
		demeton-S sulfone	1	0.0060	0.0060	0.0060
		diazinon	1	0.0010	0.0010	0.0010
		dicloran	3	0.0657	0.0030	0.1600
		dieldrin	1	0.0002	0.0002	0.0002
		dimethoate	6	0.0055	0.0010	0.0150
		endosulfan I	9	0.0051	0.0002	0.0270
		endosulfan II	6	0.0057	0.0003	0.0210
		endosulfan sulfate	11	0.0148	0.0003	0.1010
		ethylenethiourea	3	0.0070	0.0030	0.0140
		fenvalerate	3	0.0180	0.0150	0.0200
		iprodione	2	0.0075	0.0050	0.0100
		iprodione metabolite isomer	3	0.0140	0.0040	0.0280
		methamidophos	25	0.0246	0.0020	0.0960
		neburon	3	0.1923	0.0570	0.3700
		omethoate	3	0.0043	0.0040	0.0050
		parathion	1	0.0080	0.0080	0.0080
		parathion-methyl	1	0.0070	0.0070	0.0070
		pentachloroaniline	4	0.0006	0.0003	0.0010
		permethrin, cis	1	0.0050	0.0050	0.0050
		permethrin, trans	1	0.0030	0.0030	0.0030
		tris(beta-chloroethyl) phosphate	1	0.0700	0.0700	0.0700
		vinclozolin	16	0.0064	0.0020	0.0260
<b>123</b>	<b>cucumber, raw</b>					
		acephate	3	0.0047	0.0030	0.0070
		benzene	1	0.0130	0.0130	0.0130
		BHC, alpha	2	0.0007	0.0004	0.0009
		BHC, beta	1	0.0007	0.0007	0.0007
		butylbenzene, n-	1	0.0290	0.0290	0.0290
		chlordane	1	0.0260	0.0260	0.0260
		chlordane, cis	7	0.0009	0.0004	0.0020
		chlordane, trans	5	0.0007	0.0001	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		chlorpyrifos	1	0.0020	0.0020	0.0020
		DDE, p,p'	1	0.0030	0.0030	0.0030
		diazinon	1	0.0020	0.0020	0.0020
		dicloran	2	0.0014	0.0008	0.0020
		dieldrin	24	0.0051	0.0003	0.0260
		endosulfan I	31	0.0047	0.0002	0.0150
		endosulfan II	33	0.0025	0.0004	0.0080
		endosulfan sulfate	36	0.0110	0.0007	0.0360
		endrin	1	0.0010	0.0010	0.0010
		heptachlor epoxide	5	0.0023	0.0001	0.0080
		methamidophos	12	0.0839	0.0030	0.2850
		methomyl	1	0.0070	0.0070	0.0070
		nonachlor, cis	1	0.0004	0.0004	0.0004
		nonachlor, trans	6	0.0010	0.0004	0.0020
		octachlor epoxide	1	0.0007	0.0007	0.0007
		toxaphene	12	0.0213	0.0020	0.0560
<b>124</b>	<b>summer squash, fresh/frozen, boiled</b>					
		acephate	3	0.0040	0.0010	0.0060
		benzene	1	0.0140	0.0140	0.0140
		chlordane	1	0.0150	0.0150	0.0150
		chlordane, cis	5	0.0012	0.0001	0.0040
		chlordane, trans	5	0.0004	0.0002	0.0006
		DCPA	1	0.0020	0.0020	0.0020
		DDE, p,p'	6	0.0025	0.0008	0.0080
		DDT, o,p'	1	0.0010	0.0010	0.0010
		DDT, p,p'	2	0.0019	0.0008	0.0030
		dieldrin	28	0.0120	0.0002	0.0760
		endosulfan I	27	0.0071	0.0005	0.0280
		endosulfan II	24	0.0019	0.0003	0.0070
		endosulfan sulfate	31	0.0182	0.0010	0.0520
		endrin	2	0.0012	0.0004	0.0020
		heptachlor epoxide	6	0.0008	0.0001	0.0020
		hexachlorobenzene	2	0.0005	0.0002	0.0007
		methamidophos	4	0.0013	0.0010	0.0020
		nonachlor, cis	1	0.0010	0.0010	0.0010
		nonachlor, trans	5	0.0013	0.0003	0.0040
		octachlor epoxide	3	0.0004	0.0003	0.0004
		pentachloroaniline	10	0.0017	0.0004	0.0040
		pentachlorobenzene	1	0.0010	0.0010	0.0010
		quintozene	1	0.0001	0.0001	0.0001
		TDE, o,p'	1	0.0010	0.0010	0.0010
		TDE, p,p'	1	0.0010	0.0010	0.0010
		toxaphene	11	0.0210	0.0020	0.0500
<b>125</b>	<b>green pepper, raw</b>					
		acephate	30	0.2633	0.0080	1.4900
		bifenthrin	2	0.0060	0.0020	0.0100
		bromodichloromethane	1	0.0140	0.0140	0.0140
		carbaryl	5	0.0212	0.0040	0.0840

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		chlorpropham	7	0.0027	0.0008	0.0070
		chlorpyrifos	10	0.0370	0.0010	0.1210
		cyfluthrin	6	0.0045	0.0010	0.0100
		DCPA	1	0.0060	0.0060	0.0060
		DDE, p,p'	10	0.0011	0.0002	0.0030
		DDT, p,p'	1	0.0001	0.0001	0.0001
		deltamethrin	1	0.0100	0.0100	0.0100
		diazinon	1	0.0260	0.0260	0.0260
		dicofol, o,p'-	3	0.0167	0.0020	0.0410
		dicofol, p,p'-	6	0.1582	0.0150	0.6810
		dimethoate	12	0.0217	0.0008	0.0740
		disulfoton sulfone	1	0.0020	0.0020	0.0020
		endosulfan I	22	0.0142	0.0002	0.1300
		endosulfan II	23	0.0192	0.0002	0.1400
		endosulfan sulfate	23	0.0113	0.0003	0.0910
		esfenvalerate	4	0.0150	0.0090	0.0240
		fenvalerate	2	0.0050	0.0030	0.0070
		iprodione	1	0.0007	0.0007	0.0007
		lambda-cyhalothrin	3	0.0069	0.0008	0.0100
		methamidophos	34	0.0836	0.0020	0.3400
		methomyl	7	0.0464	0.0070	0.1280
		omethoate	13	0.0165	0.0020	0.0620
		oxydemeton-methyl	1	0.0320	0.0320	0.0320
		pentachloroaniline	1	0.0009	0.0009	0.0009
		permethrin, cis	17	0.0234	0.0008	0.0810
		permethrin, trans	17	0.0288	0.0009	0.0790
<b>126</b>	<b>winter squash, fresh/frozen, baked, mashed</b>					
		acephate	1	0.0010	0.0010	0.0010
		chlordane	3	0.0250	0.0070	0.0580
		chlordane, cis	7	0.0028	0.0005	0.0070
		chlordane, trans	7	0.0016	0.0002	0.0050
		chloroform	1	0.0300	0.0300	0.0300
		chlorpropham	1	0.0020	0.0020	0.0020
		chlorpyrifos	2	0.0030	0.0020	0.0040
		DDE, p,p'	3	0.0042	0.0006	0.0060
		diazinon	2	0.0007	0.0003	0.0010
		dicloran	1	0.0080	0.0080	0.0080
		dieldrin	24	0.0094	0.0009	0.0250
		endosulfan I	3	0.0017	0.0010	0.0020
		endosulfan II	3	0.0005	0.0003	0.0010
		endosulfan sulfate	24	0.0051	0.0002	0.0210
		heptachlor epoxide	12	0.0011	0.0002	0.0030
		hexachlorobenzene	2	0.0006	0.0002	0.0009
		lindane	1	0.0006	0.0006	0.0006
		methamidophos	2	0.0160	0.0020	0.0300
		nonachlor, cis	1	0.0006	0.0006	0.0006

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		nonachlor, trans	6	0.0014	0.0003	0.0030
		octachlor epoxide	1	0.0002	0.0002	0.0002
		pentachloroaniline	2	0.0020	0.0020	0.0020
		toluene	1	0.0740	0.0740	0.0740
		toxaphene	6	0.0265	0.0070	0.0600
<b>128</b>	<b>onion, mature, raw</b>					
		dieldrin	1	0.0003	0.0003	0.0003
		iprodione metabolite isomer	2	0.0035	0.0030	0.0040
<b>132</b>	<b>radish, raw</b>					
		benzene	1	0.0230	0.0230	0.0230
		carbaryl	1	0.0060	0.0060	0.0060
		chlordane, cis	2	0.0005	0.0004	0.0005
		chlordane, trans	3	0.0004	0.0003	0.0004
		chlorpyrifos	10	0.0043	0.0009	0.0200
		cyfluthrin	1	0.0130	0.0130	0.0130
		DCPA	11	0.0087	0.0003	0.0380
		DDE, p,p'	22	0.0019	0.0002	0.0080
		DDT, o,p'	3	0.0003	0.0002	0.0005
		DDT, p,p'	11	0.0009	0.0001	0.0020
		dicloran	2	0.0010	0.0010	0.0010
		dieldrin	14	0.0009	0.0002	0.0040
		dimethoate	1	0.0020	0.0020	0.0020
		endosulfan I	1	0.0009	0.0009	0.0009
		endosulfan II	1	0.0010	0.0010	0.0010
		endosulfan sulfate	11	0.0019	0.0001	0.0060
		endrin	3	0.0009	0.0002	0.0020
		heptachlor epoxide	2	0.0006	0.0001	0.0010
		iprodione	1	0.0008	0.0008	0.0008
		omethoate	2	0.0025	0.0020	0.0030
		pentachloroaniline	2	0.0021	0.0002	0.0040
		permethrin, cis	1	0.0010	0.0010	0.0010
		permethrin, trans	1	0.0005	0.0005	0.0005
		TDE, p,p'	2	0.0006	0.0005	0.0007
		toxaphene	2	0.0130	0.0050	0.0210
<b>134</b>	<b>French fries, frozen, heated</b>					
		1,2,3,5-tetrachlorobenzene	1	0.0002	0.0002	0.0002
		2,3,5,6-tetrachloroaniline	1	0.0002	0.0002	0.0002
		2-chloroethyl linoleate	3	0.0710	0.0180	0.0990
		2-chloroethyl palmitate	2	0.0065	0.0060	0.0070
		benzene	1	0.0100	0.0100	0.0100
		chlorpropham	33	0.2773	0.0020	0.8260
		chlorpyrifos-methyl	1	0.0010	0.0010	0.0010
		DDE, p,p'	5	0.0008	0.0002	0.0020
		DDT, p,p'	1	0.0005	0.0005	0.0005
		dicloran	3	0.0024	0.0004	0.0060
		dieldrin	11	0.0006	0.0001	0.0020
		diphenyl 2-ethylhexyl phosphate	1	0.0300	0.0300	0.0300

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan II	1	0.0010	0.0010	0.0010
		endosulfan sulfate	31	0.0034	0.0003	0.0100
		ethylenethiourea	21	0.0098	0.0030	0.0210
		heptachlor epoxide	2	0.0003	0.0001	0.0004
		iprodione	1	0.0350	0.0350	0.0350
		isopropyl(3-chloro-4-methoxyphenyl)carbamate	14	0.0306	0.0020	0.2800
		malathion	2	0.0040	0.0020	0.0060
		pentachlorobenzene	1	0.0001	0.0001	0.0001
		TDE, p,p'	1	0.0004	0.0004	0.0004
<b>135</b>	<b>mashed potatoes, from flakes</b>					
		chlorpropham	36	0.0467	0.0020	0.1780
		chlorpyrifos	1	0.0010	0.0010	0.0010
		DDE, p,p'	7	0.0010	0.0001	0.0020
		dicloran	2	0.0007	0.0005	0.0008
		dieldrin	2	0.0002	0.0001	0.0003
		diphenyl 2-ethylhexyl phosphate	10	0.1287	0.0300	0.3300
		endosulfan sulfate	19	0.0011	0.0004	0.0040
		isopropyl(3-chloro-4-methoxyphenyl)carbamate	11	0.0055	0.0010	0.0240
		triphenyl phosphate	1	0.0120	0.0120	0.0120
<b>136</b>	<b>white potato, boiled without skin</b>					
		2,3,5,6-tetrachloroaniline	1	0.0050	0.0050	0.0050
		2,3,5,6-tetrachloroanisidine	1	0.0003	0.0003	0.0003
		chlordane, cis	1	0.0001	0.0001	0.0001
		chlorpropham	26	0.0980	0.0006	0.7040
		DDE, p,p'	4	0.0004	0.0002	0.0005
		demeton-S	1	0.0120	0.0120	0.0120
		demeton-S sulfone	2	0.0025	0.0020	0.0030
		dicloran	1	0.0020	0.0020	0.0020
		dieldrin	3	0.0005	0.0001	0.0008
		endosulfan I	1	0.0004	0.0004	0.0004
		endosulfan sulfate	21	0.0015	0.0001	0.0040
		ethylenethiourea	12	0.0119	0.0040	0.0220
		heptachlor epoxide	2	0.0002	0.0001	0.0002
		isopropyl(3-chloro-4-methoxyphenyl)carbamate	9	0.0066	0.0008	0.0200
		methamidophos	2	0.0070	0.0030	0.0110
		nonachlor, trans	2	0.0002	0.0002	0.0002
		tecnazene	1	0.0040	0.0040	0.0040
		thiabendazole	3	0.0483	0.0040	0.1180
<b>137</b>	<b>white potato, baked with skin</b>					
		2,3,5,6-tetrachloroaniline	1	0.0040	0.0040	0.0040
		2,3,5,6-tetrachloroanisidine	1	0.0003	0.0003	0.0003
		benzene	1	0.0140	0.0140	0.0140
		chlordane, cis	1	0.0008	0.0008	0.0008
		chloroform	1	0.0120	0.0120	0.0120
		chlorpropham	34	0.4575	0.0010	3.8500
		chlorpyrifos	2	0.0055	0.0020	0.0090
		DDE, p,p'	25	0.0021	0.0003	0.0060



## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		DDT, o,p'	6	0.0004	0.0002	0.0010
		DDT, p,p'	17	0.0017	0.0006	0.0050
		demeton-S sulfone	4	0.0025	0.0010	0.0050
		dicloran	1	0.0020	0.0020	0.0020
		dieldrin	9	0.0011	0.0001	0.0040
		endosulfan I	3	0.0005	0.0002	0.0010
		endosulfan II	5	0.0004	0.0001	0.0010
		endosulfan sulfate	28	0.0033	0.0002	0.0200
		endrin ketone	1	0.0004	0.0004	0.0004
		ethylenethiourea	16	0.0124	0.0030	0.0250
		heptachlor epoxide	3	0.0003	0.0002	0.0006
		iprodione	2	0.0015	0.0010	0.0020
		iprodione metabolite isomer	3	0.0013	0.0002	0.0030
		isopropyl(3-chloro-4-methoxyphenyl)carbamate	13	0.0187	0.0010	0.0800
		methamidophos	2	0.0120	0.0040	0.0200
		nonachlor, trans	2	0.0055	0.0010	0.0100
		pentachloroaniline	2	0.0006	0.0002	0.0010
		phorate sulfone	1	0.0050	0.0050	0.0050
		phorate sulfoxide	1	0.0040	0.0040	0.0040
		TDE, p,p'	1	0.0003	0.0003	0.0003
		tecnazene	1	0.0270	0.0270	0.0270
		thiabendazole	18	0.1763	0.0430	0.6740
<b>138</b>	<b>potato chips</b>					
		1,1,1,2-tetrachloroethane	1	0.0100	0.0100	0.0100
		1,1,1-trichloroethane	7	0.0071	0.0030	0.0120
		1,2,4-trimethylbenzene	11	0.0199	0.0040	0.0440
		benzene	7	0.0051	0.0020	0.0110
		butylbenzene, n-	2	0.0035	0.0030	0.0040
		chlordane, cis	2	0.0004	0.0004	0.0004
		chloroform	7	0.0123	0.0030	0.0470
		chlorpropham	25	0.8644	0.0004	2.9290
		chlorpyrifos	1	0.0010	0.0010	0.0010
		DDE, p,p'	9	0.0023	0.0005	0.0070
		DDT, p,p'	4	0.0009	0.0006	0.0010
		dichlorobenzene, p-	3	0.0073	0.0060	0.0100
		dieldrin	11	0.0010	0.0003	0.0040
		endosulfan II	1	0.0006	0.0006	0.0006
		endosulfan sulfate	20	0.0019	0.0003	0.0090
		ethyl benzene	6	0.0118	0.0020	0.0260
		heptachlor epoxide	3	0.0004	0.0002	0.0006
		iprodione	1	0.0010	0.0010	0.0010
		isopropyl(3-chloro-4-methoxyphenyl)carbamate	10	0.0139	0.0030	0.0300
		nonachlor, trans	1	0.0004	0.0004	0.0004
		pentachloroaniline	4	0.0010	0.0010	0.0010
		pentachlorobenzene	1	0.0006	0.0006	0.0006
		pentachlorophenyl methyl sulfide	2	0.0015	0.0010	0.0020
		quintozene	1	0.0030	0.0030	0.0030
		styrene	10	0.0143	0.0020	0.0860

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		tetrachloroethylene	3	0.0047	0.0030	0.0070
		toluene	20	0.3597	0.0110	4.4400
		tribufos	5	0.0032	0.0020	0.0060
		trichloroethylene	7	0.0370	0.0030	0.1400
		xylene, m- and/or p-	12	0.0175	0.0020	0.0650
		xylene, o-	5	0.0084	0.0020	0.0180
<b>139</b>	<b>scalloped potatoes, homemade</b>					
		1,1,1,2-tetrachloroethane	1	0.0270	0.0270	0.0270
		2,3,5,6-tetrachloroaniline	1	0.0070	0.0070	0.0070
		chlordan, cis	1	0.0001	0.0001	0.0001
		chlorpropham	24	0.0705	0.0020	0.2800
		chlorpyrifos	2	0.0006	0.0001	0.0010
		chlorpyrifos-methyl	1	0.0001	0.0001	0.0001
		DDE, p,p'	12	0.0005	0.0001	0.0020
		dieldrin	2	0.0003	0.0001	0.0005
		diphenyl 2-ethylhexyl phosphate	8	0.1213	0.0220	0.3100
		endosulfan sulfate	21	0.0013	0.0002	0.0100
		heptachlor epoxide	1	0.0001	0.0001	0.0001
		isopropyl(3-chloro-4-methoxyphenyl)carbamate	9	0.0099	0.0020	0.0300
		nonachlor, trans	1	0.0002	0.0002	0.0002
		tecnazene	1	0.0140	0.0140	0.0140
		toluene	1	0.0120	0.0120	0.0120
		triphenyl phosphate	1	0.0090	0.0090	0.0090
		xylene, m- and/or p-	1	0.0230	0.0230	0.0230
<b>140</b>	<b>sweet potato, fresh, baked</b>					
		2,4-dichloro-6-nitrobenzenamine	4	0.0009	0.0007	0.0010
		acephate	1	0.0020	0.0020	0.0020
		chloroform	1	0.0270	0.0270	0.0270
		chlorpropham	5	0.0027	0.0007	0.0070
		chlorpyrifos	1	0.0010	0.0010	0.0010
		dicloran	31	0.0986	0.0003	0.5800
		dieldrin	2	0.0006	0.0005	0.0006
		methamidophos	1	0.0020	0.0020	0.0020
		pentachloroaniline	1	0.0007	0.0007	0.0007
		permethrin, cis	1	0.0010	0.0010	0.0010
		permethrin, trans	1	0.0010	0.0010	0.0010
		toluene	1	0.0100	0.0100	0.0100
<b>142</b>	<b>spaghetti with tomato sauce and meatballs, homemade</b>					
		benzene	2	0.0175	0.0130	0.0220
		chlorpyrifos	3	0.0004	0.0002	0.0007
		chlorpyrifos-methyl	8	0.0012	0.0001	0.0020
		DCEP	1	0.0003	0.0003	0.0003
		DDE, p,p'	18	0.0005	0.0001	0.0010
		dieldrin	2	0.0001	0.0001	0.0001
		endosulfan I	4	0.0005	0.0002	0.0010

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan II	5	0.0006	0.0002	0.0010
		endosulfan sulfate	2	0.0004	0.0003	0.0004
		lindane	2	0.0001	0.0001	0.0001
		malathion	3	0.0015	0.0005	0.0030
		toluene	2	0.0230	0.0140	0.0320
		xylene, m- and/or p-	1	0.0120	0.0120	0.0120
<b>143</b>	<b>beef stew with potatoes, carrots, and onion, homemade</b>					
		2,3,5,6-tetrachloroaniline	1	0.0020	0.0020	0.0020
		chlorpropham	18	0.0372	0.0010	0.0720
		chlorpyrifos-methyl	4	0.0007	0.0003	0.0010
		DDE, p,p'	13	0.0007	0.0001	0.0020
		dieldrin	6	0.0002	0.0001	0.0004
		endosulfan sulfate	13	0.0010	0.0002	0.0040
		iprodione	2	0.0020	0.0020	0.0020
		iprodione metabolite isomer	1	0.0140	0.0140	0.0140
		isopropyl(3-chloro-4-methoxyphenyl)carbamate	6	0.0035	0.0020	0.0060
		linuron	1	0.0060	0.0060	0.0060
		malathion	1	0.0060	0.0060	0.0060
		pentachloroaniline	1	0.0005	0.0005	0.0005
		tecnazene	1	0.0030	0.0030	0.0030
		toluene	1	0.0170	0.0170	0.0170
<b>146</b>	<b>macaroni and cheese, from box mix</b>					
		chlorpyrifos	2	0.0007	0.0006	0.0007
		chlorpyrifos-methyl	32	0.0024	0.0005	0.0100
		DDE, p,p'	11	0.0009	0.0002	0.0020
		dieldrin	1	0.0002	0.0002	0.0002
		diphenyl 2-ethylhexyl phosphate	2	0.1535	0.1470	0.1600
		ethyl benzene	1	0.0150	0.0150	0.0150
		malathion	18	0.0015	0.0006	0.0040
		xylene, m- and/or p-	2	0.0140	0.0110	0.0170
<b>147</b>	<b>quarter-pound hamburger on bun, fast-food</b>					
		1,1,1-trichloroethane	2	0.0110	0.0030	0.0190
		1,2,4-trimethylbenzene	1	0.0230	0.0230	0.0230
		benzene	18	0.0184	0.0020	0.0470
		BHC, alpha	1	0.0006	0.0006	0.0006
		BHC, beta	1	0.0003	0.0003	0.0003
		bromodichloromethane	1	0.0370	0.0370	0.0370
		butylbenzene, n-	3	0.0323	0.0080	0.0780
		chloroform	8	0.0059	0.0020	0.0140
		chlorpropham	2	0.0110	0.0020	0.0200
		chlorpyrifos	6	0.0008	0.0002	0.0020
		chlorpyrifos-methyl	33	0.0027	0.0004	0.0090
		cumene (isopropyl benzene)	2	0.0070	0.0020	0.0120
		DDE, p,p'	35	0.0020	0.0002	0.0080
		DDT, p,p'	3	0.0001	0.0001	0.0002

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		diazinon	1	0.0005	0.0005	0.0005
		dieldrin	25	0.0004	0.0001	0.0009
		endosulfan I	4	0.0002	0.0001	0.0003
		endosulfan II	3	0.0002	0.0001	0.0003
		endosulfan sulfate	12	0.0005	0.0002	0.0010
		ethyl benzene	7	0.0103	0.0020	0.0380
		heptachlor epoxide	6	0.0002	0.0001	0.0003
		hexachlorobenzene	4	0.0001	0.0001	0.0002
		lindane	4	0.0023	0.0005	0.0050
		malathion	32	0.0044	0.0008	0.0180
		pirimiphos-methyl	1	0.0040	0.0040	0.0040
		propylbenzene, n-	1	0.0160	0.0160	0.0160
		styrene	13	0.0141	0.0040	0.0280
		tetrachloroethylene	2	0.0220	0.0060	0.0380
		toluene	24	0.0410	0.0100	0.1800
		trichloroethylene	4	0.0048	0.0020	0.0090
		xylene, m- and/or p-	11	0.0191	0.0020	0.0880
		xylene, o-	5	0.0078	0.0020	0.0280
<b>148</b>	<b>meatloaf, homemade</b>					
		1,1,1-trichloroethane	2	0.0035	0.0030	0.0040
		2-chloroethyl linoleate	2	0.0220	0.0160	0.0280
		2-chloroethyl myristate	1	0.0020	0.0020	0.0020
		2-chloroethyl palmitate	2	0.0055	0.0030	0.0080
		benzene	14	0.0155	0.0020	0.0560
		BHC, alpha	2	0.0001	0.0001	0.0001
		butylbenzene, n-	1	0.0080	0.0080	0.0080
		chlorobenzene	1	0.0260	0.0260	0.0260
		chloroform	4	0.0030	0.0020	0.0040
		chlorpropham	4	0.0118	0.0040	0.0200
		chlorpyrifos	7	0.0010	0.0007	0.0020
		chlorpyrifos-methyl	1	0.0002	0.0002	0.0002
		cumene (isopropyl benzene)	1	0.0230	0.0230	0.0230
		DCPA	5	0.0019	0.0005	0.0040
		DDE, p,p'	36	0.0022	0.0005	0.0100
		diazinon	3	0.0009	0.0008	0.0010
		dichlorobenzene, o-	1	0.0040	0.0040	0.0040
		dieldrin	25	0.0005	0.0002	0.0009
		diphenyl 2-ethylhexyl phosphate	1	0.0690	0.0690	0.0690
		ethyl benzene	2	0.0020	0.0020	0.0020
		heptachlor epoxide	9	0.0002	0.0001	0.0004
		hexachlorobenzene	7	0.0002	0.0001	0.0003
		iprodione	2	0.0014	0.0008	0.0020
		octachlor epoxide	1	0.0001	0.0001	0.0001
		permethrin, cis	2	0.0006	0.0005	0.0006
		permethrin, trans	2	0.0006	0.0005	0.0007
		polychlorinated biphenyls	1	0.0230	0.0230	0.0230

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		styrene	12	0.0110	0.0060	0.0190
		tetrachloroethylene	3	0.0040	0.0030	0.0060
		toluene	17	0.0179	0.0100	0.0360
		trichloroethylene	5	0.0036	0.0020	0.0060
		xylene, m- and/or p-	7	0.0051	0.0020	0.0130
		xylene, o-	3	0.0020	0.0020	0.0020
<b>149</b>	<b>spaghetti with tomato sauce, canned</b>					
		chlorpyrifos	1	0.0010	0.0010	0.0010
		chlorpyrifos-methyl	6	0.0015	0.0008	0.0020
		DDE, p,p'	1	0.0001	0.0001	0.0001
		endosulfan I	1	0.0003	0.0003	0.0003
		endosulfan II	4	0.0005	0.0004	0.0009
		endosulfan sulfate	2	0.0003	0.0001	0.0004
		malathion	2	0.0025	0.0020	0.0030
		methamidophos	5	0.0018	0.0010	0.0030
		xylene, m- and/or p-	2	0.0145	0.0120	0.0170
<b>151</b>	<b>lasagna with meat, homemade</b>					
		2-chloroethyl linoleate	3	0.0117	0.0020	0.0290
		2-chloroethyl palmitate	2	0.0030	0.0020	0.0040
		benzene	1	0.0190	0.0190	0.0190
		chlorpropham	1	0.0010	0.0010	0.0010
		chlorpyrifos	5	0.0007	0.0004	0.0010
		chlorpyrifos-methyl	10	0.0010	0.0004	0.0020
		DDE, p,p'	29	0.0010	0.0002	0.0070
		diazinon	1	0.0030	0.0030	0.0030
		dieldrin	7	0.0005	0.0001	0.0020
		endosulfan I	3	0.0003	0.0003	0.0004
		endosulfan II	5	0.0006	0.0001	0.0010
		endosulfan sulfate	3	0.0002	0.0002	0.0003
		malathion	2	0.0008	0.0005	0.0010
		xylene, m- and/or p-	1	0.0110	0.0110	0.0110
<b>152</b>	<b>chicken potpie, frozen, heated</b>					
		2-chloroethyl linoleate	3	0.0060	0.0030	0.0100
		2-chloroethyl palmitate	1	0.0020	0.0020	0.0020
		chlorpropham	25	0.0080	0.0006	0.0230
		chlorpyrifos	5	0.0007	0.0006	0.0010
		chlorpyrifos-methyl	33	0.0079	0.0006	0.0400
		DDE, p,p'	1	0.0003	0.0003	0.0003
		diazinon	2	0.0008	0.0005	0.0010
		dicloran	1	0.0010	0.0010	0.0010
		dieldrin	1	0.0001	0.0001	0.0001
		endosulfan sulfate	2	0.0002	0.0001	0.0003
		linuron	2	0.0025	0.0010	0.0040
		malathion	35	0.0087	0.0020	0.0520
		methoxychlor, p,p'-	4	0.0007	0.0003	0.0010
		pirimiphos-methyl	1	0.0010	0.0010	0.0010
		xylene, m- and/or p-	1	0.0230	0.0230	0.0230

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
155	chicken noodle soup, canned, condensed, prepared with water	malathion	1	0.0020	0.0020	0.0020
		methamidophos	1	0.0010	0.0010	0.0010
156	tomato soup, canned, condensed, prepared with water	chlorpyrifos-methyl	8	0.0010	0.0004	0.0020
		endosulfan II	2	0.0004	0.0002	0.0005
		malathion	10	0.0019	0.0008	0.0040
		methamidophos	8	0.0019	0.0010	0.0030
157	vegetable beef soup, canned, condensed, prepared with water	acephate	1	0.0080	0.0080	0.0080
		chlorpropham	20	0.0165	0.0050	0.0640
		chlorpyrifos	1	0.0010	0.0010	0.0010
		DDE, p,p'	1	0.0002	0.0002	0.0002
		dieldrin	1	0.0003	0.0003	0.0003
		methamidophos	4	0.0053	0.0010	0.0180
		triphenyl phosphate	1	0.0380	0.0380	0.0380
		vinclozolin	1	0.0005	0.0005	0.0005
160	white sauce, homemade	chlorpyrifos	1	0.0010	0.0010	0.0010
		chlorpyrifos-methyl	15	0.0016	0.0003	0.0050
		DDE, p,p'	9	0.0030	0.0002	0.0100
		dieldrin	3	0.0001	0.0001	0.0002
		diphenyl 2-ethylhexyl phosphate	12	0.3721	0.0570	1.9500
		malathion	15	0.0020	0.0009	0.0050
		toluene	1	0.0270	0.0270	0.0270
		triphenyl phosphate	2	0.0300	0.0100	0.0500
161	dill cucumber pickles	acephate	3	0.0133	0.0010	0.0370
		BHC, alpha	2	0.0006	0.0004	0.0008
		carbaryl	7	0.0076	0.0030	0.0120
		chlordane	1	0.0150	0.0150	0.0150
		chlordane, cis	6	0.0038	0.0003	0.0100
		chlordane, trans	5	0.0005	0.0002	0.0010
		DDE, p,p'	4	0.0041	0.0003	0.0060
		DDT, p,p'	1	0.0040	0.0040	0.0040
		dieldrin	33	0.0055	0.0007	0.0180
		endosulfan I	31	0.0041	0.0009	0.0220
		endosulfan II	31	0.0030	0.0007	0.0160
		endosulfan sulfate	35	0.0081	0.0006	0.0250
		ethion	1	0.0006	0.0006	0.0006
		heptachlor epoxide	2	0.0020	0.0020	0.0020
		lindane	11	0.0084	0.0001	0.0280
		methamidophos	1	0.0020	0.0020	0.0020
		nonachlor, trans	2	0.0011	0.0002	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		pentachloroaniline	1	0.0003	0.0003	0.0003
		permethrin, cis	2	0.0009	0.0007	0.0010
		permethrin, trans	2	0.0007	0.0005	0.0008
		toluene	2	0.0140	0.0130	0.0150
		toxaphene	14	0.0195	0.0020	0.0490
		tributyl phosphate	1	0.0100	0.0100	0.0100
<b>162</b>	<b>margarine, stick, regular (salted)</b>					
		1,1,1-trichloroethane	2	0.0085	0.0030	0.0140
		1,2,4-trimethylbenzene	9	0.0199	0.0040	0.0600
		benzene	6	0.0122	0.0020	0.0300
		bromobenzene	1	0.0040	0.0040	0.0040
		bromodichloromethane	1	0.0070	0.0070	0.0070
		chloroform	7	0.0090	0.0050	0.0140
		cumene (isopropyl benzene)	6	0.0033	0.0020	0.0050
		dichlorobenzene, p-	8	0.0356	0.0030	0.2080
		diphenyl 2-ethylhexyl phosphate	16	2.1594	0.1280	5.7600
		ethyl benzene	10	0.0056	0.0020	0.0110
		propylbenzene, n-	1	0.0080	0.0080	0.0080
		styrene	16	0.0116	0.0050	0.0200
		tetrachloroethylene	10	0.0119	0.0020	0.0420
		toluene	24	0.0654	0.0110	0.2720
		trichloroethylene	3	0.0110	0.0020	0.0210
		triphenyl phosphate	11	0.1205	0.0500	0.2500
		xylene, m- and/or p-	17	0.0208	0.0050	0.0440
		xylene, o-	9	0.0059	0.0020	0.0120
<b>164</b>	<b>butter, regular (salted)</b>					
		1,1,1-trichloroethane	5	0.0166	0.0070	0.0230
		1,2,4-trimethylbenzene	13	0.0244	0.0040	0.0420
		benzene	10	0.0094	0.0020	0.0220
		BHC, alpha	8	0.0006	0.0002	0.0020
		butylbenzene, n-	1	0.0030	0.0030	0.0030
		chlordane	1	0.0130	0.0130	0.0130
		chloroform	24	0.0553	0.0150	0.0830
		cumene (isopropyl benzene)	7	0.0049	0.0020	0.0080
		DDE, p,p'	36	0.0221	0.0030	0.1020
		DDT, p,p'	1	0.0002	0.0002	0.0002
		dichlorobenzene, p-	6	0.0250	0.0030	0.0950
		dieldrin	33	0.0023	0.0005	0.0080
		diphenyl 2-ethylhexyl phosphate	3	0.0800	0.0500	0.1000
		endosulfan sulfate	19	0.0021	0.0002	0.0100
		ethyl benzene	14	0.0091	0.0020	0.0160
		heptachlor epoxide	20	0.0006	0.0003	0.0010
		hexachlorobenzene	30	0.0012	0.0004	0.0070
		lambda-cyhalothrin	1	0.0040	0.0040	0.0040
		lindane	14	0.0006	0.0002	0.0020
		methoxychlor, p,p'-	3	0.0037	0.0010	0.0090
		nonachlor, trans	5	0.0005	0.0001	0.0010
		octachlor epoxide	16	0.0008	0.0001	0.0050

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		permethrin, cis	5	0.0015	0.0006	0.0020
		permethrin, trans	5	0.0017	0.0007	0.0030
		polychlorinated biphenyls	2	0.0700	0.0200	0.1200
		propylbenzene, n-	4	0.0040	0.0030	0.0060
		styrene	21	0.0185	0.0100	0.0280
		tetrachloroethylene	13	0.0252	0.0030	0.1020
		toluene	24	0.0807	0.0300	0.2000
		trichloroethylene	4	0.0050	0.0020	0.0090
		xylene, m- and/or p-	21	0.0290	0.0080	0.0590
		xylene, o-	14	0.0095	0.0020	0.0200
<b>166</b>	<b>mayonnaise, regular, bottled</b>					
		benzene	1	0.0280	0.0280	0.0280
		DDE, p,p'	1	0.0010	0.0010	0.0010
		dieldrin	23	0.0009	0.0001	0.0030
		diphenyl 2-ethylhexyl phosphate	1	0.3600	0.3600	0.3600
		endosulfan sulfate	6	0.0005	0.0003	0.0009
		methoxychlor, p,p'	3	0.0013	0.0010	0.0020
<b>167</b>	<b>half &amp; half cream</b>					
		chloroform	1	0.0120	0.0120	0.0120
		DDE, p,p'	30	0.0025	0.0001	0.0210
		dieldrin	13	0.0004	0.0001	0.0010
		heptachlor epoxide	4	0.0002	0.0001	0.0005
		hexachlorobenzene	1	0.0001	0.0001	0.0001
		methoxychlor, p,p'	1	0.0003	0.0003	0.0003
		octachlor epoxide	1	0.0001	0.0001	0.0001
		permethrin, cis	2	0.0003	0.0002	0.0003
		permethrin, trans	2	0.0004	0.0002	0.0005
		xylene, m- and/or p-	1	0.0120	0.0120	0.0120
<b>168</b>	<b>cream substitute, frozen</b>					
		DDE, p,p'	1	0.0001	0.0001	0.0001
		malathion	1	0.0010	0.0010	0.0010
<b>169</b>	<b>white sugar, granulated</b>					
		diphenyl 2-ethylhexyl phosphate	1	0.0100	0.0100	0.0100
		tributyl phosphate	1	0.0200	0.0200	0.0200
<b>170</b>	<b>pancake syrup</b>					
		chloroform	1	0.0110	0.0110	0.0110
<b>172</b>	<b>honey</b>					
		coumaphos	1	0.0020	0.0020	0.0020
		dicloran	1	0.0020	0.0020	0.0020
		ethion	1	0.0070	0.0070	0.0070



## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>173</b>	<b>tomato catsup</b>	2-chloroethyl laurate	1	0.0010	0.0010	0.0010
		2-chloroethyl linoleate	14	0.0259	0.0030	0.1100
		2-chloroethyl palmitate	9	0.0057	0.0020	0.0100
		2-chloroethyl stearate	2	0.0085	0.0050	0.0120
		acephate	3	0.0020	0.0010	0.0040
		chlordane, cis	1	0.0002	0.0002	0.0002
		chlorpyrifos	5	0.0008	0.0005	0.0010
		DCPA	1	0.0030	0.0030	0.0030
		DDE, p,p'	9	0.0005	0.0002	0.0020
		endosulfan I	5	0.0008	0.0002	0.0020
		endosulfan II	10	0.0016	0.0007	0.0040
		endosulfan sulfate	9	0.0005	0.0003	0.0009
		esfenvalerate	2	0.0020	0.0020	0.0020
		ethylenethiourea	1	0.0040	0.0040	0.0040
		methamidophos	11	0.0049	0.0009	0.0140
		permethrin, cis	4	0.0010	0.0009	0.0010
		permethrin, trans	4	0.0009	0.0007	0.0010
		tris(chloropropyl) phosphate	2	0.0065	0.0040	0.0090
<b>175</b>	<b>chocolate pudding, from instant mix</b>	chlorpropham	1	0.0070	0.0070	0.0070
		DDE, p,p'	9	0.0014	0.0002	0.0040
		toluene	1	0.0120	0.0120	0.0120
<b>177</b>	<b>vanilla flavored light ice cream</b>	1,1,1-trichloroethane	1	0.0030	0.0030	0.0030
		benzene	4	0.0048	0.0010	0.0130
		bromodichloromethane	1	0.0030	0.0030	0.0030
		butylbenzene, n-	1	0.0070	0.0070	0.0070
		chlorobenzene	1	0.0040	0.0040	0.0040
		chloroform	18	0.0189	0.0040	0.0560
		DDE, p,p'	13	0.0014	0.0001	0.0030
		dichlorobenzene, o-	1	0.0030	0.0030	0.0030
		dieldrin	2	0.0012	0.0003	0.0020
		styrene	1	0.0020	0.0020	0.0020
		tetrachloroethylene	2	0.0020	0.0020	0.0020
		toluene	3	0.0030	0.0030	0.0030
		trichloroethylene	1	0.0040	0.0040	0.0040
		xylene, m- and/or p-	7	0.0097	0.0020	0.0340
		xylene, o-	1	0.0020	0.0020	0.0020
<b>178</b>	<b>chocolate cake with chocolate icing, commercial</b>	1,1,1-trichloroethane	1	0.0070	0.0070	0.0070
		1,2,4-trimethylbenzene	13	0.0420	0.0080	0.1500
		benzene	6	0.0080	0.0020	0.0230
		butylbenzene, n-	2	0.0095	0.0050	0.0140
		chlorobenzene	2	0.0025	0.0020	0.0030
		chloroform	8	0.0065	0.0030	0.0160
		chlorpyrifos	5	0.0011	0.0007	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		chlorpyrifos-methyl	23	0.0022	0.0004	0.0060
		cumene (isopropyl benzene)	3	0.0043	0.0030	0.0060
		DDE, p,p'	4	0.0003	0.0001	0.0005
		dichlorobenzene, o-	1	0.0050	0.0050	0.0050
		dichlorobenzene, p-	7	0.0240	0.0030	0.0690
		dieldrin	1	0.0002	0.0002	0.0002
		ethyl benzene	10	0.0047	0.0020	0.0130
		ethylene dichloride	1	0.0080	0.0080	0.0080
		lindane	3	0.0002	0.0001	0.0004
		malathion	16	0.0018	0.0006	0.0050
		styrene	21	0.0194	0.0070	0.0570
		tetrachloroethylene	9	0.0642	0.0030	0.4330
		toluene	24	0.0678	0.0100	0.4370
		trichloroethylene	4	0.0190	0.0030	0.0570
		xylene, m- and/or p-	16	0.0195	0.0070	0.0410
		xylene, o-	12	0.0058	0.0020	0.0160
<b>179</b>	<b>yellow cake with white icing, prepared from cake and icing mixes</b>					
		chlorpyrifos-methyl	27	0.0026	0.0007	0.0070
		malathion	30	0.0029	0.0006	0.0080
		xylene, m- and/or p-	1	0.0200	0.0200	0.0200
<b>182</b>	<b>sweet roll/Danish, commercial</b>					
		1,1,1-trichloroethane	2	0.0035	0.0030	0.0040
		1,2,4-trimethylbenzene	8	0.0560	0.0160	0.1870
		2-chloroethyl linoleate	1	0.0090	0.0090	0.0090
		2-chloroethyl palmitate	1	0.0020	0.0020	0.0020
		benzene	7	0.0076	0.0010	0.0260
		chlorobenzene	1	0.0040	0.0040	0.0040
		chloroform	5	0.0036	0.0020	0.0070
		chlorpyrifos	7	0.0014	0.0003	0.0040
		chlorpyrifos-methyl	33	0.0042	0.0008	0.0180
		cumene (isopropyl benzene)	3	0.0117	0.0030	0.0250
		DDE, p,p'	2	0.0015	0.0010	0.0020
		DDT, p,p'	1	0.0001	0.0001	0.0001
		diazinon	2	0.0030	0.0030	0.0030
		dichlorobenzene, o-	1	0.0190	0.0190	0.0190
		diphenyl 2-ethylhexyl phosphate	1	0.1500	0.1500	0.1500
		ethyl benzene	6	0.0033	0.0020	0.0050
		malathion	36	0.0059	0.0010	0.0170
		methoxychlor, p,p'-	3	0.0008	0.0007	0.0009
		pirimiphos-methyl	1	0.0010	0.0010	0.0010
		styrene	22	0.0451	0.0130	0.0910
		tetrachloroethylene	7	0.0097	0.0040	0.0240
		toluene	21	0.0524	0.0100	0.1450
		trichloroethylene	3	0.0030	0.0020	0.0040
		xylene, m- and/or p-	12	0.0118	0.0020	0.0290
		xylene, o-	4	0.0035	0.0020	0.0050

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>183</b>	<b>chocolate chip cookies, commercial</b>					
		1,1,1-trichloroethane	2	0.0040	0.0030	0.0050
		1,2,4-trimethylbenzene	16	0.0248	0.0060	0.0810
		benzene	3	0.0033	0.0010	0.0080
		BHC, alpha	12	0.0006	0.0001	0.0020
		bromobenzene	1	0.0020	0.0020	0.0020
		chlorobenzene	1	0.0030	0.0030	0.0030
		chloroform	6	0.0060	0.0020	0.0150
		chlorpyrifos	3	0.0012	0.0006	0.0020
		chlorpyrifos-methyl	28	0.0069	0.0006	0.0300
		cumene (isopropyl benzene)	4	0.0083	0.0020	0.0150
		DDE, p,p'	1	0.0007	0.0007	0.0007
		DDT, p,p'	4	0.0008	0.0003	0.0010
		diazinon	1	0.0040	0.0040	0.0040
		dichlorobenzene, p-	7	0.0421	0.0040	0.1760
		diphenyl 2-ethylhexyl phosphate	2	0.0350	0.0300	0.0400
		endosulfan sulfate	1	0.0003	0.0003	0.0003
		ethyl benzene	6	0.0098	0.0020	0.0330
		lindane	26	0.0012	0.0001	0.0090
		malathion	35	0.0128	0.0020	0.0510
		methoxychlor, p,p'	5	0.0015	0.0003	0.0040
		pirimiphos-methyl	1	0.0008	0.0008	0.0008
		styrene	22	0.0733	0.0150	0.1980
		TDE, p,p'	1	0.0009	0.0009	0.0009
		tetrachloroethylene	7	0.0063	0.0020	0.0180
		toluene	23	0.0502	0.0120	0.2480
		trichloroethylene	4	0.0035	0.0020	0.0060
		xylene, m- and/or p-	11	0.0129	0.0040	0.0250
		xylene, o-	8	0.0046	0.0020	0.0120
<b>184</b>	<b>sandwich cookies with creme filling, commercial</b>					
		1,1,1-trichloroethane	2	0.0035	0.0030	0.0040
		1,2,4-trimethylbenzene	6	0.0367	0.0080	0.1700
		benzene	6	0.0115	0.0010	0.0390
		carbon tetrachloride	1	0.0110	0.0110	0.0110
		chlorobenzene	2	0.0025	0.0020	0.0030
		chloroform	7	0.0097	0.0020	0.0280
		chlorpyrifos	1	0.0003	0.0003	0.0003
		chlorpyrifos-methyl	31	0.0073	0.0006	0.0300
		dichlorobenzene, p-	1	0.0110	0.0110	0.0110
		ethyl benzene	2	0.0035	0.0020	0.0050
		hexachlorobenzene	1	0.0001	0.0001	0.0001
		malathion	35	0.0170	0.0030	0.0860
		pirimiphos-methyl	2	0.0050	0.0020	0.0080
		styrene	22	0.0667	0.0130	0.1650
		tetrachloroethylene	3	0.0033	0.0020	0.0050
		toluene	15	0.0372	0.0050	0.2240
		trichloroethylene	1	0.0050	0.0050	0.0050
		xylene, m- and/or p-	11	0.0114	0.0030	0.0370
		xylene, o-	2	0.0060	0.0030	0.0090

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>185</b>	<b>apple pie, fresh/frozen, commercial</b>					
		1,1,1-trichloroethane	1	0.0030	0.0030	0.0030
		1,2,4-trimethylbenzene	15	0.0313	0.0060	0.1020
		benzene	6	0.0052	0.0020	0.0110
		butylbenzene, n-	2	0.0095	0.0080	0.0110
		chloroform	8	0.0129	0.0030	0.0320
		chlorpyrifos	1	0.0020	0.0020	0.0020
		chlorpyrifos-methyl	31	0.0095	0.0007	0.0520
		cumene (isopropyl benzene)	4	0.0090	0.0020	0.0220
		dichlorobenzene, p-	4	0.0543	0.0020	0.1690
		endosulfan sulfate	6	0.0005	0.0001	0.0010
		ethyl benzene	9	0.0058	0.0020	0.0140
		malathion	35	0.0104	0.0010	0.0830
		methoxychlor, p,p'-	3	0.0013	0.0010	0.0020
		styrene	16	0.0195	0.0070	0.0490
		tetrachloroethylene	6	0.0177	0.0030	0.0520
		toluene	13	0.0169	0.0040	0.0420
		trichloroethylene	2	0.0030	0.0020	0.0040
		xylene, m- and/or p-	13	0.0220	0.0060	0.0770
		xylene, o-	8	0.0111	0.0020	0.0380
<b>186</b>	<b>pumpkin pie, fresh/frozen, commercial</b>					
		2-chloroethyl laurate	13	0.0024	0.0010	0.0080
		2-chloroethyl linoleate	21	0.0200	0.0020	0.0800
		2-chloroethyl myristate	32	0.0268	0.0040	0.1000
		2-chloroethyl palmitate	20	0.0058	0.0020	0.0200
		2-chloroethyl stearate	2	0.0210	0.0120	0.0300
		BHC, alpha	3	0.0003	0.0001	0.0006
		chlordane, cis	1	0.0002	0.0002	0.0002
		chloroform	1	0.0170	0.0170	0.0170
		chlorpyrifos-methyl	31	0.0047	0.0002	0.0190
		DDE, p,p'	3	0.0013	0.0002	0.0030
		diazinon	1	0.0010	0.0010	0.0010
		dieldrin	30	0.0029	0.0006	0.0090
		endosulfan sulfate	2	0.0006	0.0003	0.0009
		ethyl benzene	1	0.0290	0.0290	0.0290
		malathion	33	0.0061	0.0008	0.0160
		methoxychlor, p,p'-	1	0.0020	0.0020	0.0020
		nonachlor, trans	1	0.0005	0.0005	0.0005
		permethrin, cis	14	0.0019	0.0005	0.0060
		permethrin, trans	14	0.0023	0.0006	0.0080
		styrene	2	0.0285	0.0200	0.0370
		tetrachloroethylene	1	0.1070	0.1070	0.1070
		toluene	2	0.0305	0.0130	0.0480
		xylene, m- and/or p-	2	0.0125	0.0100	0.0150

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>187</b>	<b>milk chocolate candy bar, plain</b>					
		1,1,1-trichloroethane	3	0.0037	0.0030	0.0040
		1,2,4-trimethylbenzene	13	0.0298	0.0130	0.0640
		benzene	3	0.0093	0.0010	0.0260
		BHC, alpha	20	0.0011	0.0001	0.0050
		bromodichloromethane	1	0.0040	0.0040	0.0040
		butylbenzene, n-	1	0.0030	0.0030	0.0030
		chlorobenzene	1	0.0040	0.0040	0.0040
		chloroform	6	0.0097	0.0020	0.0360
		chlorpyrifos	6	0.0011	0.0004	0.0030
		DDE, p,p'	28	0.0012	0.0002	0.0030
		DDT, p,p'	20	0.0021	0.0002	0.0090
		dichlorobenzene, p-	3	0.0083	0.0030	0.0120
		dieldrin	3	0.0002	0.0001	0.0004
		diphenyl 2-ethylhexyl phosphate	1	0.7630	0.7630	0.7630
		endosulfan I	4	0.0004	0.0003	0.0005
		endosulfan II	1	0.0002	0.0002	0.0002
		endosulfan sulfate	8	0.0007	0.0002	0.0010
		ethyl benzene	11	0.0062	0.0020	0.0150
		lindane	36	0.0019	0.0004	0.0060
		malathion	1	0.0060	0.0060	0.0060
		pentachlorophenyl methyl ether	1	0.0002	0.0002	0.0002
		pirimiphos-methyl	1	0.0010	0.0010	0.0010
		styrene	20	0.0250	0.0070	0.0760
		TDE, p,p'	14	0.0011	0.0003	0.0030
		tetrachloroethylene	17	0.0241	0.0020	0.0700
		toluene	22	0.0373	0.0190	0.0780
		trichloroethylene	6	0.0037	0.0020	0.0060
		xylene, m- and/or p-	20	0.0260	0.0060	0.0540
		xylene, o-	15	0.0079	0.0020	0.0150
<b>188</b>	<b>caramel candy</b>					
		benzene	3	0.0033	0.0020	0.0050
		carbon tetrachloride	1	0.0090	0.0090	0.0090
		chlorobenzene	1	0.0030	0.0030	0.0030
		chloroform	9	0.0124	0.0020	0.0640
		DDE, p,p'	2	0.0003	0.0002	0.0004
		dieldrin	1	0.0002	0.0002	0.0002
		diphenyl 2-ethylhexyl phosphate	29	3.3016	0.0500	23.5000
		ethyl benzene	2	0.0030	0.0020	0.0040
		polychlorinated biphenyls	1	0.0060	0.0060	0.0060
		styrene	2	0.0025	0.0020	0.0030
		tetrachloroethylene	2	0.0090	0.0040	0.0140
		toluene	6	0.0143	0.0010	0.0360
		trichloroethylene	4	0.0060	0.0020	0.0090
		triphenyl phosphate	21	0.0850	0.0120	0.2970
		tris(2-butoxyethyl)phosphate	1	0.0350	0.0350	0.0350
		xylene, m- and/or p-	3	0.0120	0.0020	0.0200
		xylene, o-	1	0.0060	0.0060	0.0060

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>190</b>	<b>gelatin dessert, any flavor</b>	chloroform	1	0.0590	0.0590	0.0590
		toluene	1	0.0150	0.0150	0.0150
<b>191</b>	<b>cola carbonated beverage</b>	benzene	5	0.0374	0.0010	0.1380
		bromodichloromethane	3	0.0040	0.0030	0.0060
		chlorobenzene	1	0.0050	0.0050	0.0050
		chloroform	14	0.0160	0.0040	0.0390
		dichlorobenzene, o-	1	0.0030	0.0030	0.0030
		toluene	2	0.0100	0.0010	0.0190
<b>193</b>	<b>fruit drink, from powder</b>	benzene	1	0.0950	0.0950	0.0950
		chlorobenzene	1	0.0150	0.0150	0.0150
		chloroform	1	0.0220	0.0220	0.0220
		ethion	1	0.0010	0.0010	0.0010
		iprodione	1	0.0040	0.0040	0.0040
		toluene	1	0.0270	0.0270	0.0270
		triphenyl phosphate	1	0.0130	0.0130	0.0130
<b>194</b>	<b>low-calorie cola carbonated beverage</b>	benzene	20	0.0236	0.0040	0.0550
		bromodichloromethane	1	0.0030	0.0030	0.0030
		chloroform	10	0.0107	0.0030	0.0230
		dichlorobenzene, o-	1	0.0030	0.0030	0.0030
		methomyl	1	0.0240	0.0240	0.0240
		propylbenzene, n-	1	0.0030	0.0030	0.0030
		trichloroethylene	1	0.0020	0.0020	0.0020
<b>196</b>	<b>coffee, decaffeinated, from instant</b>	chloroform	1	0.0370	0.0370	0.0370
<b>197</b>	<b>tea, from tea bag</b>	aldoxycarb	1	0.0070	0.0070	0.0070
		carbaryl	1	0.0030	0.0030	0.0030
		chloroform	1	0.0150	0.0150	0.0150
		methamidophos	1	0.0010	0.0010	0.0010
<b>199</b>	<b>dry table wine</b>	benomyl	1	0.0400	0.0400	0.0400
		carbaryl	31	0.0232	0.0030	0.1100
		dicloran	7	0.0024	0.0010	0.0050
		dimethoate	22	0.0092	0.0007	0.0250
		diphenyl 2-ethylhexyl phosphate	1	1.3750	1.3750	1.3750
		ethylenethiourea	2	0.0040	0.0030	0.0050
iprodione	29	0.0199	0.0004	0.0800		

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		iprodone metabolite isomer	5	0.0030	0.0006	0.0100
		omethoate	15	0.0063	0.0010	0.0130
		procymidone	1	0.0020	0.0020	0.0020
		thiabendazole	1	0.0530	0.0530	0.0530
		triphenyl phosphate	1	0.0320	0.0320	0.0320
<b>201</b>	<b>tap water</b>					
		bromodichloromethane	3	0.0183	0.0100	0.0300
		chloroform	5	0.0444	0.0370	0.0530
<b>203</b>	<b>milk-based infant formula, low iron, ready-to-feed</b>					
		benzene	2	0.0010	0.0010	0.0010
		chloroform	4	0.0095	0.0020	0.0250
		toluene	2	0.0020	0.0020	0.0020
<b>205</b>	<b>beef, strained/junior</b>					
		1,2,4-trimethylbenzene	6	0.0080	0.0060	0.0110
		benzene	8	0.0106	0.0010	0.0400
		bromodichloromethane	1	0.0030	0.0030	0.0030
		butylbenzene, n-	2	0.0075	0.0040	0.0110
		chlorobenzene	3	0.0027	0.0020	0.0030
		chloroform	8	0.0158	0.0050	0.0290
		DDE, p,p'	22	0.0017	0.0002	0.0170
		propylbenzene, n-	1	0.0030	0.0030	0.0030
		toluene	21	0.0259	0.0110	0.0490
		xylene, m- and/or p-	4	0.0033	0.0020	0.0050
		xylene, o-	1	0.0020	0.0020	0.0020
<b>207</b>	<b>chicken, strained/junior, with/without broth or gravy</b>					
		DDE, p,p'	6	0.0003	0.0002	0.0005
		permethrin, cis	1	0.0010	0.0010	0.0010
		permethrin, trans	1	0.0008	0.0008	0.0008
		toluene	1	0.0110	0.0110	0.0110
<b>209</b>	<b>beef with vegetables, high/lean meat, strained/junior</b>					
		DDE, p,p'	1	0.0020	0.0020	0.0020
<b>211</b>	<b>vegetables and beef, strained/junior</b>					
		chlorpropham	14	0.0112	0.0009	0.0590
		DDE, p,p'	15	0.0004	0.0001	0.0010
		dieldrin	2	0.0005	0.0003	0.0006
		endosulfan sulfate	1	0.0002	0.0002	0.0002
		xylene, m- and/or p-	1	0.0160	0.0160	0.0160
<b>212</b>	<b>vegetables and chicken, strained/junior</b>					
		chlorpropham	23	0.0092	0.0010	0.0340
		DDE, p,p'	4	0.0007	0.0002	0.0010
		dieldrin	5	0.0004	0.0002	0.0008
		iprodone	1	0.0090	0.0090	0.0090
		permethrin, cis	1	0.0010	0.0010	0.0010

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		permethrin, trans	1	0.0010	0.0010	0.0010
		polychlorinated biphenyls	1	0.0300	0.0300	0.0300
<b>213</b>	<b>vegetables and ham, strained/junior</b>					
		chlorpropham	24	0.0079	0.0006	0.0280
		DDE, p,p'	5	0.0003	0.0001	0.0005
		dieldrin	2	0.0003	0.0002	0.0004
		iprodione	1	0.0005	0.0005	0.0005
		iprodione metabolite isomer	2	0.0033	0.0006	0.0060
		pentachloroaniline	1	0.0002	0.0002	0.0002
		pentachlorobenzene	1	0.0002	0.0002	0.0002
		quintozene	1	0.0003	0.0003	0.0003
<b>214</b>	<b>chicken noodle dinner, strained/junior</b>					
		chlorpropham	12	0.0063	0.0010	0.0150
		DDE, p,p'	2	0.0005	0.0001	0.0009
		dieldrin	3	0.0007	0.0004	0.0010
<b>215</b>	<b>macaroni, tomatoes, and beef, strained/junior</b>					
		chlorpropham	4	0.0103	0.0030	0.0140
		DDE, p,p'	8	0.0003	0.0001	0.0007
		dieldrin	4	0.0004	0.0003	0.0005
		endosulfan I	1	0.0004	0.0004	0.0004
		endosulfan II	1	0.0005	0.0005	0.0005
		endosulfan sulfate	1	0.0005	0.0005	0.0005
		methamidophos	1	0.0010	0.0010	0.0010
<b>216</b>	<b>turkey and rice, strained/junior</b>					
		benzene	1	0.0120	0.0120	0.0120
		chloroform	1	0.0100	0.0100	0.0100
		chlorpropham	13	0.0041	0.0010	0.0100
		DDE, p,p'	1	0.0004	0.0004	0.0004
		dieldrin	4	0.0003	0.0002	0.0005
		endosulfan I	1	0.0010	0.0010	0.0010
		endosulfan II	1	0.0002	0.0002	0.0002
		xylene, m- and/or p-	1	0.0150	0.0150	0.0150
<b>218</b>	<b>carrots, strained/junior</b>					
		benzene	5	0.0066	0.0010	0.0120
		chlorobenzene	2	0.0030	0.0020	0.0040
		chloroform	5	0.0048	0.0020	0.0080
		cumene (isopropyl benzene)	1	0.0030	0.0030	0.0030
		DDE, p,p'	1	0.0001	0.0001	0.0001
		dichlorobenzene, o-	1	0.0040	0.0040	0.0040
		dicloran	1	0.0040	0.0040	0.0040
		iprodione metabolite isomer	2	0.0020	0.0020	0.0020
		styrene	2	0.0045	0.0020	0.0070
		toluene	7	0.0033	0.0010	0.0120
		xylene, m- and/or p-	1	0.0030	0.0030	0.0030



## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>219</b>	<b>green beans, strained/junior</b>					
		acephate	22	0.0104	0.0010	0.0600
		bifenthrin	2	0.0020	0.0010	0.0030
		DDE, p,p'	1	0.0002	0.0002	0.0002
		demeton-S sulfone	1	0.0010	0.0010	0.0010
		dicloran	2	0.1370	0.0020	0.2720
		dieldrin	1	0.0002	0.0002	0.0002
		endosulfan I	3	0.0079	0.0006	0.0200
		endosulfan II	2	0.0050	0.0009	0.0090
		endosulfan sulfate	3	0.0063	0.0009	0.0140
		methamidophos	23	0.0242	0.0030	0.2000
		neburon	1	0.5160	0.5160	0.5160
		pentachloroaniline	2	0.0007	0.0006	0.0007
		permethrin, cis	2	0.0035	0.0020	0.0050
		permethrin, trans	2	0.0035	0.0020	0.0050
		vinclozolin	6	0.0016	0.0005	0.0030
<b>220</b>	<b>mixed vegetables, strained/junior</b>					
		2,3,5,6-tetrachloroaniline	1	0.0030	0.0030	0.0030
		acephate	2	0.0050	0.0010	0.0090
		carbaryl	1	0.0010	0.0010	0.0010
		chlorpropham	16	0.0120	0.0010	0.0470
		chlorpyrifos	1	0.0007	0.0007	0.0007
		DDE, p,p'	2	0.0002	0.0002	0.0002
		dieldrin	1	0.0010	0.0010	0.0010
		iprodione metabolite isomer	1	0.0020	0.0020	0.0020
		methamidophos	3	0.0017	0.0010	0.0030
		xylene, m- and/or p-	1	0.0100	0.0100	0.0100
<b>221</b>	<b>sweet potatoes, strained/junior</b>					
		dicloran	32	0.0141	0.0020	0.0480
<b>223</b>	<b>peas, strained/junior</b>					
		butylbenzene, n-	1	0.0160	0.0160	0.0160
		tris(beta-chloroethyl) phosphate	1	0.0010	0.0010	0.0010
		xylene, m- and/or p-	1	0.0170	0.0170	0.0170
<b>224</b>	<b>creamed spinach, strained/junior</b>					
		DDE, p,p'	22	0.0012	0.0001	0.0050
		permethrin, cis	10	0.0302	0.0006	0.1380
		permethrin, trans	10	0.0274	0.0004	0.1200
		xylene, m- and/or p-	1	0.0150	0.0150	0.0150
<b>225</b>	<b>applesauce, strained/junior</b>					
		benomyl	10	0.0483	0.0300	0.1130
		carbaryl	11	0.0093	0.0010	0.0470
		chlorpropham	1	0.0020	0.0020	0.0020
		chlorpyrifos	26	0.0039	0.0006	0.0120
		diazinon	1	0.0030	0.0030	0.0030
		dicloran	1	0.0010	0.0010	0.0010

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		dicofol, o,p'-	1	0.0007	0.0007	0.0007
		dicofol, p,p'-	2	0.0060	0.0020	0.0100
		dimethoate	19	0.0081	0.0010	0.0210
		endosulfan I	6	0.0015	0.0002	0.0040
		endosulfan II	15	0.0014	0.0002	0.0070
		endosulfan sulfate	18	0.0014	0.0002	0.0050
		ethion	1	0.0050	0.0050	0.0050
		ethylenethiourea	10	0.0081	0.0040	0.0190
		methamidophos	1	0.0010	0.0010	0.0010
		methoxychlor, p,p'-	1	0.0020	0.0020	0.0020
		omethoate	14	0.0041	0.0010	0.0120
		parathion	1	0.0030	0.0030	0.0030
		parathion-methyl	2	0.0015	0.0010	0.0020
		phosmet	1	0.0040	0.0040	0.0040
		propargite	4	0.0623	0.0390	0.1100
		thiabendazole	5	0.1004	0.0400	0.1880
		toluene	1	0.0130	0.0130	0.0130
		xylene, m- and/or p-	1	0.0200	0.0200	0.0200
<b>226</b>	<b>peaches, strained/junior</b>					
		1,1,1-trichloroethane	1	0.0160	0.0160	0.0160
		carbaryl	17	0.0113	0.0004	0.0490
		chloroform	1	0.0170	0.0170	0.0170
		chlorpyrifos	12	0.0013	0.0006	0.0020
		dicloran	1	0.0120	0.0120	0.0120
		endosulfan I	2	0.0006	0.0006	0.0006
		endosulfan II	4	0.0009	0.0004	0.0020
		endosulfan sulfate	7	0.0015	0.0005	0.0040
		esfenvalerate	4	0.0108	0.0050	0.0200
		fenvalerate	2	0.0105	0.0100	0.0110
		iprodione	14	0.0136	0.0006	0.0500
		iprodione metabolite isomer	10	0.0059	0.0007	0.0230
		parathion-methyl	6	0.0018	0.0008	0.0040
		permethrin, cis	23	0.0144	0.0006	0.0780
		permethrin, trans	23	0.0172	0.0007	0.0990
		propargite	2	0.0570	0.0150	0.0990
		propiconazole	2	0.0040	0.0040	0.0040
		toluene	1	0.0190	0.0190	0.0190
		xylene, m- and/or p-	1	0.0250	0.0250	0.0250
<b>227</b>	<b>pears, strained/junior</b>					
		azinphos-methyl	10	0.0101	0.0050	0.0160
		carbaryl	1	0.0100	0.0100	0.0100
		chlorpyrifos	3	0.0008	0.0003	0.0010
		dicofol, p,p'-	1	0.0060	0.0060	0.0060
		dimethoate	4	0.0130	0.0010	0.0300
		endosulfan I	11	0.0011	0.0003	0.0030
		endosulfan II	14	0.0039	0.0002	0.0130
		endosulfan sulfate	17	0.0069	0.0004	0.0240
		ethylenethiourea	23	0.0084	0.0040	0.0190

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		omethoate	3	0.0030	0.0020	0.0040
		parathion-methyl	9	0.0044	0.0007	0.0200
		permethrin, cis	6	0.0012	0.0001	0.0020
		permethrin, trans	6	0.0012	0.0004	0.0020
		phosmet	8	0.0114	0.0040	0.0200
		thiabendazole	4	0.0623	0.0500	0.0770
		toluene	1	0.0120	0.0120	0.0120
		vinclozolin	1	0.0020	0.0020	0.0020
		xylene, m- and/or p-	1	0.0120	0.0120	0.0120
<b>230</b>	<b>apple juice, strained</b>					
		benzene	8	0.0074	0.0020	0.0240
		bromobenzene	1	0.0020	0.0020	0.0020
		carbaryl	12	0.0072	0.0020	0.0130
		carbon tetrachloride	1	0.0040	0.0040	0.0040
		chloroform	7	0.0067	0.0020	0.0130
		dimethoate	24	0.0100	0.0010	0.0370
		omethoate	15	0.0051	0.0004	0.0100
		styrene	1	0.0020	0.0020	0.0020
		tetrachloroethylene	1	0.0050	0.0050	0.0050
		thiabendazole	20	0.0932	0.0100	0.4070
		toluene	1	0.0010	0.0010	0.0010
<b>231</b>	<b>orange juice, strained</b>					
		carbaryl	2	0.0035	0.0030	0.0040
		ethion	16	0.0015	0.0006	0.0040
		ethion oxygen analog	3	0.0004	0.0003	0.0004
		thiabendazole	2	0.0205	0.0200	0.0210
		xylene, m- and/or p-	1	0.0170	0.0170	0.0170
<b>232</b>	<b>custard pudding, strained/junior</b>					
		chlorpyrifos	1	0.0020	0.0020	0.0020
		DDE, p,p'	1	0.0003	0.0003	0.0003
		DDT, o,p'	1	0.0001	0.0001	0.0001
		DDT, p,p'	1	0.0007	0.0007	0.0007
		dimethoate	1	0.0120	0.0120	0.0120
		endosulfan sulfate	1	0.0002	0.0002	0.0002
		malathion	1	0.0020	0.0020	0.0020
		omethoate	1	0.0050	0.0050	0.0050
<b>233</b>	<b>fruit dessert/pudding, strained/junior</b>					
		chlorpyrifos	6	0.0032	0.0010	0.0080
		dicloran	6	0.0163	0.0010	0.0290
		dimethoate	4	0.0023	0.0010	0.0030
		endosulfan I	3	0.0013	0.0002	0.0030
		endosulfan II	7	0.0011	0.0001	0.0030
		endosulfan sulfate	9	0.0017	0.0001	0.0040
		esfenvalerate	2	0.0025	0.0020	0.0030
		iprodione	19	0.0179	0.0010	0.1520
		iprodione metabolite isomer	8	0.0055	0.0008	0.0160

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		omethoate	2	0.0025	0.0010	0.0040
		parathion-methyl	1	0.0009	0.0009	0.0009
		permethrin, cis	22	0.0040	0.0005	0.0130
		permethrin, trans	22	0.0051	0.0006	0.0190
		propargite	2	0.0380	0.0240	0.0520
<b>235</b>	<b>fruit-flavored yogurt, lowfat (fruit mixed in)</b>					
		DDE, p,p'	7	0.0006	0.0002	0.0010
		dicloran	1	0.0100	0.0100	0.0100
		endosulfan I	5	0.0003	0.0003	0.0005
		endosulfan II	6	0.0005	0.0002	0.0010
		endosulfan sulfate	5	0.0003	0.0002	0.0006
		iprodione	6	0.0095	0.0010	0.0320
		iprodione metabolite isomer	1	0.0070	0.0070	0.0070
		malathion	3	0.0017	0.0010	0.0020
		vinclozolin	4	0.0019	0.0006	0.0040
<b>236</b>	<b>Swiss cheese</b>					
		1,1,1-trichloroethane	2	0.0120	0.0040	0.0200
		1,2,4-trimethylbenzene	4	0.0340	0.0050	0.0790
		1,2-dichloroethene, trans-	1	0.0020	0.0020	0.0020
		benzene	6	0.0108	0.0010	0.0350
		BHC, alpha	3	0.0002	0.0001	0.0004
		bromodichloromethane	1	0.0030	0.0030	0.0030
		chlorobenzene	2	0.0065	0.0020	0.0110
		chloroform	16	0.0336	0.0100	0.0670
		chlorotoluene, o-	1	0.0060	0.0060	0.0060
		DDE, p,p'	30	0.0014	0.0001	0.0040
		dieldrin	30	0.0009	0.0003	0.0030
		heptachlor epoxide	12	0.0005	0.0001	0.0010
		hexachlorobenzene	9	0.0004	0.0003	0.0005
		lindane	2	0.0002	0.0002	0.0002
		methoxychlor, p,p'-	1	0.0010	0.0010	0.0010
		octachlor epoxide	3	0.0002	0.0001	0.0003
		permethrin, cis	1	0.0009	0.0009	0.0009
		permethrin, trans	1	0.0009	0.0009	0.0009
		styrene	4	0.0053	0.0020	0.0130
		tetrachloroethylene	3	0.0243	0.0110	0.0510
		toluene	18	0.0236	0.0020	0.0860
		trichloroethylene	4	0.0043	0.0030	0.0050
		xylene, m- and/or p-	5	0.0102	0.0020	0.0400
		xylene, o-	1	0.0150	0.0150	0.0150
<b>237</b>	<b>cream cheese</b>					
		1,1,1-trichloroethane	3	0.0120	0.0030	0.0270
		benzene	4	0.0073	0.0010	0.0170
		chloroform	22	0.0550	0.0240	0.1000
		cumene (isopropyl benzene)	1	0.0020	0.0020	0.0020
		DDE, p,p'	36	0.0040	0.0004	0.0130
		dieldrin	34	0.0010	0.0002	0.0030

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan sulfate	6	0.0008	0.0002	0.0020
		heptachlor epoxide	13	0.0007	0.0002	0.0020
		hexachlorobenzene	8	0.0004	0.0003	0.0005
		lindane	2	0.0004	0.0004	0.0004
		methoxychlor, p,p'-	5	0.0021	0.0004	0.0040
		octachlor epoxide	6	0.0003	0.0002	0.0005
		permethrin, cis	3	0.0007	0.0004	0.0009
		permethrin, trans	3	0.0010	0.0009	0.0010
		styrene	2	0.0025	0.0020	0.0030
		tetrachloroethylene	3	0.0107	0.0040	0.0230
		toluene	17	0.0179	0.0060	0.0420
		trichloroethylene	2	0.0025	0.0020	0.0030
		xylene, m- and/or p-	3	0.0083	0.0020	0.0200
<b>238</b>	<b>veal cutlet, pan-cooked</b>					
		chlorpropham	1	0.0010	0.0010	0.0010
		DDE, p,p'	2	0.0035	0.0020	0.0050
		lindane	2	0.0005	0.0004	0.0005
		malathion	1	0.0010	0.0010	0.0010
		permethrin, cis	1	0.0020	0.0020	0.0020
		permethrin, trans	1	0.0020	0.0020	0.0020
		polychlorinated biphenyls	1	0.0130	0.0130	0.0130
<b>239</b>	<b>ham luncheon meat, sliced</b>					
		2-chloroethyl linoleate	1	0.0060	0.0060	0.0060
		DDT, p,p'	1	0.0005	0.0005	0.0005
		hexachlorobenzene	2	0.0003	0.0002	0.0004
<b>240</b>	<b>chicken breast, roasted</b>					
		atrazine	1	0.0010	0.0010	0.0010
		benzene	1	0.0360	0.0360	0.0360
		chlorpropham	2	0.0050	0.0040	0.0060
		DDE, p,p'	5	0.0005	0.0002	0.0008
		malathion	1	0.0010	0.0010	0.0010
		pentachlorophenol	1	0.0100	0.0100	0.0100
		polychlorinated biphenyls	2	0.0315	0.0300	0.0330
		toluene	1	0.0200	0.0200	0.0200
<b>241</b>	<b>chicken nuggets, fast-food</b>					
		1,1,1-trichloroethane	4	0.0050	0.0030	0.0070
		2-chloroethyl linoleate	6	0.0610	0.0050	0.2710
		2-chloroethyl myristate	1	0.0030	0.0030	0.0030
		2-chloroethyl palmitate	4	0.0133	0.0010	0.0430
		benzene	10	0.0139	0.0020	0.1000
		bromodichloromethane	2	0.0035	0.0030	0.0040
		butylbenzene, n-	2	0.0075	0.0050	0.0100
		chlorobenzene	1	0.0100	0.0100	0.0100
		chloroform	8	0.0060	0.0020	0.0160
		chlorotoluene, o-	1	0.0130	0.0130	0.0130
		chlorpropham	7	0.0044	0.0020	0.0060

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		chlorpyrifos	1	0.0010	0.0010	0.0010
		chlorpyrifos-methyl	19	0.0012	0.0004	0.0050
		cumene (isopropyl benzene)	6	0.0112	0.0070	0.0170
		DDE, p,p'	1	0.0004	0.0004	0.0004
		DDT, p,p'	1	0.0009	0.0009	0.0009
		diazinon	1	0.0010	0.0010	0.0010
		dichlorooctadecenoic acids	1	0.6200	0.6200	0.6200
		endosulfan I	1	0.0010	0.0010	0.0010
		ethion	1	0.0004	0.0004	0.0004
		ethyl benzene	10	0.0060	0.0020	0.0230
		hexachlorobenzene	1	0.0001	0.0001	0.0001
		malathion	22	0.0021	0.0003	0.0100
		propylbenzene, n-	3	0.0037	0.0030	0.0040
		styrene	19	0.0222	0.0070	0.0660
		tetrachloroethylene	3	0.0040	0.0020	0.0070
		toluene	23	0.0674	0.0100	0.2300
		trichloroethylene	5	0.0036	0.0020	0.0050
		xylene, m- and/or p-	12	0.0136	0.0030	0.0400
		xylene, o-	8	0.0040	0.0020	0.0100
<b>242</b>	<b>chicken, fried (breast, leg, and thigh), fast-food</b>					
		1,1,1-trichloroethane	4	0.0063	0.0030	0.0100
		1,2-dichloroethene, trans-	1	0.0020	0.0020	0.0020
		2-chloroethyl linoleate	4	0.0270	0.0060	0.0600
		2-chloroethyl palmitate	2	0.0060	0.0040	0.0080
		benzene	10	0.0090	0.0040	0.0160
		chloroform	5	0.0050	0.0030	0.0100
		chlorpyrifos-methyl	8	0.0007	0.0002	0.0010
		cumene (isopropyl benzene)	3	0.0140	0.0120	0.0160
		DDE, p,p'	5	0.0004	0.0002	0.0006
		diazinon	1	0.0020	0.0020	0.0020
		dichlorooctadecanoic acid	1	0.5000	0.5000	0.5000
		dichlorooctadecenoic acids	1	0.1800	0.1800	0.1800
		dieldrin	5	0.0005	0.0002	0.0008
		ethyl benzene	5	0.0048	0.0020	0.0110
		hexachlorobenzene	1	0.0020	0.0020	0.0020
		malathion	7	0.0013	0.0004	0.0030
		propylbenzene, n-	1	0.0030	0.0030	0.0030
		styrene	14	0.0164	0.0050	0.0530
		toluene	22	0.0348	0.0140	0.1040
		trichloroethylene	4	0.0030	0.0020	0.0040
		xylene, m- and/or p-	12	0.0093	0.0020	0.0240
		xylene, o-	3	0.0020	0.0020	0.0020
<b>243</b>	<b>haddock, pan-cooked</b>					
		BHC, alpha	1	0.0003	0.0003	0.0003
		DDE, p,p'	3	0.0008	0.0005	0.0010
		dieldrin	2	0.0003	0.0002	0.0003
		hexachlorobenzene	6	0.0003	0.0002	0.0003

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>244</b>	<b>shrimp, boiled</b>	atrazine	1	0.0009	0.0009	0.0009
		BHC, alpha	3	0.0002	0.0001	0.0003
		BHC, beta	1	0.0008	0.0008	0.0008
		chlorpropham	1	0.0140	0.0140	0.0140
		DDE, p,p'	11	0.0011	0.0001	0.0050
		DDT, o,p'	1	0.0002	0.0002	0.0002
		DDT, p,p'	1	0.0020	0.0020	0.0020
		TDE, p,p'	1	0.0004	0.0004	0.0004
		<b>245</b>	<b>kidney beans, dry, boiled</b>	pirimiphos-methyl	1	0.0050
vinclozolin	1			0.0010	0.0010	0.0010
<b>246</b>	<b>peas, mature, dry, boiled</b>	acephate	3	0.0040	0.0020	0.0060
		diazinon	1	0.0140	0.0140	0.0140
		diphenyl 2-ethylhexyl phosphate	6	0.0813	0.0200	0.3000
		lindane	1	0.0004	0.0004	0.0004
		methamidophos	2	0.0025	0.0020	0.0030
		pentachloroaniline	1	0.0002	0.0002	0.0002
		toluene	1	0.0100	0.0100	0.0100
<b>247</b>	<b>mixed nuts, no peanuts, dry roasted</b>	1,1,1-trichloroethane	3	0.0050	0.0030	0.0070
		1,2,4-trimethylbenzene	17	0.0339	0.0050	0.1130
		benzene	7	0.0056	0.0010	0.0120
		BHC, alpha	19	0.0027	0.0002	0.0120
		BHC, beta	9	0.0008	0.0001	0.0030
		BHC, delta	11	0.0013	0.0002	0.0040
		chloroform	5	0.0060	0.0020	0.0140
		chlorpyrifos	15	0.0024	0.0004	0.0080
		chlorpyrifos-methyl	1	0.0020	0.0020	0.0020
		cumene (isopropyl benzene)	7	0.0043	0.0020	0.0080
		DDE, p,p'	1	0.0008	0.0008	0.0008
		DDT, o,p'	4	0.0014	0.0007	0.0020
		DDT, p,p'	13	0.0032	0.0010	0.0090
		diazinon	1	0.0010	0.0010	0.0010
		dichlorobenzene, p-	3	0.0087	0.0020	0.0150
		dieldrin	3	0.0005	0.0004	0.0006
		ethyl benzene	14	0.0120	0.0030	0.0380
		lindane	11	0.0006	0.0001	0.0020
		malathion	6	0.0052	0.0020	0.0190
		pentachloroaniline	2	0.0006	0.0005	0.0007
		pentachlorobenzene	1	0.0003	0.0003	0.0003
		propylbenzene, n-	2	0.0160	0.0130	0.0190

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		styrene	23	0.0536	0.0210	0.1040
		tetrachloroethylene	7	0.0180	0.0030	0.0540
		toluene	24	0.0860	0.0210	0.5180
		trichloroethylene	6	0.0027	0.0020	0.0050
		xylene, m- and/or p-	16	0.0359	0.0080	0.1070
		xylene, o-	15	0.0123	0.0040	0.0250
<b>248</b>	<b>cracked wheat bread</b>					
		2,4-D	14	0.0041	0.0010	0.0120
		chlorpyrifos	9	0.0013	0.0009	0.0030
		chlorpyrifos-methyl	35	0.0159	0.0060	0.0390
		diazinon	2	0.0025	0.0010	0.0040
		dicamba	10	0.0030	0.0010	0.0090
		diphenyl 2-ethylhexyl phosphate	8	0.1280	0.0500	0.3500
		fenitrothion	1	0.0040	0.0040	0.0040
		heptachlor	1	0.0005	0.0005	0.0005
		malathion	35	0.0188	0.0030	0.0650
		permethrin, cis	1	0.0009	0.0009	0.0009
		permethrin, trans	1	0.0009	0.0009	0.0009
		pirimiphos-methyl	5	0.0056	0.0010	0.0160
		triphenyl phosphate	1	0.0140	0.0140	0.0140
		tris(beta-chloroethyl) phosphate	1	0.0010	0.0010	0.0010
<b>249</b>	<b>bagel, plain</b>					
		chlorpropham	1	0.0100	0.0100	0.0100
		chlorpyrifos	6	0.0010	0.0002	0.0020
		chlorpyrifos-methyl	34	0.0088	0.0006	0.0370
		DDE, p,p'	1	0.0003	0.0003	0.0003
		DDT, p,p'	1	0.0001	0.0001	0.0001
		diazinon	1	0.0010	0.0010	0.0010
		diphenyl 2-ethylhexyl phosphate	2	0.0435	0.0400	0.0470
		fenitrothion	1	0.0030	0.0030	0.0030
		heptachlor	1	0.0006	0.0006	0.0006
		malathion	33	0.0066	0.0010	0.0200
		methoxychlor, p,p'	1	0.0020	0.0020	0.0020
		phosalone	1	0.0070	0.0070	0.0070
		pirimiphos-methyl	9	0.0020	0.0009	0.0030
<b>250</b>	<b>English muffin, plain, toasted</b>					
		chlorpyrifos	1	0.0010	0.0010	0.0010
		chlorpyrifos-methyl	34	0.0063	0.0010	0.0200
		diazinon	1	0.0090	0.0090	0.0090
		dicloran	1	0.0020	0.0020	0.0020
		diphenyl 2-ethylhexyl phosphate	2	0.0325	0.0320	0.0330
		heptachlor	1	0.0007	0.0007	0.0007
		malathion	34	0.0085	0.0020	0.0210
		pirimiphos-methyl	4	0.0036	0.0005	0.0100
		polychlorinated biphenyls	1	0.0100	0.0100	0.0100



## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>251</b>	<b>graham crackers</b>	1,1,1-trichloroethane	2	0.0035	0.0030	0.0040
		1,2,4-trimethylbenzene	15	0.0281	0.0040	0.0970
		2-chloroethyl palmitate	1	0.0060	0.0060	0.0060
		benzene	6	0.0032	0.0010	0.0090
		butylbenzene, n-	1	0.0030	0.0030	0.0030
		chlorobenzene	1	0.0030	0.0030	0.0030
		chloroform	6	0.0095	0.0040	0.0140
		chlorpyrifos	8	0.0009	0.0003	0.0020
		chlorpyrifos-methyl	35	0.0149	0.0007	0.0520
		cumene (isopropyl benzene)	3	0.0047	0.0020	0.0060
		diazinon	1	0.0010	0.0010	0.0010
		dichlorobenzene, o-	1	0.0020	0.0020	0.0020
		dichlorobenzene, p-	5	0.0142	0.0030	0.0500
		ethyl benzene	5	0.0072	0.0020	0.0230
		malathion	36	0.0188	0.0040	0.0510
		methoxychlor, p,p'-	12	0.0012	0.0003	0.0030
		pirimiphos-methyl	2	0.0007	0.0004	0.0010
		propylbenzene, n-	3	0.0100	0.0040	0.0150
		styrene	10	0.0103	0.0030	0.0210
		tetrachloroethylene	3	0.0030	0.0020	0.0050
toluene	20	0.0321	0.0050	0.1090		
triphenyl phosphate	1	0.0200	0.0200	0.0200		
xylene, m- and/or p-	11	0.0128	0.0020	0.0500		
xylene, o-	6	0.0040	0.0020	0.0110		
<b>252</b>	<b>butter-type crackers</b>	1,1,1-trichloroethane	2	0.0035	0.0030	0.0040
		1,2,4-trimethylbenzene	10	0.0251	0.0050	0.0750
		benzene	5	0.0044	0.0010	0.0110
		chlorobenzene	1	0.0160	0.0160	0.0160
		chloroform	5	0.0034	0.0020	0.0060
		chlorpyrifos-methyl	36	0.0095	0.0008	0.0560
		cumene (isopropyl benzene)	1	0.0030	0.0030	0.0030
		diazinon	1	0.0060	0.0060	0.0060
		dichlorobenzene, p-	1	0.0020	0.0020	0.0020
		diphenyl 2-ethylhexyl phosphate	2	0.0140	0.0080	0.0200
		endosulfan sulfate	1	0.0002	0.0002	0.0002
		ethyl benzene	3	0.0053	0.0030	0.0070
		hexachlorobenzene	2	0.0006	0.0004	0.0008
		malathion	36	0.0137	0.0010	0.0770
		methoxychlor, p,p'-	11	0.0008	0.0002	0.0020
		propylbenzene, n-	1	0.0070	0.0070	0.0070
		styrene	8	0.0071	0.0020	0.0290
		tetrachloroethylene	4	0.0078	0.0020	0.0190
		toluene	17	0.0166	0.0030	0.0320
		trichloroethylene	3	0.0027	0.0020	0.0040
xylene, m- and/or p-	9	0.0109	0.0020	0.0370		
xylene, o-	5	0.0056	0.0020	0.0170		

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
253	apricot, raw	azinphos-methyl	12	0.1617	0.0100	0.7100
		benomyl	10	0.1733	0.0700	0.2770
		captan	11	0.0419	0.0007	0.2470
		carbaryl	14	0.4664	0.0060	1.9500
		chlorpyrifos	5	0.0044	0.0010	0.0100
		DDE, p,p'	1	0.0003	0.0003	0.0003
		diazinon	3	0.0017	0.0010	0.0030
		dicloran	1	0.0003	0.0003	0.0003
		dicofol, o,p'-	2	0.0250	0.0100	0.0400
		dicofol, p,p'-	2	0.1650	0.1400	0.1900
		endosulfan I	6	0.0014	0.0004	0.0030
		endosulfan II	10	0.0032	0.0002	0.0070
		endosulfan sulfate	11	0.0080	0.0003	0.0270
		esfenvalerate	2	0.0350	0.0100	0.0600
		fenvalerate	4	0.0250	0.0100	0.0360
		iprodione	23	0.1426	0.0020	0.5950
		iprodione metabolite isomer	10	0.0102	0.0004	0.0360
		malathion	2	0.0140	0.0080	0.0200
		parathion	1	0.0010	0.0010	0.0010
		parathion-methyl	5	0.0129	0.0005	0.0600
		phosmet	16	0.2751	0.0060	1.4200
propargite	2	0.6710	0.5200	0.8220		
thiabendazole	3	0.0500	0.0100	0.1000		
vinclozolin	1	0.0540	0.0540	0.0540		
254	peach, canned in light/medium syrup	acephate	1	0.0020	0.0020	0.0020
		carbaryl	24	0.0243	0.0010	0.1060
		dicloran	1	0.0010	0.0010	0.0010
		endosulfan I	1	0.0005	0.0005	0.0005
		iprodione	5	0.0074	0.0020	0.0200
		iprodione metabolite isomer	4	0.0040	0.0010	0.0060
		methamidophos	1	0.0020	0.0020	0.0020
		permethrin, cis	1	0.0004	0.0004	0.0004
		permethrin, trans	1	0.0005	0.0005	0.0005
		toluene	2	0.0285	0.0210	0.0360
		tributyl phosphate	1	0.0230	0.0230	0.0230
255	pear, canned in light syrup	carbaryl	1	0.0100	0.0100	0.0100
		dimethoate	1	0.0010	0.0010	0.0010
		endosulfan sulfate	3	0.0015	0.0005	0.0020
		toluene	1	0.0130	0.0130	0.0130
256	pineapple juice, from frozen concentrate	diphenyl 2-ethylhexyl phosphate	1	0.0300	0.0300	0.0300
		endosulfan sulfate	11	0.0006	0.0002	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>257</b>	<b>grape juice, from frozen concentrate</b>					
		captan	4	0.0057	0.0007	0.0150
		carbaryl	28	0.0107	0.0020	0.0250
		dicofol, o,p'-	1	0.0006	0.0006	0.0006
		dicofol, p,p'-	1	0.0070	0.0070	0.0070
		dimethoate	6	0.0016	0.0007	0.0030
		folpet	3	0.0087	0.0040	0.0140
		iprodione	4	0.0028	0.0010	0.0070
		omethoate	2	0.0020	0.0010	0.0030
<b>258</b>	<b>French fries, fast-food</b>					
		1,1,1-trichloroethane	1	0.0030	0.0030	0.0030
		1,2,4-trimethylbenzene	10	0.0292	0.0040	0.0720
		2-chloroethyl linoleate	1	0.0280	0.0280	0.0280
		2-chloroethyl palmitate	1	0.0050	0.0050	0.0050
		benzene	5	0.0206	0.0020	0.0580
		bromodichloromethane	1	0.0030	0.0030	0.0030
		butylbenzene, n-	2	0.0065	0.0030	0.0100
		chlordane, cis	1	0.0007	0.0007	0.0007
		chlorobenzene	2	0.0085	0.0040	0.0130
		chloroform	5	0.0024	0.0020	0.0030
		chlorpropham	26	0.3560	0.0020	0.9330
		chlorpyrifos	4	0.0011	0.0007	0.0020
		cumene (isopropyl benzene)	5	0.0080	0.0020	0.0240
		DDE, p,p'	9	0.0007	0.0001	0.0020
		DDT, p,p'	1	0.0004	0.0004	0.0004
		diazinon	1	0.0020	0.0020	0.0020
		dichlorobenzene, o-	1	0.0110	0.0110	0.0110
		dichlorobenzene, p-	1	0.0120	0.0120	0.0120
		dicloran	6	0.0030	0.0009	0.0060
		dieldrin	8	0.0004	0.0001	0.0007
		endosulfan sulfate	31	0.0034	0.0004	0.0130
		ethyl benzene	9	0.0060	0.0020	0.0140
		heptachlor epoxide	2	0.0003	0.0002	0.0003
		isopropyl(3-chloro-4-methoxyphenyl)carbamate	11	0.0409	0.0020	0.3600
		malathion	2	0.0013	0.0006	0.0020
		pentachloroaniline	2	0.0004	0.0001	0.0006
		pentachlorobenzene	2	0.0003	0.0003	0.0003
		pentachlorophenyl methyl sulfide	1	0.0002	0.0002	0.0002
		phorate sulfone	2	0.0225	0.0050	0.0400
		propylbenzene, n-	3	0.0053	0.0030	0.0100
		styrene	21	0.0303	0.0080	0.0940
		tetrachloroethylene	3	0.0050	0.0030	0.0080
		toluene	21	0.0646	0.0120	0.1680
		trichloroethylene	4	0.0030	0.0020	0.0040
		xylene, m- and/or p-	12	0.0129	0.0050	0.0280
		xylene, o-	8	0.0043	0.0020	0.0080

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>259</b>	<b>carrot, fresh, boiled</b>					
		chlorpropham	1	0.0040	0.0040	0.0040
		DDE, p,p'	14	0.0015	0.0002	0.0070
		DDT, p,p'	1	0.0007	0.0007	0.0007
		diazinon	2	0.0085	0.0070	0.0100
		dicloran	2	0.0035	0.0030	0.0040
		dieldrin	3	0.0004	0.0001	0.0007
		endosulfan I	1	0.0004	0.0004	0.0004
		endosulfan II	1	0.0004	0.0004	0.0004
		endosulfan sulfate	2	0.0005	0.0001	0.0009
		iprodione	12	0.0031	0.0010	0.0090
		iprodione metabolite isomer	16	0.0093	0.0010	0.0200
		linuron	6	0.0135	0.0070	0.0270
		pentachloroaniline	2	0.0013	0.0005	0.0020
<b>260</b>	<b>tomato, stewed, canned</b>					
		1,1,2-trichloroethane	1	0.0180	0.0180	0.0180
		2-chloroethyl linoleate	10	0.0169	0.0030	0.0400
		2-chloroethyl palmitate	11	0.0038	0.0008	0.0080
		acephate	1	0.0060	0.0060	0.0060
		benzene	1	0.0100	0.0100	0.0100
		carbaryl	1	0.0010	0.0010	0.0010
		chlorpyrifos	1	0.0008	0.0008	0.0008
		endosulfan I	2	0.0004	0.0002	0.0006
		endosulfan II	2	0.0006	0.0005	0.0006
		endosulfan sulfate	2	0.0007	0.0006	0.0007
		ethylenethiourea	1	0.0030	0.0030	0.0030
		methamidophos	8	0.0039	0.0010	0.0130
		parathion	1	0.0010	0.0010	0.0010
		permethrin, cis	3	0.0015	0.0004	0.0020
		permethrin, trans	3	0.0016	0.0007	0.0020
		toluene	1	0.0180	0.0180	0.0180
<b>261</b>	<b>tomato juice, bottled</b>					
		carbaryl	5	0.0046	0.0030	0.0060
		DDE, p,p'	1	0.0002	0.0002	0.0002
		endosulfan I	2	0.0002	0.0002	0.0002
		endosulfan II	6	0.0005	0.0003	0.0005
		endosulfan sulfate	5	0.0005	0.0002	0.0010
		iprodione	1	0.0050	0.0050	0.0050
		methamidophos	12	0.0033	0.0009	0.0140
		tributyl phosphate	1	0.0080	0.0080	0.0080
		tris(chloropropyl) phosphate	2	0.0095	0.0040	0.0150
<b>262</b>	<b>beets, fresh/frozen, boiled</b>					
		acephate	1	0.0010	0.0010	0.0010
		chlorpropham	1	0.0700	0.0700	0.0700
		DCPA	5	0.0008	0.0004	0.0020
		DDE, p,p'	12	0.0011	0.0003	0.0030
		dieldrin	18	0.0011	0.0001	0.0060

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan I	1	0.0008	0.0008	0.0008
		endosulfan II	1	0.0007	0.0007	0.0007
		endosulfan sulfate	11	0.0013	0.0004	0.0030
		iprodione metabolite isomer	1	0.0020	0.0020	0.0020
		methamidophos	2	0.0050	0.0010	0.0090
		pentachloroaniline	3	0.0011	0.0002	0.0020
<b>263</b>	<b>Brussels sprouts, fresh/frozen, boiled</b>					
		carbaryl	1	0.0090	0.0090	0.0090
		chlorpyrifos	27	0.0123	0.0010	0.1480
		DDE, p,p'	16	0.0005	0.0002	0.0020
		demeton-S sulfone	2	0.0045	0.0040	0.0050
		diazinon	6	0.0040	0.0010	0.0160
		diphenyl 2-ethylhexyl phosphate	1	0.0600	0.0600	0.0600
		endosulfan I	3	0.0033	0.0008	0.0060
		endosulfan II	5	0.0027	0.0004	0.0060
		endosulfan sulfate	9	0.0016	0.0002	0.0040
		iprodione	1	0.0020	0.0020	0.0020
		iprodione metabolite isomer	1	0.0100	0.0100	0.0100
		methamidophos	8	0.0029	0.0009	0.0080
		omethoate	1	0.0080	0.0080	0.0080
		pentachloroaniline	2	0.0006	0.0004	0.0008
		permethrin, cis	19	0.0128	0.0004	0.1270
		permethrin, trans	19	0.0107	0.0003	0.1000
<b>264</b>	<b>mushrooms, raw</b>					
		benomyl	22	0.1441	0.0330	0.5040
		chlorpropham	1	0.0020	0.0020	0.0020
		diazinon	13	0.0068	0.0010	0.0280
		dimethoate	1	0.0030	0.0030	0.0030
		esfenvalerate	1	0.0190	0.0190	0.0190
		lindane	1	0.0160	0.0160	0.0160
		omethoate	1	0.0030	0.0030	0.0030
		permethrin, cis	6	0.0285	0.0003	0.1590
		permethrin, trans	6	0.0221	0.0002	0.1250
		thiabendazole	29	0.2923	0.0190	1.3560
<b>265</b>	<b>eggplant, fresh, boiled</b>					
		acephate	8	0.0250	0.0020	0.0940
		carbaryl	1	0.0300	0.0300	0.0300
		dimethoate	1	0.0010	0.0010	0.0010
		diphenyl 2-ethylhexyl phosphate	1	0.0360	0.0360	0.0360
		endosulfan II	1	0.0002	0.0002	0.0002
		endosulfan sulfate	3	0.0007	0.0005	0.0010
		methamidophos	19	0.0262	0.0020	0.1040
		methomyl	1	0.0150	0.0150	0.0150
		omethoate	1	0.0010	0.0010	0.0010

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>266</b>	<b>turnip, fresh/frozen, boiled</b>	chlorpyrifos	19	0.0366	0.0030	0.1260
		DCPA	12	0.0102	0.0009	0.0230
		DDE, p,p'	16	0.0024	0.0004	0.0150
		DDT, p,p'	1	0.0009	0.0009	0.0009
		dieldrin	7	0.0016	0.0003	0.0040
		dimethoate	1	0.0100	0.0100	0.0100
		endosulfan I	2	0.0003	0.0002	0.0003
		endosulfan II	4	0.0005	0.0004	0.0006
		endosulfan sulfate	9	0.0021	0.0004	0.0090
		omethoate	1	0.0020	0.0020	0.0020
		pentachloroaniline	2	0.0013	0.0005	0.0020
		permethrin, cis	3	0.0016	0.0007	0.0030
		permethrin, trans	3	0.0015	0.0006	0.0030
		TDE, p,p'	3	0.0006	0.0004	0.0008
		<b>267</b>	<b>okra, fresh/frozen, boiled</b>	acephate	1	0.0020
carbaryl	1			0.0100	0.0100	0.0100
chloroform	1			0.0110	0.0110	0.0110
cypermethrin	1			0.0200	0.0200	0.0200
dicloran	1			0.0080	0.0080	0.0080
dimethoate	2			0.0055	0.0010	0.0100
diphenyl 2-ethylhexyl phosphate	2			0.0230	0.0200	0.0260
endosulfan I	3			0.0014	0.0001	0.0030
endosulfan II	6			0.0032	0.0003	0.0140
endosulfan sulfate	6			0.0041	0.0003	0.0180
fenvalerate	1			0.0320	0.0320	0.0320
methamidophos	1			0.0040	0.0040	0.0040
parathion	1			0.0040	0.0040	0.0040
permethrin, cis	1			0.0020	0.0020	0.0020
permethrin, trans	1			0.0020	0.0020	0.0020
<b>268</b>	<b>mixed vegetables, frozen, boiled</b>	acephate	21	0.0118	0.0020	0.0480
		bifenthrin	1	0.0020	0.0020	0.0020
		carbaryl	2	0.0035	0.0030	0.0040
		DDE, p,p'	1	0.0009	0.0009	0.0009
		dieldrin	3	0.0009	0.0003	0.0020
		dimethoate	3	0.0009	0.0008	0.0010
		endosulfan I	1	0.0004	0.0004	0.0004
		endosulfan II	1	0.0005	0.0005	0.0005
		endosulfan sulfate	1	0.0040	0.0040	0.0040
		methamidophos	20	0.0068	0.0010	0.0500
		methoxychlor, p,p'	1	0.0110	0.0110	0.0110
		neburon	1	0.0150	0.0150	0.0150

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		parathion-methyl	1	0.0006	0.0006	0.0006
		permethrin, cis	1	0.0040	0.0040	0.0040
		permethrin, trans	1	0.0030	0.0030	0.0030
		TDE, p,p'	1	0.0010	0.0010	0.0010
		vinclozolin	5	0.0014	0.0010	0.0020
<b>269</b>	<b>beef stroganoff, homemade</b>					
		benzene	1	0.0260	0.0260	0.0260
		chlorpropham	1	0.0100	0.0100	0.0100
		chlorpyrifos	4	0.0011	0.0005	0.0020
		chlorpyrifos-methyl	28	0.0017	0.0005	0.0050
		DDE, p,p'	13	0.0009	0.0002	0.0020
		DDT, p,p'	1	0.0009	0.0009	0.0009
		diazinon	8	0.0016	0.0003	0.0060
		dieldrin	3	0.0003	0.0002	0.0003
		diphenyl 2-ethylhexyl phosphate	1	0.0100	0.0100	0.0100
		endosulfan sulfate	1	0.0002	0.0002	0.0002
		heptachlor epoxide	1	0.0001	0.0001	0.0001
		iprodione	2	0.0030	0.0030	0.0030
		malathion	20	0.0017	0.0004	0.0040
		methoxychlor, p,p'	1	0.0008	0.0008	0.0008
		permethrin, cis	1	0.0180	0.0180	0.0180
		permethrin, trans	1	0.0100	0.0100	0.0100
		tetrachloroethylene	1	0.0360	0.0360	0.0360
<b>270</b>	<b>green peppers stuffed with beef and rice, homemade</b>					
		azinphos-methyl	1	0.0010	0.0010	0.0010
		BHC, alpha	5	0.0003	0.0001	0.0005
		bifenthrin	1	0.0008	0.0008	0.0008
		chlorpropham	5	0.0016	0.0010	0.0030
		chlorpyrifos	9	0.0147	0.0004	0.0600
		cyfluthrin	4	0.0044	0.0006	0.0090
		DCPA	1	0.0020	0.0020	0.0020
		DDE, p,p'	17	0.0008	0.0002	0.0030
		DDT, p,p'	2	0.0005	0.0004	0.0005
		diazinon	1	0.0020	0.0020	0.0020
		dicofol, o,p'	7	0.0055	0.0005	0.0160
		dicofol, p,p'	7	0.0867	0.0050	0.1720
		dieldrin	4	0.0004	0.0001	0.0008
		endosulfan I	14	0.0044	0.0003	0.0140
		endosulfan II	15	0.0067	0.0004	0.0250
		endosulfan sulfate	14	0.0044	0.0004	0.0150
		esfenvalerate	3	0.0050	0.0030	0.0070
		fenvalerate	2	0.0050	0.0040	0.0060
		heptachlor epoxide	1	0.0005	0.0005	0.0005
		lambda-cyhalothrin	3	0.0043	0.0020	0.0090
		malathion	1	0.0010	0.0010	0.0010
		permethrin, cis	15	0.0096	0.0004	0.0740
		permethrin, trans	15	0.0115	0.0005	0.0930

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>271</b>	<b>chili con carne with beans, homemade</b>					
		2-chloroethyl laurate	8	0.0034	0.0003	0.0070
		2-chloroethyl linoleate	27	0.3809	0.0080	2.4000
		2-chloroethyl myristate	11	0.0131	0.0010	0.0300
		2-chloroethyl palmitate	25	0.0690	0.0020	0.4000
		2-chloroethyl stearate	6	0.1365	0.0110	0.4370
		DCEP	1	0.0010	0.0010	0.0010
		DDE, p,p'	22	0.0008	0.0002	0.0030
		dieldrin	3	0.0002	0.0002	0.0002
		diphenyl 2-ethylhexyl phosphate	1	0.0330	0.0330	0.0330
		ethion	1	0.0004	0.0004	0.0004
		lindane	1	0.0001	0.0001	0.0001
		malathion	1	0.0020	0.0020	0.0020
		toluene	1	0.0160	0.0160	0.0160
		xylene, m- and/or p-	1	0.0100	0.0100	0.0100
<b>272</b>	<b>tuna noodle casserole, homemade</b>					
		chlorotoluene, p- (4-chlorotoluene)	1	0.0300	0.0300	0.0300
		chlorpropham	4	0.0039	0.0005	0.0080
		chlorpyrifos	8	0.0013	0.0002	0.0040
		chlorpyrifos-methyl	26	0.0011	0.0005	0.0020
		DDE, p,p'	26	0.0010	0.0002	0.0030
		DDT, p,p'	1	0.0003	0.0003	0.0003
		diazinon	3	0.0026	0.0008	0.0060
		dicloran	28	0.0121	0.0009	0.0900
		dicofol, p,p'	1	0.0110	0.0110	0.0110
		dieldrin	6	0.0002	0.0001	0.0004
		endosulfan I	9	0.0014	0.0002	0.0060
		endosulfan II	9	0.0019	0.0002	0.0100
		endosulfan sulfate	12	0.0055	0.0002	0.0600
		malathion	15	0.0018	0.0008	0.0100
		methoxychlor, p,p'	1	0.0002	0.0002	0.0002
		parathion-methyl	2	0.0020	0.0010	0.0030
		permethrin, cis	12	0.0014	0.0005	0.0020
		permethrin, trans	12	0.0013	0.0005	0.0030
		procymidone	1	0.0060	0.0060	0.0060
		toluene	2	0.0355	0.0210	0.0500
		vinclozolin	1	0.0010	0.0010	0.0010
<b>273</b>	<b>Salisbury steak with gravy, potatoes, and vegetable, frozen meal, heated</b>					
		2-chloroethyl linoleate	8	0.0071	0.0010	0.0210
		2-chloroethyl palmitate	1	0.0030	0.0030	0.0030
		2-chloroethyl stearate	1	0.0080	0.0080	0.0080
		BHC, alpha	1	0.0003	0.0003	0.0003
		chloroform	1	0.0110	0.0110	0.0110
		chlorpropham	35	0.0187	0.0020	0.0580
		chlorpyrifos-methyl	9	0.0009	0.0005	0.0020
		DDE, p,p'	22	0.0005	0.0001	0.0010
		dicloran	2	0.0029	0.0008	0.0050
		dieldrin	6	0.0002	0.0001	0.0003



## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan sulfate	11	0.0004	0.0001	0.0010
		heptachlor epoxide	1	0.0003	0.0003	0.0003
		malathion	6	0.0018	0.0007	0.0040
		toluene	1	0.0140	0.0140	0.0140
		vinclozolin	9	0.0015	0.0007	0.0020
		xylene, m- and/or p-	1	0.0120	0.0120	0.0120
<b>274</b>	<b>turkey with gravy, dressing, potatoes, and vegetable, frozen meal, heated</b>					
		chloroform	1	0.0140	0.0140	0.0140
		chlorpropham	34	0.0189	0.0020	0.0530
		chlorpyrifos	4	0.0004	0.0003	0.0006
		chlorpyrifos-methyl	5	0.0005	0.0002	0.0010
		DDE, p,p'	5	0.0003	0.0001	0.0007
		diazinon	1	0.0007	0.0007	0.0007
		dicloran	1	0.0020	0.0020	0.0020
		dieldrin	2	0.0002	0.0001	0.0003
		endosulfan sulfate	9	0.0005	0.0001	0.0020
		malathion	8	0.0014	0.0009	0.0020
		vinclozolin	4	0.0010	0.0004	0.0020
		xylene, m- and/or p-	1	0.0120	0.0120	0.0120
<b>275</b>	<b>quarter-pound cheeseburger on bun, fast-food</b>					
		1,1,1-trichloroethane	2	0.0035	0.0030	0.0040
		2-chloroethyl linoleate	1	0.0090	0.0090	0.0090
		2-chloroethyl palmitate	1	0.0020	0.0020	0.0020
		benzene	15	0.0229	0.0050	0.0540
		BHC, alpha	1	0.0002	0.0002	0.0002
		butylbenzene, n-	3	0.0063	0.0040	0.0090
		chlorobenzene	1	0.0050	0.0050	0.0050
		chloroform	6	0.0075	0.0020	0.0150
		chlorpyrifos	9	0.0011	0.0003	0.0040
		chlorpyrifos-methyl	34	0.0029	0.0005	0.0100
		cumene (isopropyl benzene)	1	0.0100	0.0100	0.0100
		DDE, p,p'	35	0.0044	0.0004	0.0150
		DDT, p,p'	1	0.0002	0.0002	0.0002
		diazinon	1	0.0009	0.0009	0.0009
		dichlorobenzene, o-	2	0.0040	0.0040	0.0040
		dieldrin	31	0.0006	0.0001	0.0030
		endosulfan I	4	0.0003	0.0002	0.0004
		endosulfan II	6	0.0004	0.0001	0.0010
		endosulfan sulfate	16	0.0005	0.0001	0.0010
		ethyl benzene	6	0.0038	0.0020	0.0110
		heptachlor epoxide	4	0.0003	0.0001	0.0007
		hexachlorobenzene	2	0.0002	0.0001	0.0002
		lindane	5	0.0018	0.0001	0.0060
		malathion	32	0.0040	0.0008	0.0170
		octachlor epoxide	1	0.0001	0.0001	0.0001
		permethrin, cis	1	0.0050	0.0050	0.0050
		permethrin, trans	1	0.0100	0.0100	0.0100
		pirimiphos-methyl	2	0.0015	0.0010	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		propylbenzene, n-	1	0.0080	0.0080	0.0080
		quintozene	1	0.0010	0.0010	0.0010
		styrene	11	0.0120	0.0040	0.0230
		tetrachloroethylene	3	0.0173	0.0040	0.0400
		toluene	23	0.0380	0.0120	0.1900
		trichloroethylene	4	0.0050	0.0030	0.0070
		xylene, m- and/or p-	12	0.0137	0.0020	0.0490
		xylene, o-	5	0.0050	0.0020	0.0140
<b>276</b>	<b>fish sandwich on bun, fast-food</b>					
		BHC, alpha	2	0.0002	0.0001	0.0002
		BHC, beta	1	0.0002	0.0002	0.0002
		chlorpropham	5	0.0018	0.0008	0.0020
		chlorpyrifos	8	0.0015	0.0007	0.0030
		chlorpyrifos-methyl	36	0.0035	0.0004	0.0200
		DDE, p,p'	30	0.0010	0.0002	0.0020
		DDT, p,p'	2	0.0002	0.0001	0.0002
		diazinon	3	0.0009	0.0003	0.0020
		dieldrin	19	0.0006	0.0002	0.0020
		endosulfan I	3	0.0009	0.0002	0.0020
		endosulfan II	3	0.0007	0.0004	0.0010
		endosulfan sulfate	6	0.0014	0.0002	0.0030
		ethyl benzene	1	0.0100	0.0100	0.0100
		hexachlorobenzene	11	0.0006	0.0001	0.0020
		malathion	34	0.0047	0.0008	0.0220
		methoxychlor, p,p'	2	0.0007	0.0005	0.0009
		pentachloroaniline	3	0.0004	0.0002	0.0006
		pentachlorophenyl methyl sulfide	1	0.0002	0.0002	0.0002
		pirimiphos-methyl	1	0.0010	0.0010	0.0010
		styrene	1	0.0160	0.0160	0.0160
		toluene	1	0.0110	0.0110	0.0110
		xylene, m- and/or p-	2	0.0325	0.0290	0.0360
		xylene, o-	1	0.0120	0.0120	0.0120
<b>277</b>	<b>frankfurter on bun, fast-food</b>					
		2-chloroethyl linoleate	12	0.0889	0.0030	0.2910
		2-chloroethyl myristate	3	0.0060	0.0010	0.0110
		2-chloroethyl palmitate	7	0.0183	0.0020	0.0500
		2-chloroethyl stearate	1	0.0150	0.0150	0.0150
		BHC, alpha	1	0.0001	0.0001	0.0001
		chlorpyrifos	14	0.0117	0.0003	0.1500
		chlorpyrifos-methyl	33	0.0039	0.0007	0.0110
		DDE, p,p'	31	0.0008	0.0002	0.0020
		DDT, p,p'	6	0.0004	0.0001	0.0010
		diazinon	4	0.0007	0.0004	0.0010
		dieldrin	11	0.0003	0.0001	0.0006
		diphenyl 2-ethylhexyl phosphate	3	0.0400	0.0300	0.0500
		endosulfan I	1	0.0002	0.0002	0.0002
		endosulfan II	1	0.0003	0.0003	0.0003
		endosulfan sulfate	2	0.0002	0.0001	0.0002

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		heptachlor epoxide	2	0.0002	0.0001	0.0003
		hexachlorobenzene	5	0.0005	0.0001	0.0020
		lindane	2	0.0003	0.0002	0.0004
		malathion	32	0.0053	0.0010	0.0130
		pirimiphos-methyl	2	0.0015	0.0010	0.0020
		styrene	1	0.0110	0.0110	0.0110
		toluene	1	0.0620	0.0620	0.0620
		xylene, m- and/or p-	1	0.0250	0.0250	0.0250
<b>278</b>	<b>egg, cheese, and ham on English muffin, fast-food</b>					
		2-chloroethyl linoleate	1	0.0050	0.0050	0.0050
		chlorpyrifos	2	0.0009	0.0008	0.0010
		chlorpyrifos-methyl	33	0.0032	0.0006	0.0170
		DDE, p,p'	33	0.0030	0.0001	0.0060
		diazinon	2	0.0006	0.0005	0.0007
		dieldrin	7	0.0002	0.0001	0.0003
		endosulfan sulfate	1	0.0010	0.0010	0.0010
		malathion	32	0.0037	0.0009	0.0120
		methoxychlor, p,p'	1	0.0003	0.0003	0.0003
		pirimiphos-methyl	2	0.0007	0.0006	0.0008
		xylene, m- and/or p-	2	0.0105	0.0100	0.0110
<b>279</b>	<b>taco/tostada, from Mexican carry-out</b>					
		1,2,4-trimethylbenzene	1	0.0580	0.0580	0.0580
		2-chloroethyl caprate	2	0.0005	0.0005	0.0005
		2-chloroethyl laurate	4	0.0019	0.0007	0.0030
		2-chloroethyl linoleate	25	0.1892	0.0050	1.3900
		2-chloroethyl myristate	10	0.0075	0.0003	0.0260
		2-chloroethyl palmitate	20	0.0319	0.0010	0.1350
		2-chloroethyl stearate	6	0.0732	0.0200	0.1360
		benzene	7	0.0110	0.0020	0.0230
		BHC, alpha	1	0.0002	0.0002	0.0002
		bromodichloromethane	1	0.0040	0.0040	0.0040
		butylbenzene, n-	1	0.0030	0.0030	0.0030
		chlorobenzene	1	0.0020	0.0020	0.0020
		chloroform	8	0.0066	0.0020	0.0110
		chlorpyrifos	15	0.0013	0.0001	0.0050
		chlorpyrifos-methyl	9	0.0015	0.0003	0.0060
		cumene (isopropyl benzene)	6	0.0142	0.0050	0.0270
		DCPA	1	0.0010	0.0010	0.0010
		DDE, p,p'	32	0.0012	0.0003	0.0040
		diazinon	2	0.0008	0.0006	0.0010
		dieldrin	10	0.0007	0.0001	0.0040
		diphenyl 2-ethylhexyl phosphate	1	0.0200	0.0200	0.0200
		endosulfan I	6	0.0014	0.0003	0.0050
		endosulfan II	7	0.0030	0.0003	0.0100
		endosulfan sulfate	9	0.0073	0.0004	0.0400
		ethion	2	0.0008	0.0008	0.0008
		ethyl benzene	6	0.0038	0.0020	0.0080
		fenvalerate	1	0.0020	0.0020	0.0020

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		hexachlorobenzene	3	0.0004	0.0003	0.0004
		malathion	19	0.0029	0.0007	0.0060
		methoxychlor, p,p'	1	0.0010	0.0010	0.0010
		permethrin, cis	5	0.0011	0.0004	0.0030
		permethrin, trans	5	0.0012	0.0003	0.0040
		pirimiphos-methyl	1	0.0010	0.0010	0.0010
		propylbenzene, n-	1	0.0030	0.0030	0.0030
		styrene	16	0.0257	0.0060	0.0920
		tetrachloroethylene	2	0.0050	0.0040	0.0060
		toluene	21	0.0409	0.0090	0.1390
		trichloroethylene	1	0.0020	0.0020	0.0020
		xylene, m- and/or p-	12	0.0122	0.0030	0.0230
		xylene, o-	6	0.0032	0.0020	0.0040
<b>280</b>	<b>cheese pizza, regular crust, from pizza carry-out</b>					
		1,1,1-trichloroethane	3	0.0037	0.0030	0.0050
		1,2,4-trimethylbenzene	2	0.0275	0.0040	0.0510
		2-chloroethyl caprate	4	0.0040	0.0020	0.0070
		2-chloroethyl laurate	3	0.0037	0.0020	0.0050
		2-chloroethyl linoleate	18	0.0304	0.0020	0.0800
		2-chloroethyl myristate	6	0.0062	0.0020	0.0110
		2-chloroethyl palmitate	14	0.0081	0.0009	0.0300
		2-chloroethyl stearate	1	0.0100	0.0100	0.0100
		benzene	5	0.0026	0.0010	0.0040
		chloroform	6	0.0063	0.0030	0.0110
		chlorpyrifos	17	0.0011	0.0002	0.0040
		chlorpyrifos-methyl	35	0.0056	0.0009	0.0200
		cumene (isopropyl benzene)	4	0.0108	0.0070	0.0150
		DDE, p,p'	32	0.0017	0.0002	0.0070
		DDT, p,p'	1	0.0001	0.0001	0.0001
		diazinon	4	0.0017	0.0006	0.0030
		dieldrin	8	0.0007	0.0001	0.0030
		endosulfan I	2	0.0004	0.0003	0.0005
		endosulfan II	3	0.0004	0.0002	0.0007
		endosulfan sulfate	2	0.0005	0.0004	0.0006
		endrin	1	0.0010	0.0010	0.0010
		ethyl benzene	5	0.0056	0.0020	0.0150
		heptachlor	1	0.0004	0.0004	0.0004
		lindane	1	0.0005	0.0005	0.0005
		malathion	32	0.0052	0.0010	0.0280
		permethrin, cis	2	0.0006	0.0003	0.0009
		permethrin, trans	2	0.0007	0.0003	0.0010
		pirimiphos-methyl	1	0.0020	0.0020	0.0020
		styrene	13	0.0140	0.0020	0.0380
		tetrachloroethylene	5	0.0094	0.0020	0.0160
		toluene	23	0.0401	0.0080	0.2530
		trichloroethylene	2	0.0020	0.0020	0.0020
		xylene, m- and/or p-	14	0.0109	0.0020	0.0270
		xylene, o-	5	0.0026	0.0020	0.0030

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>281</b>	<b>cheese and pepperoni pizza, regular crust, from pizza carry-out</b>					
		1,1,1-trichloroethane	2	0.0040	0.0030	0.0050
		2-chloroethyl caprate	6	0.0032	0.0010	0.0060
		2-chloroethyl laurate	4	0.0032	0.0009	0.0050
		2-chloroethyl linoleate	29	0.0591	0.0020	0.3230
		2-chloroethyl myristate	7	0.0063	0.0020	0.0160
		2-chloroethyl palmitate	25	0.0113	0.0003	0.0500
		2-chloroethyl stearate	3	0.0287	0.0200	0.0430
		benzene	7	0.0254	0.0040	0.0820
		BHC, alpha	1	0.0002	0.0002	0.0002
		bromodichloromethane	1	0.0050	0.0050	0.0050
		chlorobenzene	2	0.0070	0.0020	0.0120
		chloroform	6	0.0045	0.0020	0.0080
		chlorpyrifos	18	0.0011	0.0003	0.0050
		chlorpyrifos-methyl	35	0.0050	0.0009	0.0190
		cumene (isopropyl benzene)	3	0.0110	0.0080	0.0140
		DDE, p,p'	33	0.0014	0.0002	0.0050
		DDT, p,p'	1	0.0001	0.0001	0.0001
		diazinon	3	0.0023	0.0008	0.0040
		dieldrin	7	0.0004	0.0001	0.0008
		endosulfan I	4	0.0003	0.0001	0.0005
		endosulfan II	4	0.0004	0.0002	0.0007
		endosulfan sulfate	2	0.0003	0.0002	0.0004
		ethion	4	0.0012	0.0006	0.0020
		ethyl benzene	6	0.0030	0.0020	0.0050
		lindane	1	0.0003	0.0003	0.0003
		malathion	35	0.0046	0.0007	0.0360
		permethrin, cis	3	0.0006	0.0004	0.0007
		permethrin, trans	3	0.0006	0.0003	0.0008
		pirimiphos-methyl	1	0.0020	0.0020	0.0020
		styrene	15	0.0148	0.0030	0.0450
		tetrachloroethylene	5	0.0142	0.0020	0.0280
		toluene	22	0.0533	0.0100	0.3100
		trichloroethylene	3	0.0020	0.0020	0.0020
		xylene, m- and/or p-	17	0.0161	0.0040	0.0420
		xylene, o-	8	0.0048	0.0020	0.0140
<b>282</b>	<b>beef chow mein, from Chinese carry-out</b>					
		chlorpyrifos	13	0.0019	0.0006	0.0050
		chlorpyrifos-methyl	8	0.0016	0.0004	0.0040
		cyfluthrin	1	0.0040	0.0040	0.0040
		DDE, p,p'	2	0.0005	0.0003	0.0006
		diazinon	7	0.0030	0.0006	0.0090
		dicloran	16	0.0130	0.0004	0.1240
		dieldrin	1	0.0002	0.0002	0.0002
		endosulfan I	1	0.0001	0.0001	0.0001
		endosulfan II	1	0.0005	0.0005	0.0005

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan sulfate	4	0.0008	0.0002	0.0020
		malathion	5	0.0011	0.0007	0.0020
		permethrin, cis	8	0.0016	0.0006	0.0030
		permethrin, trans	8	0.0011	0.0006	0.0020
		styrene	1	0.0410	0.0410	0.0410
		toluene	1	0.0170	0.0170	0.0170
<b>283</b>	<b>bean with bacon/pork soup, canned, condensed, prepared with water</b>					
		chlorpropham	2	0.0020	0.0020	0.0020
		dieldrin	1	0.0001	0.0001	0.0001
<b>284</b>	<b>mushroom soup, canned, condensed, prepared with whole milk</b>					
		chlorpropham	1	0.0100	0.0100	0.0100
		chlorpyrifos-methyl	7	0.0018	0.0004	0.0040
		DDE, p,p'	2	0.0012	0.0004	0.0020
		diazinon	4	0.0015	0.0010	0.0030
		dieldrin	1	0.0020	0.0020	0.0020
		lindane	1	0.0007	0.0007	0.0007
		malathion	2	0.0015	0.0010	0.0020
		thiabendazole	10	0.0235	0.0100	0.0790
<b>285</b>	<b>clam chowder, New England, canned, condensed, prepared with whole milk</b>					
		benzene	1	0.0130	0.0130	0.0130
		chlorpropham	23	0.0261	0.0010	0.0850
		chlorpyrifos-methyl	4	0.0006	0.0001	0.0010
		DDE, p,p'	6	0.0016	0.0001	0.0050
		dicloran	2	0.0010	0.0010	0.0010
		dieldrin	3	0.0002	0.0001	0.0003
		endosulfan sulfate	2	0.0003	0.0002	0.0003
<b>286</b>	<b>vanilla ice cream</b>					
		1,1,1-trichloroethane	1	0.0030	0.0030	0.0030
		1,2,4-trimethylbenzene	1	0.0070	0.0070	0.0070
		benzene	1	0.0020	0.0020	0.0020
		bromodichloromethane	3	0.0030	0.0030	0.0030
		butylbenzene, n-	1	0.0070	0.0070	0.0070
		chloroform	20	0.0225	0.0110	0.0490
		DDE, p,p'	29	0.0020	0.0002	0.0120
		dichlorobenzene, p-	1	0.0020	0.0020	0.0020
		dieldrin	18	0.0007	0.0001	0.0070
		endosulfan sulfate	2	0.0003	0.0002	0.0004
		heptachlor epoxide	2	0.0001	0.0001	0.0001
		hexachlorobenzene	2	0.0001	0.0001	0.0001
		permethrin, cis	1	0.0004	0.0004	0.0004
		permethrin, trans	1	0.0006	0.0006	0.0006
		styrene	4	0.0025	0.0020	0.0040
		tetrachloroethylene	4	0.0033	0.0020	0.0060
		toluene	8	0.0074	0.0020	0.0300
		trichloroethylene	1	0.0040	0.0040	0.0040
		xylene, m- and/or p-	8	0.0043	0.0020	0.0080

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>287</b>	<b>fruit flavor sherbet</b>					
		benzene	4	0.0220	0.0020	0.0610
		bromodichloromethane	1	0.0030	0.0030	0.0030
		butylbenzene, n-	1	0.0070	0.0070	0.0070
		captan	3	0.1333	0.0030	0.3600
		chloroform	10	0.0141	0.0080	0.0270
		cumene (isopropyl benzene)	1	0.0390	0.0390	0.0390
		DDE, p,p'	9	0.0011	0.0002	0.0030
		dieldrin	1	0.0003	0.0003	0.0003
		endosulfan sulfate	2	0.0003	0.0003	0.0003
		ethion	5	0.0018	0.0010	0.0030
		ethyl benzene	1	0.0030	0.0030	0.0030
		iprodione	2	0.0057	0.0003	0.0110
		methidathion	6	0.0041	0.0008	0.0090
		toluene	17	0.0343	0.0030	0.2030
		trichloroethylene	1	0.0040	0.0040	0.0040
		vinclozolin	1	0.0008	0.0008	0.0008
		xylene, m- and/or p-	10	0.0237	0.0030	0.0650
<b>288</b>	<b>popsicle, any flavor</b>					
		1,1,2-trichloroethane	1	0.0200	0.0200	0.0200
		1,2,4-trimethylbenzene	1	0.1680	0.1680	0.1680
		benzene	6	0.0032	0.0010	0.0100
		bromodichloromethane	4	0.0038	0.0030	0.0060
		carbaryl	2	0.0195	0.0060	0.0330
		chloroform	9	0.0109	0.0030	0.0180
		cumene (isopropyl benzene)	4	0.0343	0.0120	0.0630
		dicofol, p,p'	5	0.0042	0.0010	0.0070
		ethion	3	0.0012	0.0005	0.0020
		ethion oxygen analog	1	0.0003	0.0003	0.0003
		iprodione	2	0.0100	0.0100	0.0100
		methidathion	5	0.0014	0.0010	0.0020
		styrene	3	0.0070	0.0040	0.0110
		toluene	12	0.0196	0.0010	0.1000
		trichloroethylene	1	0.0040	0.0040	0.0040
		tris(2-butoxyethyl)phosphate	1	0.0900	0.0900	0.0900
		xylene, m- and/or p-	1	0.0170	0.0170	0.0170
<b>289</b>	<b>chocolate snack cake with chocolate icing</b>					
		1,1,1-trichloroethane	2	0.0035	0.0030	0.0040
		1,2,4-trimethylbenzene	7	0.0257	0.0150	0.0490
		benzene	5	0.0036	0.0010	0.0100
		chloroform	5	0.0050	0.0020	0.0100
		chlorpyrifos-methyl	29	0.0031	0.0007	0.0070
		DDE, p,p'	2	0.0023	0.0006	0.0040
		diazinon	2	0.0025	0.0010	0.0040
		dichlorobenzene, p-	1	0.0090	0.0090	0.0090
		lindane	1	0.0009	0.0009	0.0009
		malathion	21	0.0032	0.0009	0.0100

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		pirimiphos-methyl	1	0.0010	0.0010	0.0010
		styrene	10	0.0068	0.0020	0.0170
		tetrachloroethylene	2	0.0050	0.0030	0.0070
		toluene	23	0.0243	0.0090	0.0620
		trichloroethylene	1	0.0040	0.0040	0.0040
		xylene, m- and/or p-	8	0.0044	0.0020	0.0150
<b>290</b>	<b>cake doughnuts with icing, any flavor, from doughnut store</b>					
		1,1,1-trichloroethane	2	0.0035	0.0030	0.0040
		1,2,4-trimethylbenzene	8	0.0221	0.0040	0.0660
		2-chloroethyl myristate	6	0.0093	0.0050	0.0170
		2-chloroethyl palmitate	1	0.0020	0.0020	0.0020
		benzene	6	0.0023	0.0020	0.0030
		butylbenzene, n-	2	0.0050	0.0050	0.0050
		chloroform	5	0.0050	0.0020	0.0100
		chlorotoluene, o-	1	0.0110	0.0110	0.0110
		chlorotoluene, p- (4-chlorotoluene)	1	0.0100	0.0100	0.0100
		chlorpropham	1	0.0020	0.0020	0.0020
		chlorpyrifos	13	0.0017	0.0005	0.0030
		chlorpyrifos-methyl	33	0.0063	0.0010	0.0320
		cumene (isopropyl benzene)	3	0.0130	0.0050	0.0270
		DDT, p,p'	1	0.0001	0.0001	0.0001
		diazinon	5	0.0028	0.0020	0.0040
		diphenyl 2-ethylhexyl phosphate	1	0.0640	0.0640	0.0640
		ethyl benzene	10	0.0065	0.0020	0.0160
		lindane	1	0.0020	0.0020	0.0020
		malathion	35	0.0079	0.0006	0.0380
		methoxychlor, p,p'	2	0.0005	0.0004	0.0005
		pirimiphos-methyl	4	0.0025	0.0020	0.0030
		propylbenzene, n-	4	0.0090	0.0070	0.0110
		styrene	19	0.0238	0.0060	0.0450
		tetrachloroethylene	5	0.0316	0.0050	0.0860
		toluene	24	0.0910	0.0090	0.4160
		trichloroethylene	3	0.0037	0.0030	0.0040
		xylene, m- and/or p-	17	0.0213	0.0060	0.0440
		xylene, o-	12	0.0076	0.0020	0.0160
<b>291</b>	<b>brownies, commercial</b>					
		1,1,1-trichloroethane	2	0.0035	0.0030	0.0040
		1,2,4-trimethylbenzene	15	0.0308	0.0060	0.0740
		benzene	5	0.0140	0.0010	0.0400
		BHC, alpha	1	0.0002	0.0002	0.0002
		butylbenzene, n-	1	0.0060	0.0060	0.0060
		chlorobenzene	1	0.0030	0.0030	0.0030
		chloroform	7	0.0053	0.0040	0.0070
		chlorpyrifos	1	0.0009	0.0009	0.0009
		chlorpyrifos-methyl	30	0.0053	0.0003	0.0200
		cumene (isopropyl benzene)	3	0.0023	0.0020	0.0030



## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		diazinon	5	0.0021	0.0006	0.0040
		dichlorobenzene, p-	2	0.0060	0.0050	0.0070
		dieldrin	1	0.0002	0.0002	0.0002
		ethyl benzene	9	0.0067	0.0020	0.0140
		lindane	3	0.0016	0.0007	0.0020
		malathion	32	0.0077	0.0008	0.0370
		methoxychlor, p,p'-	1	0.0030	0.0030	0.0030
		propylbenzene, n-	1	0.0040	0.0040	0.0040
		styrene	14	0.0108	0.0040	0.0250
		tetrachloroethylene	6	0.0048	0.0020	0.0130
		toluene	21	0.0328	0.0130	0.0920
		trichloroethylene	3	0.0033	0.0020	0.0050
		xylene, m- and/or p-	15	0.0205	0.0050	0.0680
		xylene, o-	9	0.0081	0.0020	0.0230
<b>292</b>	<b>sugar cookies, commercial</b>					
		1,1,1-trichloroethane	2	0.0035	0.0030	0.0040
		1,2,4-trimethylbenzene	4	0.0645	0.0200	0.1700
		2-chloroethyl laurate	5	0.0040	0.0010	0.0080
		2-chloroethyl myristate	7	0.0439	0.0210	0.1020
		benzene	4	0.0138	0.0040	0.0300
		butylbenzene, n-	3	0.0087	0.0030	0.0190
		chlorobenzene	3	0.0027	0.0020	0.0030
		chloroform	5	0.0094	0.0030	0.0190
		chlorpyrifos	4	0.0007	0.0003	0.0010
		chlorpyrifos-methyl	32	0.0149	0.0010	0.0500
		cumene (isopropyl benzene)	1	0.0140	0.0140	0.0140
		DDE, p,p'	4	0.0012	0.0004	0.0030
		DDT, p,p'	2	0.0005	0.0003	0.0007
		diazinon	1	0.0040	0.0040	0.0040
		dichlorobenzene, p-	3	0.0143	0.0020	0.0290
		ethyl benzene	7	0.0057	0.0020	0.0190
		hexachlorobenzene	1	0.0003	0.0003	0.0003
		malathion	34	0.0130	0.0030	0.0500
		methoxychlor, p,p'-	2	0.0008	0.0006	0.0010
		pirimiphos-methyl	1	0.0090	0.0090	0.0090
		propylbenzene, n-	2	0.0040	0.0030	0.0050
		styrene	22	0.0755	0.0110	0.1990
		tetrachloroethylene	5	0.0140	0.0030	0.0350
		toluene	19	0.0812	0.0060	0.4170
		trichloroethylene	2	0.0030	0.0020	0.0040
		xylene, m- and/or p-	13	0.0160	0.0020	0.0710
		xylene, o-	8	0.0070	0.0020	0.0240
<b>293</b>	<b>suckers, any flavor</b>					
		benzene	1	0.0120	0.0120	0.0120
		chlorpyrifos	4	0.0016	0.0005	0.0030
		diphenyl 2-ethylhexyl phosphate	1	0.0220	0.0220	0.0220
		ethion	4	0.0009	0.0003	0.0020
		ethion oxygen analog	1	0.0007	0.0007	0.0007

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		methidathion	4	0.0009	0.0006	0.0010
		toluene	2	0.0325	0.0320	0.0330
		tris(beta-chloroethyl) phosphate	1	0.0010	0.0010	0.0010
		xylene, m- and/or p-	1	0.0160	0.0160	0.0160
<b>294</b>	<b>pretzels, hard, salted, any shape</b>					
		chlorpropham	2	0.0020	0.0010	0.0030
		chlorpyrifos	7	0.0010	0.0006	0.0020
		chlorpyrifos-methyl	36	0.0233	0.0004	0.0800
		diazinon	1	0.0010	0.0010	0.0010
		malathion	35	0.0238	0.0020	0.2180
		methoxychlor, p,p'-	10	0.0012	0.0005	0.0030
		pirimiphos-methyl	3	0.0046	0.0009	0.0120
<b>295</b>	<b>chocolate syrup dessert topping</b>					
		2-chloroethyl palmitate	1	0.0430	0.0430	0.0430
		chlorpyrifos	1	0.0006	0.0006	0.0006
		lindane	3	0.0003	0.0002	0.0004
<b>296</b>	<b>jelly, any flavor</b>					
		benzene	1	0.0230	0.0230	0.0230
		carbaryl	22	0.0210	0.0040	0.0910
		dicofol, p,p'-	1	0.0030	0.0030	0.0030
		dimethoate	1	0.0010	0.0010	0.0010
		diphenyl 2-ethylhexyl phosphate	1	0.0200	0.0200	0.0200
		endosulfan I	1	0.0060	0.0060	0.0060
		endosulfan II	1	0.0090	0.0090	0.0090
		endosulfan sulfate	1	0.0040	0.0040	0.0040
		iprodione	7	0.0111	0.0010	0.0300
		iprodione metabolite isomer	1	0.0030	0.0030	0.0030
		malathion	1	0.0030	0.0030	0.0030
		parathion-methyl	1	0.0009	0.0009	0.0009
		thiabendazole	1	0.0170	0.0170	0.0170
<b>297</b>	<b>sweet cucumber pickles</b>					
		benzene	2	0.0185	0.0110	0.0260
		BHC, alpha	4	0.0005	0.0002	0.0009
		BHC, beta	2	0.0002	0.0001	0.0003
		BHC, delta	2	0.0001	0.0001	0.0001
		carbaryl	1	0.0080	0.0080	0.0080
		chlordane	1	0.0009	0.0009	0.0009
		chlordane, cis	12	0.0007	0.0002	0.0020
		chlordane, trans	11	0.0004	0.0001	0.0010
		chlorpropham	1	0.0020	0.0020	0.0020
		chlorpyrifos	13	0.0037	0.0007	0.0150
		DDE, p,p'	4	0.0008	0.0002	0.0010
		DDT, o,p'	1	0.0005	0.0005	0.0005
		DDT, p,p'	1	0.0001	0.0001	0.0001
		dicofol, p,p'-	1	0.0070	0.0070	0.0070
		dieldrin	34	0.0033	0.0004	0.0090

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan I	33	0.0033	0.0003	0.0180
		endosulfan II	34	0.0030	0.0004	0.0120
		endosulfan sulfate	36	0.0077	0.0008	0.0290
		ethion	1	0.0010	0.0010	0.0010
		ethylene dibromide	1	0.0130	0.0130	0.0130
		heptachlor epoxide	4	0.0006	0.0004	0.0009
		lindane	10	0.0024	0.0001	0.0090
		nonachlor, trans	7	0.0005	0.0003	0.0009
		octachlor epoxide	2	0.0002	0.0001	0.0002
		permethrin, cis	1	0.0010	0.0010	0.0010
		permethrin, trans	1	0.0004	0.0004	0.0004
		TDE, p,p'	1	0.0005	0.0005	0.0005
		toxaphene	10	0.0194	0.0040	0.0340
		triphenyl phosphate	1	0.0190	0.0190	0.0190
		tris(beta-chloroethyl) phosphate	1	0.0020	0.0020	0.0020
<b>298</b>	<b>yellow mustard</b>					
		1,1,2-trichloroethane	1	0.0650	0.0650	0.0650
		2-chloroethyl laurate	1	0.0040	0.0040	0.0040
		2-chloroethyl linoleate	32	0.2888	0.0080	1.5700
		2-chloroethyl myristate	18	0.0098	0.0010	0.0300
		2-chloroethyl palmitate	29	0.0394	0.0010	0.2460
		2-chloroethyl stearate	3	0.0270	0.0100	0.0430
		BHC, alpha	31	0.0015	0.0001	0.0090
		BHC, beta	12	0.0005	0.0001	0.0020
		BHC, delta	9	0.0003	0.0001	0.0010
		chlorpropham	1	0.0020	0.0020	0.0020
		chlorpyrifos	3	0.0011	0.0004	0.0020
		chlorpyrifos-methyl	1	0.0010	0.0010	0.0010
		DDT, p,p'	9	0.0005	0.0002	0.0010
		endosulfan I	1	0.0004	0.0004	0.0004
		endosulfan II	1	0.0005	0.0005	0.0005
		endosulfan sulfate	1	0.0005	0.0005	0.0005
		ethylene dichloride	1	0.0270	0.0270	0.0270
		lindane	32	0.0007	0.0002	0.0040
		malathion	1	0.0010	0.0010	0.0010
		TDE, p,p'	2	0.0002	0.0001	0.0003
		toluene	2	0.0465	0.0210	0.0720
<b>299</b>	<b>black olives</b>					
		2-chloroethyl linoleate	1	0.0200	0.0200	0.0200
		2-chloroethyl palmitate	1	0.0020	0.0020	0.0020
		chloroform	1	0.0110	0.0110	0.0110
		chlorpyrifos	33	0.0021	0.0005	0.0060
		DCPA	14	0.0008	0.0002	0.0020
		DDE, p,p'	17	0.0003	0.0001	0.0006
		dicofol, o,p'-	1	0.0003	0.0003	0.0003
		dicofol, p,p'-	15	0.0026	0.0006	0.0050

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan I	21	0.0006	0.0001	0.0020
		endosulfan II	8	0.0004	0.0002	0.0010
		endosulfan sulfate	35	0.0029	0.0002	0.0120
		iprodione	1	0.0040	0.0040	0.0040
		lindane	2	0.0004	0.0002	0.0005
		toluene	2	0.0320	0.0110	0.0530
<b>300</b>	<b>sour cream</b>					
		1,1,1-trichloroethane	1	0.0100	0.0100	0.0100
		1,2,4-trimethylbenzene	1	0.0040	0.0040	0.0040
		benzene	3	0.0077	0.0030	0.0150
		bromodichloromethane	2	0.0035	0.0030	0.0040
		chlorobenzene	2	0.0020	0.0020	0.0020
		chloroform	22	0.0415	0.0130	0.1760
		DDE, p,p'	33	0.0032	0.0002	0.0200
		dichlorobenzene, p-	1	0.0020	0.0020	0.0020
		dieldrin	26	0.0005	0.0001	0.0020
		endosulfan sulfate	6	0.0006	0.0003	0.0009
		heptachlor epoxide	4	0.0002	0.0001	0.0004
		hexachlorobenzene	8	0.0002	0.0001	0.0004
		lindane	1	0.0003	0.0003	0.0003
		methoxychlor, p,p'	2	0.0007	0.0004	0.0010
		permethrin, cis	1	0.0010	0.0010	0.0010
		permethrin, trans	1	0.0010	0.0010	0.0010
		styrene	3	0.0150	0.0050	0.0300
		tetrachloroethylene	1	0.0070	0.0070	0.0070
		toluene	8	0.0081	0.0010	0.0280
		trichloroethylene	1	0.0030	0.0030	0.0030
		xylene, m- and/or p-	1	0.0020	0.0020	0.0020
<b>301</b>	<b>brown gravy, homemade</b>					
		BHC, alpha	1	0.0001	0.0001	0.0001
		chlorpropham	8	0.0122	0.0009	0.0400
		chlorpyrifos	2	0.0007	0.0003	0.0010
		chlorpyrifos-methyl	14	0.0013	0.0002	0.0030
		DDE, p,p'	11	0.0013	0.0003	0.0040
		diazinon	1	0.0020	0.0020	0.0020
		dieldrin	4	0.0003	0.0001	0.0004
		heptachlor epoxide	1	0.0002	0.0002	0.0002
		lindane	1	0.0004	0.0004	0.0004
		malathion	12	0.0022	0.0007	0.0040
		polychlorinated biphenyls	1	0.0300	0.0300	0.0300
		toluene	1	0.0130	0.0130	0.0130
<b>302</b>	<b>French salad dressing, regular</b>					
		2-chloroethyl laurate	6	0.0020	0.0010	0.0030
		2-chloroethyl linoleate	30	0.5273	0.0060	4.3200
		2-chloroethyl myristate	23	0.0126	0.0005	0.0430
		2-chloroethyl palmitate	26	0.1316	0.0030	1.3700
		2-chloroethyl stearate	2	0.8500	0.0300	1.6700

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		benzene	1	0.0100	0.0100	0.0100
		BHC, alpha	2	0.0005	0.0003	0.0006
		BHC, beta	1	0.0002	0.0002	0.0002
		BHC, delta	1	0.0002	0.0002	0.0002
		chloroform	1	0.0210	0.0210	0.0210
		chlorpyrifos	1	0.0030	0.0030	0.0030
		cypermethrin	1	0.0100	0.0100	0.0100
		DCPA	1	0.0010	0.0010	0.0010
		DDE, p,p'	1	0.0004	0.0004	0.0004
		DDT, p,p'	1	0.0006	0.0006	0.0006
		dicofol, p,p'	1	0.0200	0.0200	0.0200
		dieldrin	2	0.0005	0.0004	0.0005
		ethion	4	0.0038	0.0020	0.0080
		lindane	1	0.0002	0.0002	0.0002
		xylene, m- and/or p-	1	0.0210	0.0210	0.0210
<b>303</b>	<b>Italian salad dressing, low-calorie</b>					
		2-chloroethyl laurate	1	0.0009	0.0009	0.0009
		2-chloroethyl linoleate	16	0.0526	0.0020	0.2450
		2-chloroethyl myristate	6	0.0020	0.0009	0.0060
		2-chloroethyl palmitate	12	0.0126	0.0004	0.0540
		2-chloroethyl stearate	1	0.0100	0.0100	0.0100
		chloroform	1	0.0200	0.0200	0.0200
		DCPA	3	0.0014	0.0002	0.0030
		ethion	2	0.0006	0.0002	0.0010
<b>304</b>	<b>olive/safflower oil</b>					
		1,1,1-trichloroethane	1	0.0290	0.0290	0.0290
		1,2,4-trimethylbenzene	4	0.0215	0.0080	0.0490
		Aroclor 1260	1	0.0100	0.0100	0.0100
		benzene	11	0.0190	0.0010	0.1010
		BHC, alpha	3	0.0010	0.0004	0.0020
		carbon tetrachloride	1	0.0100	0.0100	0.0100
		chlorobenzene	1	0.0070	0.0070	0.0070
		chloroform	4	0.0025	0.0020	0.0040
		chlorpyrifos	4	0.0030	0.0010	0.0080
		DDE, p,p'	15	0.0011	0.0004	0.0020
		DDT, p,p'	2	0.0020	0.0010	0.0030
		diazinon	1	0.0040	0.0040	0.0040
		diphenyl 2-ethylhexyl phosphate	2	0.0520	0.0440	0.0600
		endosulfan I	8	0.0009	0.0003	0.0020
		endosulfan II	11	0.0009	0.0004	0.0030
		endosulfan sulfate	27	0.0067	0.0009	0.0300
		ethyl benzene	4	0.0085	0.0020	0.0230
		hexachlorobenzene	1	0.0008	0.0008	0.0008
		lindane	9	0.0007	0.0003	0.0020
		malathion	1	0.0400	0.0400	0.0400
		methidathion	2	0.0040	0.0020	0.0060
		oxyfluorfen	2	0.0045	0.0030	0.0060
		procymidone	1	0.0009	0.0009	0.0009

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		simazine	4	0.0073	0.0020	0.0200
		styrene	14	0.0236	0.0030	0.0540
		TDE, p,p'	2	0.0010	0.0009	0.0010
		tetrachloroethylene	1	0.0070	0.0070	0.0070
		toluene	13	0.0155	0.0040	0.0320
		trichloroethylene	2	0.0035	0.0030	0.0040
		xylene, m- and/or p-	10	0.0272	0.0020	0.1100
		xylene, o-	5	0.0114	0.0030	0.0230
<b>305</b>	<b>coffee, from ground</b>					
		carbaryl	1	0.0090	0.0090	0.0090
		ethyl benzene	1	0.0170	0.0170	0.0170
		toluene	1	0.0120	0.0120	0.0120
<b>306</b>	<b>fruit-flavored carbonated beverage</b>					
		benzene	9	0.0066	0.0010	0.0170
		bromodichloromethane	1	0.0030	0.0030	0.0030
		carbaryl	2	0.0080	0.0050	0.0110
		carbon tetrachloride	1	0.0050	0.0050	0.0050
		chlorobenzene	1	0.0030	0.0030	0.0030
		chloroform	14	0.0156	0.0050	0.0300
		endosulfan sulfate	1	0.0010	0.0010	0.0010
		ethion	1	0.0005	0.0005	0.0005
		toluene	3	0.0090	0.0040	0.0180
		trichloroethylene	1	0.0020	0.0020	0.0020
		xylene, m- and/or p-	1	0.0020	0.0020	0.0020
<b>307</b>	<b>fruit drink, canned</b>					
		carbaryl	3	0.0073	0.0050	0.0110
		ethion	2	0.0010	0.0010	0.0010
		thiabendazole	1	0.0420	0.0420	0.0420
		toluene	1	0.0130	0.0130	0.0130
<b>308</b>	<b>martini</b>					
		dimethoate	1	0.0007	0.0007	0.0007
<b>309</b>	<b>soy-based infant formula, ready-to-feed</b>					
		benzene	3	0.0033	0.0010	0.0060
		chloroform	5	0.0050	0.0020	0.0130
		chlorpyrifos-methyl	1	0.0004	0.0004	0.0004
		styrene	1	0.0020	0.0020	0.0020
		toluene	2	0.0010	0.0010	0.0010
		xylene, m- and/or p-	1	0.0030	0.0030	0.0030
<b>310</b>	<b>egg yolk, strained/junior</b>					
		DDE, p,p'	1	0.0006	0.0006	0.0006
		dieldrin	5	0.0004	0.0003	0.0006

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
311	rice infant cereal, instant, prepared with whole milk	DDE, p,p'	7	0.0010	0.0004	0.0030
		methoxychlor, p,p'-	2	0.0006	0.0004	0.0007
		quinclorac	4	0.0043	0.0020	0.0060
312	rice cereal, strained/junior	acephate	1	0.0010	0.0010	0.0010
		chlorpyrifos	13	0.0013	0.0006	0.0030
		dimethoate	4	0.0015	0.0010	0.0020
		endosulfan I	4	0.0009	0.0003	0.0020
		endosulfan II	4	0.0017	0.0008	0.0030
		endosulfan sulfate	3	0.0019	0.0008	0.0030
		malathion	1	0.0010	0.0010	0.0010
		thiabendazole	2	0.0430	0.0260	0.0600
313	bananas with tapioca, strained/junior	endosulfan I	1	0.0001	0.0001	0.0001
		endosulfan II	1	0.0005	0.0005	0.0005
		endosulfan sulfate	1	0.0002	0.0002	0.0002
316	split peas with vegetables and ham/bacon, strained/junior	benzene	1	0.0240	0.0240	0.0240
		chlorpropham	11	0.0081	0.0020	0.0210
		DDE, p,p'	1	0.0004	0.0004	0.0004
		diazinon	1	0.0002	0.0002	0.0002
		dieldrin	1	0.0003	0.0003	0.0003
		permethrin, cis	1	0.0008	0.0008	0.0008
		permethrin, trans	1	0.0009	0.0009	0.0009
		xylene, m- and/or p-	1	0.0130	0.0130	0.0130
317	teething biscuits	1,2,4-trimethylbenzene	4	0.0163	0.0120	0.0220
		butylbenzene, n-	2	0.0165	0.0140	0.0190
		chlordane, cis	1	0.0008	0.0008	0.0008
		chlordane, trans	1	0.0008	0.0008	0.0008
		chloroform	1	0.3340	0.3340	0.3340
		chlorpyrifos	3	0.0017	0.0010	0.0030
		chlorpyrifos-methyl	35	0.0392	0.0010	0.5300
		diazinon	1	0.0010	0.0010	0.0010
		diphenyl 2-ethylhexyl phosphate	2	0.0695	0.0530	0.0860
		malathion	35	0.0122	0.0006	0.2770
		methoxychlor, p,p'-	1	0.0030	0.0030	0.0030
		styrene	1	0.0800	0.0800	0.0800
		toluene	3	0.0217	0.0130	0.0360
		tris(beta-chloroethyl) phosphate	2	0.0013	0.0006	0.0020
		xylene, m- and/or p-	2	0.0235	0.0200	0.0270

## Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
<b>318</b>	<b>salmon, steaks or filets, fresh or frozen, baked</b>					
		1,2,4,5-Tetrachlorobenzene	5	0.0020	0.0004	0.0080
		BHC, alpha	14	0.0011	0.0001	0.0020
		BHC, beta	3	0.0005	0.0003	0.0009
		chlordan, cis	3	0.0007	0.0004	0.0010
		chlordan, trans	2	0.0003	0.0002	0.0003
		chlorpropham	1	0.0010	0.0010	0.0010
		DDE, p,p'	16	0.0079	0.0010	0.0150
		DDT, p,p'	1	0.0050	0.0050	0.0050
		dieldrin	15	0.0019	0.0004	0.0040
		endosulfan sulfate	1	0.0003	0.0003	0.0003
		heptachlor epoxide	11	0.0003	0.0001	0.0005
		hexachlorobenzene	15	0.0010	0.0003	0.0020
		lindane	5	0.0003	0.0001	0.0006
		nonachlor, cis	2	0.0006	0.0005	0.0007
		octachlor epoxide	10	0.0003	0.0001	0.0007
		oxyfluorfen	1	0.0400	0.0400	0.0400
		pentachlorobenzene	5	0.0001	0.0001	0.0002
		polychlorinated biphenyls	14	0.0263	0.0090	0.0480
		TDE, p,p'	12	0.0030	0.0009	0.0060
<b>319</b>	<b>rice cereal with apple, strained/junior</b>					
		benomyl	1	0.0300	0.0300	0.0300
		captan	1	0.0005	0.0005	0.0005
		carbaryl	5	0.0040	0.0030	0.0050
		chlorpyrifos	9	0.0016	0.0002	0.0070
		dimethoate	1	0.0060	0.0060	0.0060
		endosulfan I	6	0.0007	0.0002	0.0020
		endosulfan II	8	0.0008	0.0003	0.0030
		endosulfan sulfate	10	0.0006	0.0002	0.0010
		thiabendazole	2	0.0200	0.0200	0.0200
<b>320</b>	<b>squash, strained/junior</b>					
		DCPA	1	0.0010	0.0010	0.0010
		DDE, p,p'	4	0.0007	0.0004	0.0010
		dieldrin	16	0.0026	0.0003	0.0100
		endosulfan I	4	0.0009	0.0001	0.0020
		endosulfan II	3	0.0007	0.0002	0.0010
		endosulfan sulfate	10	0.0018	0.0005	0.0040
		ethylenethiourea	2	0.0055	0.0050	0.0060
		heptachlor epoxide	2	0.0004	0.0003	0.0005
		hexachlorobenzene	4	0.0006	0.0002	0.0010
		octachlor epoxide	1	0.0004	0.0004	0.0004
		pentachloroaniline	2	0.0028	0.0005	0.0050
		permethrin, cis	2	0.0009	0.0008	0.0009
		permethrin, trans	2	0.0009	0.0008	0.0009
		TDE, p,p'	1	0.0002	0.0002	0.0002
		toxaphene	1	0.0130	0.0130	0.0130